

7 March 2011

The Independent Market Operator has an obligation to secure through the Reserve Capacity Mechanism (RCM) sufficient capacity (generation and Demand Side Management) to meet the maximum load demands of the Western Australian Wholesale Electricity Market.

LoadWatch Summer 11 provides a weekly snapshot of the level of available capacity and electrical load for last week. It also provides forecast temperatures and load for this week and a look back to Summer 10.

Last Week

Total Capacity (note 1)
Outages (note 2)
Available Capacity (MW)

Max Temp (°C)
Min Temp

Max Load (MW) (note 3)
Capacity Cushion

Mon	Tue	Wed	Thu	Fri
28 Feb 11	01 Mar 11	02 Mar 11	03 Mar 11	04 Mar 11
5219	5219	5219	5219	5219
41	146	146	56	244
5179	5073	5073	5163	4975
39	35	33	34	35
25	21	21	20	21
3743	3456	3179	3213	3272
1435	1617	1895	1950	1703
28%	32%	37%	38%	34%

The high temperature on the 28/02/11 saw the capacity cushion drop to 28%.

(Note 1) 'Total Capacity' is total capacity procured by the IMO with various adjustments (40MW).

(Note 2) Outages are current as at the time of publication and may be subject to change.

(Note 3) Operational Load being the total loss adjusted generator sent out energy.

This Week

Max Temperature
Min Temperature
Forecast Max Load (MW)

Mon	Tue	Wed	Thu	Fri
07 Mar 11	08 Mar 11	09 Mar 11	10 Mar 11	11 Mar 11
29	32	35	34	30
17	18	18	21	19
2217	2630	3035	3101	2797

Look Back: Summer 10

Max Temperature
Min Temperature
Forecast Max Load (MW)
Actual Max Load (MW)

Mon	Tue	Wed	Thu	Fri
08 Mar 10	09 Mar 10	10 Mar 10	11 Mar 10	12 Mar 10
32	33	34	38	41
18	18	19	21	28
3126	3390	3709	3831	3878
2893	3068	3469	3775	2765

For further information please contact: