

CATS PROCEDURE PRINCIPLES AND OBLIGATIONS

PREPARED BY: AEMO MARKETS

VERSION: 4.94.8

EFFECTIVE DATE: 20 DECEMBERMAY 2020

FINAL DRAFT STATUS:

Approved for distribution and use by: APPROVED BY: PETER GEERS

TITLE: Chief Strategy and Markets Officer

DATE: 06/09/2019TBD

Australian Energy Market Operator Ltd ABN 94 072 010 327

NEW SOUTH WALES QUEENSLAND SOUTH AUSTRALIA VICTORIA AUSTRALIAN CAPITAL TERRITORY TASMANIA WESTERN AUSTRALIA



# **VERSION RELEASE HISTORY**

Version	Effective Date	Summary of Changes	
3.4a	15 <sup>th</sup> July 2011	Updated to facilitate further extension of contestability to small business customers in Tasmania.	
3.5	25 <sup>th</sup> August 2011	Updated to include a new objection for the CR1010 & CR1081 and manifest changes.	
3.6	13 <sup>th</sup> January 2012	Updated to include a new Change Reason Code for the update of the Customer Classification Code field; additional changes related to National Energy Customer Framework; and other minor manifest text changes.	
3.7	15 <sup>th</sup> May 2013	Updated to include a new NMI Discovery Search 3 transaction; aligning procedures with the NER as a result of introduction of new terminology regarding MDPs; updates based on a New Connections process review to facilitate that a LNSP only nominate a <i>retailer</i> as the FRMP based on instruction from that <i>retailer</i> , changes as a result of introduction of Market Small Generation Aggregator (MSGA).	
3.8	13 <sup>th</sup> November 2013	Updated to align MPB obligations with MDP obligations during the meter set up or maintenance process, by requiring the MPB to source the suffix from the appropriate MDP.	
3.9	1st January 2014	No version 3.9 was released. The Tasmanian Government withdrew its request for the change to the CATS Procedures.	
4.0	15 <sup>th</sup> May 2014	Updated to include amendments arising from the introduction of NECF in NSW.	
4.1	1 July 2014	Updated to include amendments arising from the AEMC Rule change on Access to NMI Standing Data.	
4.2	1 December 2017	Updated to incorporate:  National Electricity Amendment (Expanding competition in metering and related services) Rule 2015. No.12;  National Electricity Amendment (Embedded Networks) Rule 2015 No. 15; and National Electricity Amendment (Meter Replacement Processes) Rule 2016 No. 2.	
4.3	1 December 2017	Updated to add clarifications and correct errors.	
4.4	1 December 2017	Updated to incorporate feedback from PoC Work Package 3 First Stage consultation.	
4.5	1 December 2017	Updated to incorporate feedback from PoC Work Package 3 Second Stage Consultation.	
4.6	20 May 2019	Updated to enable the transfer of a NMI on a greenfield site, include updates to the use of objection codes and altered the definition for DATEBAD objections. New MC standing data search process added and further clarified responsibilities to correct the NTC in MSATS.	
4.7	20 May 2019	Minor amendment to enable MDP to view CR6700/6701 in all statuses to enable the required DATEBAD objection to occur.	
4.8	20 May 2020	Updated to define the dates MPs must use when updating MSATS relating to remote de-energisations and remote re-energisations, define timeframes for updating datastreams in MSATS, clarify the communication of the identification of incorrect NMI and metering installation, and clarify the LNSP's obligations in relation to creating Embedded Network Codes.	
4.9	20 MayDecenber 2020	Updated to incorporate:  National Electricity Amendment (Reducing customers' switching times) Rule [20xx ]  No. []  National Energy Retail Amendment (Reducing customers' switching times) Rule [20xx ]  No. []	



# **QUICK REFERENCE GUIDE**

# Change Retailer (FRMP)

Change Reason Code	Description	Section & Page No
1000, 1010 (SMALL only), 1020 (LARGE only), 1030, 1040	Change Retailer	Sec 7, Page 54
1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029 (All these codes are for SMALL only)	Change Retailer — Error Corrections (Small NMIs only)	Sec 8, Page 60
1050,1051 (Both codes are for Large only)	Change Retailer – Where FRMP IS NOT the RP	<del>Disabled from 1</del> <del>December 2017</del>
1080, 1081 (SMALL only), 1082, 1083, 1084	Change Retailer - Child NMI - Small or Large	Sec 9, Page 65
1090, 1091 (Both codes are for Large only)	Change Retailer – Child NMI – Where FRMP IS NOT the RP	<del>Disabled from 1</del> <del>December 2017</del>

### Provide Data

Change Reason Code	Description	Section & Page No
1500	Provide Actual Change Date	Sec 10, Page 71

### Create NMI

Change Reason Code	Description	Section & Page No
<del>2000, 2001</del>	Create NMI	Sec 11, Page 73
<del>2003</del>	Create Tier 1 Site NMI	<del>Disabled from 1</del> <del>December 2017</del>
<del>2020, 2021</del>	Create NMI — Child NMI	Sec 12, Page 76
<del>2500, 2501</del>	Create NMI, Meter, Datastream	Sec 13, Page 79
<del>2520, 2521</del>	Create NMI, Meter, Datastream – Child NMI	Sec 14, Page 83

# **Maintain Metering**

•		
Change Reason Code	Description	Section & Page No
3000, 3001	Create Metering Installation Details	Sec 15, Page 87
3003	Create Tier 1 Site Metering Installation Details	Disabled from 1 December 2017
<del>3004, 3005</del>	Exchange of Metering Information	Sec 16, Page 90
<del>3050, 3051</del>	Change Metering Installation Details	Sec 17, Page 93
3053	Change Tier 1 Site Metering Installation Details	Disabled from 1 December 2017
<del>3080, 3081</del>	Advanced Change Metering Installation Details	Sec 18, Page 96
<del>3090, 3091</del>	Advanced Exchange of Metering	Sec 19, Page 100
<del>3100, 3101</del>	Change Network Tariff Code	Sec 20, Page 104



### **Maintain Datastream**

Change Reason Code	Description	Section & Page No
<del>4000, 4001</del>	Create Datastream Details	<del>Sec 21, Page 106</del>
4003	Create Tier 1 Site Datastream Details	Disabled from 1 December 2017
4004, 4005	Exchange of Datastream Information	Sec 22, Page 108
<del>4050, 4051</del>	Change Datastream Details	Sec 23, Page 110
4053	Change Tier 1 Site Datastream Details	Disabled from 1 December 2017

# Maintain NMI

Change Reason Code	Description	Section & Page No
<del>5070, 5071</del>	Update Next Scheduled Read Date	Sec 24, Page 112
5001, 5021	Backdate NMI Start Date	Sec 25, Page 114
<del>5050, 5051</del>	Change NMI	<del>Sec 26, Page 118</del>
5053	Change Tier 1 Site NMI Standing Data	Disabled from 1 December 2017
<del>5054, 5055</del>	Change NMI (Customer Classification Code)	Sec 27, Page 120
<del>5060, 5061</del>	Change NMI – Child NMI	Sec 28, Page 122
<del>5080, 5081</del>	Change Parent Name	Sec 29, Page 124
<del>5090, 5091</del>	Make a NMI a Child NMI	Disabled from 1 December 2017

# Change Roles (excluding FRMP)

Change Reason Code	Description	Section & Page No
<del>6100, 6110</del>	Change LNSP	Sec 30, Page 126
6200, 6210	Change MDP	Sec 31, Page 129
<del>6300, 6301</del>	Change MC	<del>Sec 32, Page 132</del>
<del>6400, 6401</del>	Change LR	Sec 33, Page 134
6421	Change LR Child NMI	<del>Sec 34, Page 136</del>
<del>6500, 6501</del>	Change RoLR	Sec 35, Page 138
<del>6700, 6701</del>	Change MPB, MPC, or Both	<del>Sec 36, Page 140</del>
<del>6800, 6801</del>	Change Multiple Roles – MC, MDP, MPC, MPB	Sec 37, Page 142

# Auto change roles

Change Reason Code	Description	Section & Page No
ECLR	Change LR - Child NMI - Auto	Sec 38, Page 145
EPER	Change Secondary FRMP – Parent NMI	Sec 39. Page 147

# **AEMO only**

Change Reason Code	Description	Section & Page No
<del>5100, 5101</del>	Standing data updates	<del>Sec 40, Page 149</del>
BCxx	Invoke BCT Process	Sec 41, Page 152





Change Reason Code	Description	Section & Page No	
	Access to Standing Data	Sec 42, Page 155	



#### **HOW TO USE THIS DOCUMENT**

Although this document is lengthy, in most instances you will only need to read one section to work out what obligations you have.

All participants should read and be familiar with Sections 1 to 6, which contain overview material. In particular, it is essential that you read Section 2, which defines, for each role, what overall obligations it has with regard to these procedures.

The majority of the document (Sections 7 to 42) covers specific tasks you might either have to initiate or be notified about, and the rules and obligations you have with regard to them.

For example, if you are intending to change a *small customer's retailer*, assuming that you are already familiar with Sections 1 to 6, you would:

- Check the grouping of sections covering the topic 'Change Retailer' (Sections 7 to 9).
- Select and then read Section 7, which is called 'Change Retailer Small or Large NMI.

The names of sections 7 to 42 are structured like the following example:

CHANGE ROLE	-	CHANGE MDP	SMALL OR LARGE
Transaction		Specific task	NMI classification (where applicable)
Grouping			

Once you become familiar with this structure it is relatively easy to work out which section you need to select whenever you are initiating a transaction.

If you receive a notification from another participant and are not sure what obligations you have, confirm, from the notification, the Change Reason Code. Then check the 'Quick Reference Guide' at the beginning of this document to confirm what section covers this Change Reason Code.



# CONTENTS

Purpose and Scope  Definitions and Interpretation  Commencement of Changes  Related AEMO Documents  OBLIGATIONS BY ROLE	19 19 19
Commencement of Changes  Related AEMO Documents	19
Related AEMO Documents	
	19
OBLIGATIONS BY ROLE	
	21
General Obligations	21
Financially Responsible Market Participant	21
Local Network Service Provider	23
Metering Data Provider	24
Metering Provider – Category B	26
Metering Coordinator	26
Retailer of Last Resort (RoLR)	27
Second Network Service Provider (NSP2)	27
AEMO	27
Embedded Network Manager	28
CATS FUNCTIONALITY	30
Principles	30
Transaction Types	31
Change Requests	32
Change Request Status Life Cycle	34
Transaction Validation	38
Valid Proposed Change Date for Prospective and Retrospective Change Requests	40
MSATS Reports	41
CATS CODES AND RULES FOR A CHANGE REQUEST	43
Introduction	43
Change Reason Code	43
Role Codes	45
Change Request Initiation Rules	46
Jurisdiction Codes	46
Timeframe Rules	46
Objection Codes	47
Objection Rules	48
NMI Classification Codes	48
End User Classification	49
Status Codes	50
Metering Installation Type Codes	51
Read Type Code	52
Previous Read Dates and Quality Flags	55
	General Obligations Financially Responsible Market Participant Local Network Service Provider Metering Data Provider Metering Data Provider—Category B Metering Coordinator Retailer of Last Resort (RoLR) Second Network Service Provider (NSP2) AEMO Embedded Network Manager  CATS FUNCTIONALITY Principles Transaction Types Change Requests Change Request Status Life Cycle Transaction Validation Valid Proposed Change Date for Prospective and Retrospective Change Requests MSATS Reports  CATS CODES AND RULES FOR A CHANGE REQUEST Introduction Change Reason Code Role Codes Change Request Initiation Rules Jurisdiction Codes Timeframe Rules Objection Codes End User Classification Status Codes Metering Installation Type Codes Read Type Code



4.15.	Field Validation Rules	56
4.16.	Change Request Status Notification Rules	56
4.17.	Maintenance of Codes and Rules	57
<u>4.18.</u>	Datastream Status Code	57
<u>4.19.</u>	Embedded Network Codes and Rules	57
<u>4.20.</u>	Obtaining Electronic Downloads of Configuration Rules	58
<u>5.</u>	GUIDELINES FOR MANAGING CONCURRENT RETAIL TRANSFERS	61
<u>5.1.</u>	Definition of Concurrent Retail Transfers	6
5.2.	Guidelines	6
6.	CHANGE RETAILER – CHANGE REQUESTS	62
6.1.	SMALL or LARGE NMIs	62
6.2.	Error Corrections – SMALL NMIs	69
7.	REVERSE AND PROVIDE DATA – CHANGE REQUESTS	
7.1.	Reverse – SMALL NMIs	73
7.2.	Provide Data – Provide Actual Change Date	75
8.	CREATE NMI – CHANGE REQUESTS	93
8.1.	Create NMI	93
8.2.	Create Child NMI	96
8.3.	Create NMI, Metering Installation Details and NMI Datastream	99
8.4.	Create Child NMI, Metering Installation Details and MDM Datastream	103
9.	CREATE AND MAINTAIN METERING – CHANGE REQUESTS	107
9.1.	Create Metering Installation Details	107
9.2.	Exchange of Metering Information	110
9.3.	Change Metering Installation Details	113
9.4.	Advanced Change Metering Installation Details	116
<u>9.5.</u>	Advanced Exchange of Metering	120
9.6.	Change Network Tariff Code	124
<u>10.</u>	CREATE AND MAINTAIN DATASTREAM – CHANGE REQUESTS	126
<u>10.1.</u>	Create NMI Datastream	126
<u>10.2.</u>	Exchange of Datastream Information	128
<u>10.3.</u>	Change NMI Datastream	130
<u>11.</u>	MAINTAIN NMI – CHANGE REQUESTS	132
<u>11.1.</u>	Update Next Scheduled Read Date	132
<u>11.2.</u>	Backdate NMI	136
<u>11.3.</u>	Change NMI	140
<u>11.4.</u>	Change NMI – Customer Classification Code	142
<u>11.5.</u>	Change NMI Embedded Network – Child	144
	•	
<u>11.6.</u>	Change Parent Name	146



12.1.	Change LNSP	148
12.2.	Change MDP	151
12.3.	Change MC	154
12.4.	Change LR	156
12.5.	Change LR – Child NMI	158
12.6.	Change ROLR	160
12.7.	Change MPB or MPC or Both	162
12.8.	Change Multiple Roles	164
13.	AUTO CHANGE ROLE – CHANGE REQUESTS	167
13.1.		167
13.2.	· ·	169
15.2.	Change Secondary (NW) Tarent	103
<u>14.</u>	AEMO ONLY – CHANGE REQUESTS	172
<u>14.1.</u>	AEMO-Initiated Standing Data Updates	172
<u>14.2.</u>	Change Role, TNI or DLF CODE – Bulk Change Tool (BCT)	175
<u>15.</u>	ACCESS TO CATS STANDING DATA	178
	Introduction	178
15.2.		178
15.3.	•	179
1.—	INTRODUCTION	16
1.1.		16
	Definitions and Interpretation	16
	-Commencement of Changes	
	Related AEMO Documents	16
11.	Nelated NEWO Documents	
2	OBLIGATIONS BY ROLE	18
2.1.	General Obligations	18
2.2.	Financially Responsible Market Participant	18
2.3.	Local Network Service Provider	19
<del>2.4.–</del>	—Metering Data Provider	21
2.5.	—Metering Provider – Category B	22
2.6.	Metering Coordinator	23
2.7.	Retailer of Last Resort (RoLR)	24
<del>2.8.</del>	—Second Network Service Provider (NSP2)	24
2.9.	—AEMO	24
<u>2.10.</u>	Embedded Network Manager	25
3.—	—CATS FUNCTIONALITY	27
3.1.		<u>27</u>
3.2.	—Transaction Types	28
	Change Requests	29
3.4.	—Change Request Status Life Cycle	31
<del>3.5.</del>	—Transaction Validation	35



<del>3.0.</del>	— valid Froposed Change Date for Frospective and Netrospective Change Nequests	<del>5/</del>
<u>3.7.</u>	—MSATS Reports	38
4.—	—CATS CODES AND RULES FOR A CHANGE REQUEST	40
4.1.	—Introduction	40
4.2.	—Change Reason Code	40
4.3.	—Role Codes	43
4.4.	Change Request Initiation Rules	44
<del>4.5.</del>	—Jurisdiction Codes	44
<del>4.6.</del>	Timeframe Rules	44
<del>4.7.</del>	—Objection Codes	<u>45</u>
<u>4.8.</u>	— Objection Rules	46
<u>4.9.</u>	—NMI Classification Codes	46
<u>4.10.</u>	—End User Classification	<u>47</u>
<u>4.11</u>	—Status Codes	48
<u>4.12.</u>	—Metering Installation Type Codes	49
<u>4.13.</u>	—Read Type Code	50
<u>4.14.</u>	—Last Read Quality Flag	<u>53</u>
<u>4.15.</u>	Field Validation Rules	53
<u>4.16.</u>	—Change Request Status Notification Rules	54
<u>4.17.</u>	Maintenance of Codes and Rules	54
<u>4.18.</u>	—Datastream Status Code	54
<u>4.19.</u>	—Embedded Network Codes and Rules	54
<u>4.20.</u>	- Obtaining Electronic Downloads of Configuration Rules	55
5.—	—GUIDELINES FOR MANAGING CONCURRENT RETAIL TRANSFERS	<del>58</del>
5.1.	—Definition of concurrent retail transfers	 58
5.2.	—Guidelines	58
	CHANCE DETAILED CMAIL OR LADCE NIM	
6.	— CHANGE RETAILER — SMALL OR LARGE NMI	59
	— Application [1000 1020 1030 1040]	
	Conditions Precedent	
	FRMP Requirements	59
	—MDP Requirements —Timeframe Rules	61
		62
	Objection Rules	<del>62</del> 64
<del>0.7.</del>	— Change Request Status Notification Rules	04
	REVERSE CHANGE REQUEST	66
	- Application 1060, 1061	66
	Conditions Precedent	66
	Initiating Roles	66
	FRMP Requirements	66
<del>7.5.</del>	Timeframe Rules	67
76-	—Objection Rules	67



<u>/./.</u> -	—Change Request Status Notification Rules	<u></u> 6/
<u>8.—</u>	—CHANGE RETAILER — ERROR CORRECTIONS — SMALL NMIS	69
8.1.	— Application [1021 1023 1024 1025 1029]	69
	Conditions Precedent	69
	Initiating Roles	
	FRMP Requirements	70
	MDP Requirements	70
	—MC Requirements	71
	—Timeframe Rules	 71
	- Objection Rules	 71
	Change Request Status Notification Rules	73
<u>9.                                    </u>	PROVIDE DATA – PROVIDE ACTUAL CHANGE DATE – SMALL OR LARGE	80
9.1.	- Application [1500]	80
9.2.	- Conditions Precedent	80
9.3.	Initiating Roles	 80
9.4.	—MDP Requirements	<u></u> 80
9.5.	Timeframe Rules	80
9.6.	—Objection Rules	80
9.7.	Change Request Status Notification Rules	81
<u>10.—</u>		82
<del>10.1.</del>	—Application [2000 2001]	82
10.2.	—Conditions Precedent	82
<del>10.3.</del>	—Initiating Roles	82
<del>10.4.</del>	- LNSP Requirements	82
<del>10.5.</del>	— MPB Requirements	83
	—Timeframe Rules	83
10.7.	—Objection Rules	83
10.8.	—Change Request Status Notification Rules	84
<u>11.</u>		85
<del>11.1</del>	—Application [2020 2021]	<u>85</u>
<del>11.2.</del>	—Conditions Precedent	<u>85</u>
<del>11.3</del>	—Initiating Roles	85
11.4.	ENM Requirements	<u>85</u>
<del>11.5.</del>	MPB Requirements	<del>86</del>
<del>11.6.</del>	—Timeframe Rules	86
<del>11.7.</del>	Objection Rules	<del>86</del>
11.8.	Change Request Status Notification Rules	87
12.		
_	SMALL OR LARGE	88
<u> 12.1.</u>	—Application [2500-2501]	88
	— Conditions Precedent	88



<del>12.3.</del>	—Initiating Roles	88
<del>12.4.</del>	—LNSP Requirements	<u>88</u>
<del>12.5.</del>	—Timeframe Rules	90
<del>12.6.</del>	Objection Rules	<u>9</u> 0
<del>12.7.</del>	Change Request Status Notification Rules	<u>9</u> 0
12	—CREATE NMI — CREATE NMI, METERING INSTALLATION DETAILS AND MDM DATASTREAM —	
13.		92
12.1	CHILD NMI (SMALL OR LARGE)	
	— Application [2520 2521]	<u>92</u>
	—Conditions Precedent	<u>92</u>
	—Initiating Roles	<u>92</u>
	—ENM Requirements	<u>92</u>
	—Timeframe Rules	<u></u> 94
	— Objection Rules	<u></u> 94
<del>13./.</del>	Change Request Status Notification Rules	<u></u> 95
<del>14.</del>		<u>96</u>
<u>14.1.</u>	—Application [3000 3001]	<u>9</u> 6
<del>14.2.</del>	—Conditions Precedent	<u></u> 96
<del>14.3.</del>	—Initiating Roles	<del></del> 96
<del>14.4.</del>	—MPB Requirements	<del></del> 96
	—Timeframe Rules	97
<del>14.6.</del>	—Objection Rules	98
<u>14.7.</u>	—Change Request Status Notification Rules	98
45	MAINITAIN METERING EVOLUNICE OF METERING INFORMATION CAMALL OR LARGE	99
	— MAINTAIN METERING – EXCHANGE OF METERING INFORMATION – SMALL OR LARGE	
	— Application [3004 3005]	<u>99</u>
	—Conditions Precedent	<u>99</u>
	—Initiating Roles	<u>99</u>
	—MPB Requirements	<u>99</u>
	—Timeframe Rules	<u>101</u>
	— Objection Rules	<u>101</u>
<del>15./.</del>	—Change Request Status Notification Rules	<u>101</u>
<del>16.</del>		_102
<del>16.1.</del>	—Application [3050 3051]	_102
<del>16.2.</del>	—Conditions Precedent	_102
<del>16.3.</del>	—Initiating Roles	_102
<del>16.4.</del>	—MPB Requirements	_102
<del>16.5.</del>	—Timeframe Rules	_103
<u>16.6.</u>	—Objection Rules	 104
<u>16.7.</u>	Change Request Status Notification Rules	 104
17	MAINTAIN METERNING ARMANICER CHANGE METERNING INSTAULATION RETAINS OF THE CO.	
<del>17.—</del>	—MAINTAIN METERING – ADVANCED CHANGE METERING INSTALLATION DETAILS – SMALL OR	405
	LARGE	_105
<del>1/.1.</del>	—Application [3080 3081]	<u>_105</u>



17.2.—Conditions Precedent	105
17.3:—Initiating Roles	105
17.4.—MC Requirements	105
17.5.—MDP Requirements	107
17.6.—Timeframe Rules	107
17.7.—Objection Rules	107
17.8.—Change Request Status Notification Rules	108
18.—MAINTAIN METERING – ADVANCED EXCHANGE OF METERING – SMALL OR LARGE	109
18.1.—Application [3090 3091]	109
18.2.—Conditions Precedent	 109
18.3.—Initiating Roles	 109
18.4.—MC Requirements	109
18.5.—MDP Requirements	11
18.6.—Timeframe Rules	11
18.7.—Objection Rules	11
18.8.—Change Request Status Notification Rules	112
Total State	
19:—MAINTAIN METERING – CHANGE NETWORK TARIFF CODE – SMALL OR LARGE	113
<u>19.1.—Application [3100 3101]</u>	113
19.2.—Conditions Precedent	113
19.3.—Initiating Roles	113
19.4.—LNSP or ENM Requirements	113
19.5.—Timeframe Rules	114
19.6.—Objection Rules	114
19.7.—Change Request Status Notification Rules	11/
20.—MAINTAIN DATASTREAM - CREATE NMI DATASTREAM - SMALL OR LARGE	115
20.1.—Application [4000 4001]	115
20.2.—Conditions Precedent	115
20.3.—Initiating Roles	115
20.4.—MDP Requirements	115
20.5.—Timeframe Rules	115
20.6.—Objection Rules	116
20.7.—Change Request Status Notification Rules	116
21.—MAINTAIN DATASTREAM – EXCHANGE OF DATASTREAM INFORMATION SMALL OR LARGE	117
21.1.—Application [4004 4005]	— 117
21.2.—Conditions Precedent	 
21.3.—Initiating Roles	 
21.4.—MDP Requirements	
21.5.—Timeframe Rules	117 118
21.6.—Objection Rules	 118
21.7.—Change Request Status Notification Rules	118
Entry Change Request Status Notification Notes	
22.—MAINTAIN DATASTREAM – CHANGE NMI DATASTREAM – SMALL OR LARGE	119



22.1.—Application [4050 4051]	119
22.2.—Conditions Precedent	119
22.3. Initiating Roles	119
22.4.—MDP Requirements	119
22.5.—Timeframe Rules	120
22.6. Objection Rules	120
22.7.—Change Request Status Notification Rules	120
23.—MAINTAIN NMI – UPDATE NEXT SCHEDULED READ DATE – SMALL OR LARGE	121
	121
23.1.—Application [5070 5071] 23.2.—Conditions Precedent	121
23.3.—Initiating Roles	
	121
23.5.—Timeframe Rules	121 121
23.6.—Objection Rules	122
23.7.—Change Request Status Notification Rules	
25.7.—Change Request Status Notification Rules	122
24.—MAINTAIN NMI – UPDATE LAST READ DATE	123
24.1.—Application [5072]	123
24.2.—Conditions Precedent	123
24.3. Initiating Roles	123
24.4.—MDP Requirements	123
24.5.—Timeframe Rules	123
24.6.—Objection Rules	<u>123</u>
24.7.—Change Request Status Notification Rules	124
25.—MAINTAIN NMI – BACKDATE A NMI – SMALL OR LARGE	125
25.1.—Application (5001 5021)	125
25.2. Conditions Precedent	125
25.3. Initiating Roles	125
25.4.—LNSP Requirements (5001 only)	125
25.5.—ENM Requirements (5021 only)	126
25.6.—AEMO Requirements	127
25.7:—MPB Requirements	127
25.8.—Timeframe Rules	127
25.9.—Objection Rules	127
25.10Change Request Status Notification Rules	128
26.—MAINTAIN NMI – CHANGE A NMI – SMALL OR LARGE	129
26.1.—Application [5050 5051]	129
26.2.—Conditions Precedent	129
26.3.—Initiating Roles	129
26.4.—LNSP Requirements	129
26.5.—Timeframe Rules	130
26.6.—Objection Rules	130



26./.—Change Kequest Status Notification Kules	<del>130</del>
27.—MAINTAIN NMI – CHANGE A NMI – CUSTOMER CLASSIFICATION CODE – SMALL OR LARGE	131
27.1.—Application [5054 5055]	131
27.2.—Conditions Precedent	— —131
27.3.—Initiating Roles	<del></del> 131
27.4.—FRMP Requirements	<del></del> 131
27.5.—Timeframe Rules	— 131
27.6.—Objection Rules	132
27.7.—Change Request Status Notification Rules	132
28:—MAINTAIN NMI – CHANGE NMI EMBEDDED NETWORK (CHILD) – SMALL OR LARGE	133
28.1.—Application [5060 5061]	— —133
28.2.—Conditions Precedent	— 133
28.3.—Initiating Roles	— 133
28.4.—ENM Requirements	 133
28.5.—Timeframe Rules	33 134
28.6:—Objection Rules	13
28.7.—Change Request Status Notification Rules	134
29.—MAINTAIN NMI – CHANGE PARENT NAME – SMALL OR LARGE	135
29.1.—Application (5080 5081)	— — 135
29.2.—Conditions Precedent	— 135
29.3.—Initiating Roles	135
29.4.—LNSP Requirements	— 135
29.5.—Timeframe Rules	— 135
29.6.—Objection Rules	— 136
29.7.—Change Request Status Notification Rules	136
30:—CHANGE ROLE – CHANGE LNSP – SMALL OR LARGE	137
30.1.—Application [6100 6110]	 137
30.2.—Conditions Precedent	— —137
30.3.—Initiating Roles	— —137
30.4.—LNSP or ENM Requirements	— —137
30.5:—Timeframe Rules	137
30.6.—Objection Rules	138
30.7.—Change Request Status Notification Rules	138
31.—CHANGE ROLE—CHANGE MDP—SMALL OR LARGE	<u>140</u>
31.1.—Application [6200 6210]	140
31.2.—Conditions Precedent	140
31.3.—Initiating Roles	 140
31.4.—FRMP/Current MC Requirements	140
31.5.—MDP Requirements	140
31.6.—Timeframe Rules	140
31.7—Objection Rules	141



31.8.—Change Request Status Notification Rules	141
32:—CHANGE ROLE – CHANGE MC – SMALL OR LARGE	143
32.1.—Application [6300 6301]	143
32.2.—Conditions Precedent	143
32.3.—Initiating Roles	143
32.4.—MC/Current FRMP Requirements	143
32.5.—Timeframe Rules	143
32.6.—Objection Rules	144
32.7.—Change Request Status Notification Rules	144
33.—CHANGE ROLE – CHANGE LR – SMALL OR LARGE	145
33.1.—Application [6400 6401]	145
33.2.—Conditions Precedent	145
33.3.—Initiating Roles	145
33.4.—LR Requirements	145
33.5.—Timeframe Rules	145
33.6.—Objection Rules	146
33.7.—Change Request Status Notification Rules	146
34:—CHANGE ROLE – CHANGE LR – CHILD NMI – SMALL OR LARGE	147
<u>34.1.—Application [6421]</u>	147
34.2.—Conditions Precedent	147
34.3.—Initiating Roles	147
34.4.—LR Requirements	147
34.5.—Timeframe Rules	147
34.6.—Objection Rules	148
34.7.—Change Request Status Notification Rules	148
35.——CHANGE ROLE — CHANGE ROLR — SMALL OR LARGE	149
35.1.—Application [6500-6501]	149
35.2.—Conditions Precedent	149
35.3.—Initiating Roles	149
35.4.—ROLR Requirements	149
35.5:—Timeframe Rules	149
35.6.—Objection Rules	150
35.7.—Change Request Status Notification Rules	150
36.—CHANGE ROLE—CHANGE MPB OR MPC OR BOTH—SMALL OR LARGE	151
36.1.—Application [6700 6701]	151
36.2.—Conditions Precedent	151
36.3.—Initiating Roles	151
36.4.—MC Requirements	151
36.5.—MDP Requirements	151
36.6.—Timeframe Rules	151
36.7 — Objection Rules	152



36.8:—Change Request Status Notification Rules	152
37.—CHANGE ROLE – CHANGE MULTIPLE ROLES – SMALL OR LARGE	153
37.1.—Application [6800-6801]	 153
37.2.—Conditions Precedent	153
37.3.—Initiating Roles	153
37.4.—FRMP Requirements	153
37.5.—MC Requirements	153
37.6.—MDP Requirements	 154
37.7.—Timeframe Rules	 154
37.8.—Objection Rules	154
37.9.—Change Request Status Notification Rules	155
38.—AUTO CHANGE ROLE – CHANGE LOCAL RETAILER EMBEDDED NETWORK CHILD – SMAL	L-OR
LARGE	156
38.1.—Application [ECLR]	156
38.2.—Conditions Precedent	156
38.3.—Timeframe Rules	156
38.4.—Objection Rules	156
38.5.—Change Request Status Notification Rules	156
39.—AUTO CHANGE ROLE – CHANGE SECONDARY FRMP PARENT – SMALL OR LARGE	157
39.1.—Application [EPFR]	157
39.2.—Conditions Precedent	is. 157
39.3.—Timeframe Rules	is. 157
39.4.—Objection Rules	157
39.5. Change Request Status Notification Rules	is. 157
40:—AEMO ONLY - AEMO-INITIATED STANDING DATA UPDATES - SMALL OR LARGE	159
40.1.—Application [5100 5101]	159
40.2.—Conditions Precedent	——————————————————————————————————————
40.3.—Initiating Roles	——————————————————————————————————————
40.4.—AEMO Requirements	——————————————————————————————————————
40.5.—Timeframe Rules	159 161
40.6.—Objection Rules	161
40.7. Change Request Status Notification Rules	161
41:—AEMO ONLY — CHANGE ROLE, TNI OR DLF CODE — BULK CHANGE TOOL (BCT) — SMALL LARGE	<u>⊖к</u> 162
41.1.—Introduction	162
41.2.—Conditions Precedent	102 162
41.3.—Requesting Participant Requirements	163
41.4.—Impacted Participant Requirements	163 164
41.5.—MDP Requirements	164 164
41.6.—Timeframe Rules	164 164
41.7 — Objection Rules	164



41.8.—Change Request Status Notification Rules	16
42:—ACCESS TO CATS STANDING DATA	16
42.1.—Introduction	16
42.2.—Participant	16
42.3.—Request a NMI Discovery Search	16



#### 1. INTRODUCTION

### 1.1. Purpose and Scope

These are the Market Settlements and Transfer Solution (MSATS) Procedures – Consumer Administration and Transfer Solution (CATS) Procedure Principles and Obligations made under clause 7.16.2 of the National Electricity Rules (NER) (Rules).

These Procedures have effect only for the purposes set out in the NER. The NER and the *National Electricity Law* prevail over these Procedures to the extent of any inconsistency.

## 1.2. Definitions and Interpretation

The Retail Electricity Market Procedures – Glossary and Framework:

- (a) Is is incorporated into and forms part of these Procedures; and
- (b) Should should be read in conjunction with these Procedures.

### 1.3. Commencement of Changes

Changes to these Procedures will take effect at 00:00 hours *Eastern Standard Time* on the day of effect after notice has been given to Participants of the changes.

All changes to NMI Master Records will become effective at 00:00 hours *Eastern Standard Time* on the day of effect. This includes End User transfers and all changes to CATS Standing Data.

### 1.4. Related AEMO Documents

Title	Location
Allocation of Embedded Network Codes	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering/Metering-procedures-guidelines-and-processes
CATS Hints and Tips	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering/Market-Settlement-and-Transfer-Solutions
Guide to MSATS B2B	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering/Market-Settlement-and-Transfer-Solutions
Guide to MSATS Web portal	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering/Market-Settlement-and-Transfer-Solutions
Introduction to MSATS	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering/Market-Settlement-and-Transfer-Solutions
MDM Procedures	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering/Market-Settlement-and-Transfer-Solutions
Metrology Procedure: Part A	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering
Metrology Procedure: Part B	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering
NEM RoLR Processes	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering
NMI Procedures	http://www.aemo.com.au/media/Files/Other/electricityops/0610-0008%20pdf.pdf
Retail Electricity Market Procedures – Glossary and Framework	http://aemo.com.au/Electricity/National-Electricity-Market-NEM/Retail-and-metering/Glossary-and-Framework





Title	Location
Service Level Procedure (MDP)	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering/Metering-procedures-guidelines-and-processes
Standing Data for MSATS	http://www.aemo.com.au/- /media/Files/PDF/AEMOStandingDataforMSATSv42.ashx
WIGS Procedures	http://www.aemo.com.au/Electricity/National-Electricity-Market- NEM/Retail-and-metering/Market-Settlement-and-Transfer-Solutions



### 2. OBLIGATIONS BY ROLE

### 2.1. General Obligations

- (a) Participants must select the most applicable Transaction Type Code or Change Request Code for their proposed transaction.
- (b) A Participant must not seek access through MSATS to the data pertaining to a NMI unless it has, or had, a known and commercial relationship with the NMI except when conducting a NMI Discovery Search 1, 2 or 3.
- (c) A Participant, other than AEMO, must not use a facility provided in MSATS for a purpose other than allowed by these Procedures.
- (d) A Participant must not enter an Actual End Date into MSATS unless it has a known and commercial relationship with the NMI to which the Actual End Date refers.

#### (e) A Participant:

- (i) \_\_-must not raise an Objection Code unless the Objection is fair and reasonable; and
- (ii) must produce evidence to AEMO to substantiate the raising of an Objection Code as fair and reasonable within one business day of a request by AEMO -to produce such evidence, for example, when an Objection is made using a specific Objection Code, the Participant who made the Objection must be able to produce evidence upon request to substantiate it.
- (e)(f) A Participant may object to a Change Request by using an Objection Code and adhering to Objection Rules-.
- (f)(g) Participants must ensure that the transfer of a *NMI* from one Financially Responsible Market Participant (FRMP) to another FRMP is not delayed.
- (g)(h) Participants must ensure that CATS Standing Data is kept current and relevant for all the NMIs for which they are responsible.
- (h)(i) Unless a different timeframe is specified in these Procedures, a Participant must update the CATS Standing Data, for all NMIs for which they are responsible, within 10 business days of being advised by a Participant or becoming aware that the CATS Standing Data is no longer current or relevant.
- (1)(1) Participants may request reports from MSATS for the *NMIs* with which it has a relationship.
- (i)(k) Participants must consider and action as necessary within two business days any requests from Participants that have been incorrectly assigned Roles.
- (k)(1) A Participant must notify other impacted Participants within five *business days* of becoming aware that CATS Standing Data related to a NMI is incorrect, and the Participants must cooperate with each other to facilitate the correction of the CATS Standing Data.

### 2.2. Financially Responsible Market Participant

The New FRMP must:

- (a) Ensure that the Metering Coordinator (MC) in MSATS Nominate the Metering Coordinator (MC)-reflects the appointment of the MC at the connection point in accordance with the NER.
- (b) Ensure that an Initial MC is only nominated as a New MC, on a CR10XX, where they are already the Current MC:-



- (c) Initiate a Change Request for the transfer of a NMI in accordance with the applicable Timeframe Rules. Subject to the Retrospective Periods and Prospective Periods, the New FRMP must initiate the transfer within 2 business days of having the customer consent mandatory information required to initiate a valid transfer in MSATS.:

  The New FRMP must raise a customer transfer no later than one business day following either:
  - (i) for a prospective customer transfer, the day of obtaining explicit informed consent to commence the customer transfer; or
  - (ii) for a retrospective customer transfer, the end of the relevant cooling-off period.
  - (i) Having the mandatory information required to initiate a valid transfer in MSATS; and
  - (ii) No later than two business days after the conclusion of the Cooling-Off Period.
- (I) Where Jurisdictions allow transfers to be raised within the Cooling-Off Period, ensure that a Change Request cannot Complete prior to the end of the Cooling-Off Period.
- (m)(d) Ensure that only small generating unit connection points are assigned to the relevant MSGA.
- (n)(e) Manage the transfer process if there are any matters that require attention in regard to the NMI, either from the operation of MSATS or from events that are external to its operation.
- (e)(f)\_Adopt the Role of Local Retailer (LR) for *child connection points* where they are the FRMP of the Parent NMI.
- (p)(g) Ensure that any Pending retail transfers are withdrawn within 210 days of the lodgement of the Change Request.
- (q)(h) Withdraw a Change Request as soon as practicable, and within two business days, of being aware that the transfer cannot occur.

### The Current FRMP must:

- (r)(i) Ensure that each *small generating unit's connection point* is assigned to their Market Small Generator Aggregator (MSGA) Participant ID in MSATS.
- (s)(j) Ensure that only small generating unit's connection points are assigned to the MSGA's Participant ID in MSATS.
- (t)(k) Be responsible for settlement in respect of a NMI until the actual date of the NMI transfer to a New FRMP or until the NMI is classified as 'extinct'.
- (<u>u)(I)</u> Remain the Current FRMP and be responsible for all End User billing up to the actual date of change of financial responsibility to the New FRMP as notified by MSATS.
- (<u>W(m)</u> Consider and action as necessary within two *business days* any requests from incorrectly assigned Participants to correct the Participant allocation in MSATS.
- (w)(n) Provide the ADL to the LNSP and the MDP for new connections.
- (\*\*)(o) Provide an update of the ADL to the Current MDP where the Current FRMP becomes aware of an expected change in the ADL of greater than 20%, other than by advice from the MDP.
- (<u>(A)(p)</u> Establish or update the Customer Classification Code within five *business days* of the NMI Status Code becoming 'A' in MSATS, where the Customer Classification Code has changed.
- (z)(q) Update or provide the Customer Classification Code as the following:
  - (i) for an End User at a *NMI* where the Customer Classification Code has changed, within five *business days* of any New contract with an End User at that *connection points*.



- (ii) within five business days of becoming aware of a change to the Customer Classification Code; and-
- (iii) within five *business days* of an End User Transfer Change Request being Completed, where the Customer Classification Code has changed.

### 2.3. Local Network Service Provider

The New LNSP must:

- (a) Initiate a Create NMI Change Request within 2-two business days of a request by a FRMP, or of the mandatory information required by the Change Request becoming available, whichever is the later.
- (b) Consider and action as necessary within two business days any requests from incorrectly assigned Participants to correct a Create NMI Change Request in MSATS.

The Current Local Network Service Provider (LNSP) must:

- (c) Allocate a NMI and NMI Checksum for each connection point in accordance with the NMI Procedures and clause 7.13.2 of the NER.
- (d) Provide an update of the Average Daily Load (ADL) to the Current Metering Data Provider (MDP) where the LNSP becomes aware of an expected change in the ADL of greater than 20%, other than by advice from the MDP.
- (e) Update the Customer Threshold Code within five business days of becoming aware that the existing Customer Threshold Code is incorrect for NMIs with a Customer Classification Code of 'BUSINESS' and a NMI Status Code of 'A', or 'D'.
- (f) Update or remove, as required, the Customer Threshold Code for a NMI within five *business days* of the Customer Classification Code being changed to 'RESIDENTIAL'.
- Provide Distribution Loss Factor (DLF) Codes and values to AEMO for the initial population of the DLF Code in MSATS.
- (h) Update NMI Status Code to 'D' within five business days of the connection point being deenergised by the LNSP. The Proposed Change Date shall be the day after the deenergisation for an Interval Metered connection point or the day of the de-energisation for an Accumulation Metered connection point.
- (i) Update the NMI Status Code to 'A' (Active) within five *business days* of the *connection point* being re-energised by the LNSP. The Proposed Change Date shall be the day the *connection point* is re-energised.
- (j) Update the NMI Status Code to 'X' (Extinct) within five business days of becoming aware of the abolition of the connection point. The Proposed Change Date shall be the day after the connection point was removed for an Interval Metered connection point or the day of the removal for an Accumulation Metered connection point.
- (k) Ensure that Network Tariff details for each NMI in its area are stored in the Network Tariff Code field at the Register ID level.
- (I) Correct the network tariff code or engage with the current FRMP to confirm an appropriate network tariff code where the LNSP considers the network tariff code is inappropriate for the site in MSATS.
- (m) Subject to any applicable Jurisdictional restrictions, use reasonable endeavours to provide NMI and NMI Checksum (other than when this is available via a NMI Discovery Search) to the New FRMP within one business day of a follow-up request for this information from the New FRMP for a Site identified in the request by reference to any of the following:



- (i) a unique meter identifier held by the LNSP;
- (ii) a street address; or
- (iii) the Delivery Point Identifier (DPID).

If a computer search by the LNSP does not produce a unique match for the information provided by the *retailer*, the LNSP must provide the *retailer* with any computer matches achieved up to a maximum of 99.

- (n) Subject to any applicable Jurisdictional restrictions, provide NMI Standing Data (other than data available via a NMI Discovery Search or the MSATS C7 report) to the New FRMP within two business days of a request from the New FRMP for a Site identified in the request by reference to the NMI and NMI Checksum.
- (o) Consider and action as necessary within two business days any requests from incorrectly assigned Participants to correct a Create NMI Change Request in MSATS.
- (p) Consider and action as necessary within two business days any requests from other Participants to correct erroneous NMI Standing Data.
- (q) Allocate a name to the Parent NMI and provide the name to AEMO.

The Current LNSP may:

 Update the Customer Threshold Code for NMIs with a Customer Classification Code of 'RESIDENTIAL'.

### 2.4. Metering Data Provider

An MDP must:

- (a) Use reasonable endeavours to provide metering data to the New FRMP within two business days of a request for this information from the New FRMP-relevant Registered Participants, in accordance with section 3.12.2 of the Service Level Procedure (MDP).
- (b) Use reasonable endeavours to provide Historical Data to the Current FRMP within two business days of a request for this information from the Current FRMP. Historical Data is for a period of up to 12 months or otherwise as defined by the relevant Jurisdiction.
- (c) Where an MDP is to update or configure an Interval Datastream Status Code to 'l' (Inactive) for a connection point that is de-energised, the Proposed Change Date must be the day after the connection point is de-energised, and must be updated in MSATS within two business days from the time the MDP becomes aware of the connection point being deenergised. (The Datastream Status Code is the key criterion used to include metering data in the settlement process).
- (d) Where an MDP is to update or configure an accumulation Datastream Status Code to 'I' (Inactive) for a connection point that is de-energised, the Proposed Change Date shall be the day the connection point is de-energised, and must be updated in MSATS within two business days from the time the MDP becomes aware of the connection point being deenergised. (The Datastream Status Code is the key criterion used to include metering data in the settlement process).
- (e) Where an MDP is to update or configure an Datastream Status Code for either an Accumulation Meter or Interval Meter to 'A' (Active) for a connection point that is reenergised, the Proposed Change Date must be day the connection point is re-energised, and must be updated in MSATS within two business days from the time the MDP becomes aware of the connection point being re-energised. (The Datastream Status Code is the key criterion used to include metering data in the settlement process).



- (f) Create, update, or configure the datastream within two business days from the time the MDP becomes aware of the metering installation being either installed, removed, or reconfigured.
- (g) Register individual Datastreams in MSATS as described in the NMI Procedure.

#### The New MDP must:

- (h) Provide the Actual Change Date to MSATS for transfers for which it receives a Data Request for an Actual Change Date. If a manual Meter Reading has been done, the Actual Change Date must be the date of the Meter Reading. If more than one *meter* exists for the *NMI*, all *meters* should be read on the date of the Actual Change Date that is being provided.
- (i) Use reasonable endeavours to obtain an Actual Meter Reading where requested but when unable to do so provide an Estimated Reading in accordance with Jurisdictional requirements.
- (j)(i) Subject to any applicable Jurisdictional restrictions, use reasonable endeavours to pProvide CATS Standing Data (other than NMI data access information) to the New FRMP within two business days of a request for this information from the New FRMP.
- (k)(j) For metering installation types 1-4 and 4A, upon receiving a request from an MPB, provide the NMI suffix information applicable to the metering installation within two business days.

#### The Current MDP must:

- (k) Provide metering data, in accordance with section 3.12.2 of the Service Level Procedure (MDP), for both the period before and the period after the completion of the transfer.
- (I) Provide the Actual Change Date to MSATS for transfers for which it receives a Data Request for an Actual Change Date. If a manual Meter Reading has been done, the Actual Change Date must be the date of the manual Meter Reading. If more than one meter exists for the NMI, all meters should be read on the date of the Actual Change Date that is being provided.
- (#)(m) Where a Data Request has not been received or the Proposed Date does not align with an actual read date, for Type 4A, 5 or 6, then a substituted n estimated reading must be provided upon completion of a retail transfer in accordance with the Service Level Procedure (MDP)...
- (m)(n) Obtain the ADL from the FRMP or the LNSP and update the ADL in MSATS if it is missing or incorrect
- (n)(o) Consider and action as necessary within two business days any updated ADL information provided by the LNSP or Current FRMP.
- (e)(p) Recalculate the ADL for each active Datastream at least annually and enter this value in MSATS where the calculated value differs by more than 20% from the ADL recorded in MSATS. Where the current ADL is under 5 kilowatt hours (kWh) and the newly calculated ADL is found to be still less than 5kWh there is no requirement for the MDP to update the ADL record within MSATS.
- (q) For metering installations that are manually read, or have been made capable of remote acquisition in accordance with 7.8.9(b) of the NER, update the Next Scheduled Reading Date (NSRD) within two business days of a meter being read.
- For metering installations that are manually read, update the Last Read Date and Last Read Quality Flag within two business days of a meter being read.
- (p)(r) For metering installation types 1-4 and 4A, upon receiving a request from an MPB, provide the NMI suffix information applicable to the metering installation within two business days.



### 2.5. Metering Provider – Category B

#### An MPB must:

- (a) Where an MPB is to update an Interval Meter Register Status Code to 'D' (Remotely Deenergised) for a *connection point* that is remotely de-energised, the Proposed Change Date must be the day after the *connection point* is de-energised.
- (b) Where an MPB is to update an Interval Meter Register Status Code for Interval Meter to 'C' (Current) for a connection point that is remotely re-energised, the Proposed Change Date must be the day on which the connection point is re-energised.

### The New MPB must:

- (c) For metering installation types 1-4 and 4A, contact the MDP and agree the NMI suffix information prior to updating MSATS with all Meter Register data.
- (d) Upon the installation or re-configuration of the metering installation, update MSATS with all Meter Register data, as agreed with the MDP within five business days of becoming the MPR
- (e) Provide to the MC and the Current LNSP any additional technical information regarding the *metering installation* within five *business days* of becoming the Current MPB.

#### The Current MPB must:

- (f) Provide to the Current LNSP any Meter Register data regarding the *metering installation* that is not recorded in MSATS within two *business days* of request.
- (g) Provide additional metering installation details to MSATS within two business days of receiving a Data Request.
- (h) Consider and action as necessary any request to correct erroneous details relating to the Meter Register and Register Identifier Status Code within five business days of notification.
- (i) Upon the configuration of the metering installation, update MSATS with all Meter Register data, as agreed with the MDP within five business days of performing a metering configuration change.
- (j) Update the Meter Register Status Code within 5 *business days* of a change in *meter* register conditions, including the remote de-energisation and remote re-energisation.

### 2.6. Metering Coordinator

### An MC must:

- (a) Appoint an MDP to provide metering data services, and provide the FRMP with the name of that MDP, and ensure that metering data services are provided in accordance with the NER and the procedures authorised under the NER.
- (b) Appoint an MP for the provision, installation and maintenance of the metering installation, and ensure that the metering installation is provided, installed and maintained in accordance with the NER and the procedures authorised under the NER.

### The New MC must:

- (c) Ensure that the Roles nominated in a Change Request are correct. Any errors or omissions must be notified to the initiator of the Change Request within two *business days* of the error or omission being identified.
- (d) Ensure that the metering installation meets all requirements prescribed in the National Electricity Rules in accordance with the NMI classification before transfer into the NEM.



- (e) Ensure that the Meter Reading is available in relation to the Actual Change Date.
- (f) Ensure that the final Meter Reading is obtained in relation to a change of a relevant component of a metering installation.
- (g) Ensure that all metering data is provided to the Current LNSP, the Current LR, the Current MDP and the Current FRMP, from which the NMI was transferred, in accordance with the metrology procedure and Service Level Procedure (MDP) to enable the continuity of billing up until the actual transfer date or abolishment date.
- (h) Ensure that the *metering installation* and the communication facilities to the *metering installation* are in place and remain in place.

### The Current MC must:

- (i) Subject to any applicable Jurisdictional restrictions, eEnsure that CATS Standing Data (other than NMI data access information) is provided to the New FRMP within two business days of a request for this information from the New FRMP.
- (j) Ensure that any Meter Register data regarding the *metering installation* that is not recorded in MSATS is provided to the LNSP within five *business days* of request.

#### 2.7. Retailer of Last Resort (RoLR)

As the RoLR for a RoLR Event is determined and appointed by a Regulator, the ROLR Role in MSATS is for indicative purposes only- (refer to section 35-12.6).

### 2.8. Second Network Service Provider (NSP2)

The NSP2 must notify and request the relevant Participant (LNSP, MPB or MDP) to correct any data inconsistency that may exist in MSATS within two *business days* of becoming aware of the error.

### 2.9. AEMO

#### AEMO must:

- (a) Continue to invoice (as per NER requirements) the Current FRMP for a Tier 2 Site until it is transferred to another FRMP in accordance with these Procedures.
- (b) Enter the DLF Codes provided by an LNSP or Embedded Network Manager (ENM) into MSATS within two business days of receipt.
- (c) Maintain changes to codes and rules in MSATS in accordance with the MSATS Procedures. AEMO must correct any discrepancies as soon as practicable once identified.
- (d) Use the Bulk Change Tool (BCT) to transfer to the nominated RoLR the CATS Standing Data for all connection points associated with a Current FRMP that has been suspended from operating in the market.
- (e) Populate MSATS with the Embedded Network Code that had been provided to AEMO by the LNSP within two business days of receipt.
- (f) Maintain the Transmission Node Identity (TNI) records in MSATS.
- (g) Populate MSATS with the NSP2 for the appropriate Wholesale, Interconnector, Generator and Sample (WIGS) NMIs.
- (h) Provide, on request from the New ENM, a set/range of NMIs to that New ENM for allocation by that ENM to child connection points.
- Provide, on request from a Current ENM, one or more NMIs to that Current ENM for allocation by that ENM to the newly formed child connection points.



(j) Where required to Object to a Change Request, use the most appropriate Objection Code. If there is no Objection Code that describes the reason for the Objection, AEMO must use the BLOCK Objection Code.

AEMO may:

(k) Cancel/withdraw any incomplete retail transfers after 7 months from the date of Initiation.

Note: An automatic nightly MSATS process will Cancel/Withdraw dormant Change Requests that exceed 220 days.

### 2.10. Embedded Network Manager

The New ENM must, for each child connection point:

- (a) Obtain a set/range of NMIs from AEMO.
- (b) Initiate a Create NMI Change Request within two business days of a request by a FRMP, or of the mandatory data required by the Change Request becoming available, whichever is the later
- (c) Consider and action as necessary within two business days any requests from incorrectly assigned Participants to correct a Create NMI Change Request in MSATS.
- (d) Manage the distribution of NMIs.
- (e) Allocate a name to the Parent NMI and provide the name to AEMO (note: this only applies in situations where a Child NMI is also a Parent NMI of another *embedded network* and AEMO needs to create an *embedded network* name in MSATS).
- (f) Allocate an existing Embedded Network Code of a Parent NMI to each Child NMI.

The Current ENM must, for each child connection point:

- (g) Allocate a NMI and NMI Checksum.
- (h) Provide an update of the ADL to the Current MDP where the ENM becomes aware of an expected change in the ADL of greater than 20%, other than by advice from the MDP.
- (i) Update the Customer Threshold Code within five business days of becoming aware that the existing Customer Threshold Code is incorrect for NMIs with a Customer Classification Code of 'BUSINESS' and a NMI Status Code of 'A', or 'D'.
- (j) Update or remove, as required, the Customer Threshold Code for a *NMI* within five *business days* of the Customer Classification Code being changed to 'RESIDENTIAL'.
- (k) Enter the DLF Code for each child connection point within its embedded network, and ensure all Child NMIs attached to an embedded network have the same DLF Code, and that this DLF Code is the Parent NMI's DLF Code unless a Site specific DLF has been approved by the
- (I) Enter the TNI Code for each child connection point within its embedded network, and ensure all Child NMIs attached to an embedded network have the same TNI Code and that this TNI Code is the Parent NMI's TNI Code.
- (m) Update Child NMI Status Code to 'D' within five business days of the child connection point being de-energised. The Proposed Change Date shall be the day after the de-energisation for an Interval Metered child connection point or the day of the de-energisation for an Accumulation Metered child connection point.
- (n) Update the Child NMI Status Code to 'A' within five business of the child connection point being re-energised. The Proposed Change Date shall be the day the child connection point is re-energised.



- (o) Update the Child NMI Status Code to 'X' within five business days of becoming aware of the abolition of the child connection point. The Proposed Change Date shall be the day after the child connection point was removed for an Interval Metered child connection point or the day of the removal for an Accumulation Metered child connection point.
- (p) Update Child NMI Status Code to 'N' (Off Market NMI) within five business days of the connection point no longer being settled in the NEM.
- (q) Update Child NMI Status Code from 'N' to 'A' within five business days of the connection point becoming on-market.
- (r) Ensure that Network Tariff details for each NMI in its area are stored in the Network Tariff Code field at the Register ID level.
- (s) Subject to any applicable Jurisdictional restrictions, pProvide the NMI and NMI Checksum (other than when this is available via a NMI Discovery Search 1) to the New FRMP within one business day of a request from the New FRMP, where the New FRMP uses any of the following information to identify the Site:
  - (i) a unique meter identifier;
  - (ii) a street address; or
  - (iii) the DPID.

If a computer search by the ENM does not produce a unique match for the information provided by the *retailer*, the ENM must provide the *retailer* with any computer matches achieved up to a maximum of 99.

- (t) Subject to any applicable Jurisdictional restrictions, pProvide NMI Standing Data (other than data available via a NMI Discovery Search or the MSATS C7 report) to the New FRMP within two business days of a request from the New FRMP for the Site identified in the request by reference to the NMI and NMI Checksum.
- (u) Consider and action any requests from incorrectly assigned Participants to correct a Create NMI Change Request in MSATS within two *business days* of receiving the request.
- (v) Consider and action within any requests from other Participants to correct erroneous NMI Standing Data within two business days of receiving the request.

The Current ENM may, for child connection points:

(w) Update the Customer Threshold Code for NMIs with a Customer Classification Code of 'RESIDENTIAL'.



#### 3. CATS FUNCTIONALITY

#### 3.1 Overview

- (a) The operation of CATS is based on 14 different types of transactions, as shown in section 3.3, and a separate RoLR function.
- (b) Six transaction types are initiated by Participants, whilst eight are initiated by MSATS.
- (c) The most significant transaction is the Change Request, which is used by a Participant when submitting new CATS Standing Data or changing existing CATS Standing Data.
- (d) The Change Request has a life cycle in which it is created (Initiated) and terminated (Completed) in accordance with section 3.5.
- (e) The Completion of a Change Request and the formation of a NMI Master Record occur simultaneously.
- (f) The status of each Role on the NMI Master Record is classified as 'Current'. If the CATS Standing Data being changed by a Change Request is a Role, the status of each Role to be changed by the Change Request is classified as 'New'.
- (g) A Change Request will be Completed on:
  - the day after the Objection Logging Period has ended, provided no Objections have been received and an Actual Change Date exists; or
  - where an Objection has been received, the Change Request is Completed the day after all Objections have been withdrawn, the Objection Logging Period has ended, and an Actual Change Date exists,

The change is effective from the Actual Change Date.

- (h) A Change Request that has been Initiated for the purpose of creating a NMI will use the date nominated as the Proposed Change Date to populate the Actual Change Date field to allow the Change Request to be Completed.
- (i) A Change Request carries with it a set of CATS Standing Data items. The set of data items will vary with the transaction selected by the Participant initiating the Change Request. Each transaction has a code (Change Reason Code), as detailed in section 4.2 and Table 4-A.
- (j) The Change Reason Codes have been separated into groups of events for the purpose of these Procedures, as shown in Table 3-B. Obligations imposed on Participants in regard to Change Reason Codes are contained in sections 7 to 41.
- (k) The next most significant transaction is the NMI Discovery Search. This transaction will be used by a Participant when undertaking a search of the CATS Standing Data, as specified in section 42.
- (I) The RoLR functionality within MSATS is detailed in section 41.

### 3.2.3.1. **Principles**

The following principles apply in regard to the functionality of CATS:

- (a) Current and New Roles will be notified of a change in the status of the Change Request in accordance with the Change Request Notification Rules.
- (b) A Change Reason Code will contain rules that specify which Participant(s) must provide the data for the Change Request and when the data is required.



- (c) A Change Reason Code will contain rules specifying which data will be present in the NMI Master Record before the Change Request can be Completed.
- (d) Jurisdictions will specify rules to control the period in which retrospective information may be accepted by MSATS.
- (e) Jurisdictions will specify rules to control the period in which an Objection may be logged.
- (d) The status of each Role on the NMI Master Record is classified as 'Current'. If the CATS

  Standing Data being changed by a Change Request is a Role, the status of each Role to be changed by the Change Request is classified as 'New'.
- (f)(e) If an Objection to the change of retailer transaction is submitted by a Participant within the Objection Logging Period, the transfer will not proceed until the Objection is cleared. If the objection is not cleared, the transfer transaction will expire and be Cancelled, and all relevant Participants will be notified.
- (g) Jurisdictions will specify rules to control the period in which an Objection may be cleared.
- (h) If there are no outstanding Objections to a current change of retailer transaction after the Objection Logging Period has passed, the Change Request will proceed to Completed and the information contained in the transaction will become the NMI Master Record.
- (i)(f) Jurisdictions will-may specify rules to control who is allowed to Object to or initiate a Change Request Reversal, the reason for the Objection or Reversal and the NMI Classification Code appropriate to that Objection or Reversal.
- (j) After a NMI is created, and prior to the Actual Change Date, the meter(s) and default NMI Datastreams may be set up by whoever is nominated as the default party, even if it is NMI for a Tier 1 Site and not needed for profiling (in accordance with Jurisdictional requirements).
- (k) After a NMI is created, and prior to the Actual Change Date, if a Datastream is not set up the entry of the NMI into MSATS should not be delayed.
- (<u>l)(g)</u> MSATS will not notify the LR at the time a change of FRMP occurs.

## 3.3.3.2. Transaction Types

- (a) The types of transactions performed by MSATS are specified in Table 3-A.
- (b) The codes and rules associated with the Change Request transaction are provided in section 0-
- (c)(b) \_-Acknowledgement and response transactions are dependent on whether online or batch function is invoked.

# Table 3-A – MSATS Transaction Type Codes

Code	Name of Transaction Type	Initiated by	Description
ACK	Acknowledgment	MSATS	MSATS responds to ALL transactions with an acknowledgment of receipt.
CODE	Codes Update	MSATS	MSATS notifies Participants of any changes to codes, rules or Participant data.
CR	Change Request	Participant	Used to initiate a Change Request. Submitted by a Participant anytime they wish to create or update any standing data.
CRR	Change Request Response	MSATS	MSATS response to a Change Request with an approval or rejection as it reaches the Pending Validation status.



Code	Name of Transaction Type	Initiated by	Description
NMID	NMI Discovery Request	Participant	A Participant wants to view CATS Standing Data. Further particulars of the search types can be found in section 43 <u>15</u> .
NMIR	NMI Discovery Response	MSATS	MSATS sends a Participant information in response to a NMI Discovery Search.
NOT	Change Request Status Notification	MSATS	Notifies a Participant of a Change Request's change in status in accordance with the applicable Change Request Status Notification Rules.
ОВЈ	Objection	Participant	A Participant can raise an Objection to a Change Request in accordance with the applicable Objection Rules. Other Participants will be informed in accordance with the applicable Change Request Status Notification Rules.
OBJR	Objection Response	MSATS	MSATS response to an Objection with an approval or rejection. Other Participants will be informed in accordance with the applicable Change Request Status Notification Rules.
RDAT	Request for Participant data	MSATS	A request by MSATS to a Participant for provision of the necessary data in a Change Request in accordance with the applicable Field Validation Rules it that data is not already contained in the NMI Master Record.
RPTD	Report Data	MSATS	The data generated by a report request.
RPTR	Report Request	Participant	Participant requests a report.
WCR	Change Request Withdrawal	Participant	The initiating Participant may Cancel a Change Request at any time prior to Completion. Other Participants will be informed in accordance with the applicable Change Request Status Notification Rules.
WOBJ	Objection Withdrawal	Participant	The initiating Participant may withdraw an Objection. Other Participants will be informed in accordance with the applicable Change Request Status Notification Rules.

### 3.3. Change Requests

### A Change Request is:

- (a) A Change Request is tIhe facility by which a Participant interacts with MSATS in order to effect a change in data to some or all aspects of information regarding an End User connection point prior to a transfer, during a transfer, or after a transfer has Completed, which includes:
  - (j) <u>i</u>Information about an End User's *connection point* includ<u>inges</u> the names and Roles of organisations (Participant IDs) that provide a *connection point* service to the End User;
  - (ii) the technical details associated with the End User's metering installation; and
  - (†)(iii) specific information that would assist *retailers* in providing competitive offers to End Users.
- (b) Allowed to have only one NMI in relation to that Change Request however is allowed to have multiple NMI suffixes and multiple Meter Serial ID's.
- (b) A Change Request is Initiated by selecting the Transaction Type Code CR, and the appropriate Change Reason Code. The Participant must select the Change Reason Code that most appropriately reflects the reasons for the change. The assignment of the Change Reason Codes to various types of events is provided in Table 3-B. A description of the



- Change Reason Codes is provided in Table 4-A, and in each section to which the Change Reason Code applies.
- (c) The completion of a Change Request by submitting all required data can be performed in either an on-line interactive mode or an off-line batch mode.
- (d) Only one NMI is allowed on one Change Request. However, there can be multiple NMI suffixes and multiple Meter Serial IDs assigned to the one Change Request.
- (e)(c) When submitting a Change Request to MSATS, the Change Request is 'Wwrapped' in an aseXML message format, which is capable of. This format is capable of accommodating more than one Change Request (when submitted via batch processes).
- (f)(d) When using the batch process, Validated by MSATS when submitted using the batch process then will responded to the submission of a Change Request once validation is complete, with an approval Acceptance or a Rejection using Transaction Type Code CRR.
- (g) A Change Request can be withdrawn by the Participant who Initiated the Change Request up until the time the Change Request is Completed.
- (h) The Change Reason Code will govern which data items are available to the Participant when initiating the Change Request.
- (ii)(e) Within certain Change Reason Codes, data items associated with address information are provided as mandatory and optional. Mandatory address information specified as locality, state and postcode, where 'locality' has the same meaning as 'suburb'. Optional address information is given in either structured or unstructured format. Section 15.3.1 provides additional information about address data items.
- (f) A Change Request can only Able to only be assigned one DLF Code.
- (j)(g) Initiated with reference to an event in Table 4-A that is reflected in an assigned Change Reason Code, as described in Table 4-A.

Table 3-B - Assignment of Change Reason Codes to Events

Group of events	Description of event	Change Reason Code Assignment
Change Retailer	SMALL NMI	1000, 1010, 1030, 1040, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029
	LARGE NMI	1000, 1020, 1030, 1040,
	Embedded network SMALL & LARGE	1080, 1081, 1082, 1083, 1084
Provide Data	Provide Actual Change Date SMALL-& LARGE (for CR 1000, 1030, 1080, 1083, 1010, 1040, 1081, 1084, 3080, 3090, 6200, 6700, 6800)	1500
Create NMI	Create a NMI SMALL & LARGE	2000, 2001
	Create a Child NMI SMALL & LARGE	<del>2020, 2021</del>
	Create NMI, metering installation details & NMI Datastream SMALL & LARGE	<del>2500, 2501</del>
	Create NMI, metering installation details & MDM datastream — Child NMI SMALL & LARGE	<del>2520, 2521</del>
Maintain Metering	Create metering installation details SMALL & LARGE	<del>3000, 3001</del>
	Exchange of Metering Information SMALL & LARGE	<del>3004, 3005</del>
	Change metering installation details SMALL & LARGE	<del>3050, 3051</del>



Group of events	Description of event	Change Reason Code Assignment
	Advanced Change Metering Installation Details SMALL & LARGE	<del>3080, 3081</del>
	Advanced Meter Exchange SMALL & LARGE	3090, 3091
	Change Network Tariff Code SMALL & LARGE	3100, 3101
Maintain	Create NMI Datastream SMALL & LARGE	4000, 4001
Datastream	Exchange of Datastream Information SMALL & LARGE	4004, 4005
	Change NMI Datastream SMALL & LARGE	4050, 4051
Maintain NMI	Update NSRD SMALL & LARGE	<del>5070, 5071</del>
	Change a NMI SMALL & LARGE	<del>5050, 5051</del>
	Change NMI – Customer Classification Code	<del>5054, 5055</del>
	Change Child NMI SMALL & LARGE	<del>5060, 5061</del>
	Backdate NMI start date	5001
	Backdate Child NMI Start Date	<del>5021</del>
	Change Parent Name SMALL & LARGE	<del>5080, 5081</del>
Change Role	Change LNSP SMALL & LARGE	<del>6100, 6110</del>
	Change MDP SMALL & LARGE	<del>6200, 6210</del>
	Change MC SMALL & LARGE	<del>6300, 6301</del>
	Change Local Retailer SMALL & LARGE	6400, 6401
	Change Local Retailer Child NMI SMALL & LARGE	6421
	Change RoLR SMALL & LARGE	<del>6500, 6501</del>
	Change Metering Provider SMALL & LARGE	<del>6700, 6701</del>
	Change Multiple Roles SMALL & LARGE	<del>6800, 6801</del>
System	Change of Child Local Retailer (Auto)	ECLR
	Change of Secondary FRMP – Parent (Auto)	EPER
AEMO only	Invoke Retailer of Last Resort	RoLR
	Invoke Bulk Change Process	BCxx
	AEMO-Initiated standing data updates	<del>5100, 5101</del>
Manage External	Create External Profile (*)	2100, 2101
Profiles	Change External Profile (1)	<del>5110, 5111</del>

Note (1): Refer to Section 8 in the WIGS Procedures for details on these Change Reason Codes.

# 3.4. Change Request Status Life Cycle

- (a) The progression of a Change Request is based on the principle that transactions will be approved unless an Objection is received.
  - The progression of a Change Request, in terms of its status during its life cycle, will be notified to the relevant Participants in accordance with the Change Request Status Notification Rules.


(k)(b) During its life cycle, a Change Request may have the status of:set out in the figure below.

(i) Initiated;



- (ii) Pending Validation;
- (iii) Rejected;
- (iv) Requested;
- (v) Objected;
- (vi) Pending;
- (vii) Completed;
- (viii) Cancelled.

The figure below highlights how each status relates to each other:



- (c) Initiation is the first status-step in the creation of a new Change Request in respect of which -During this status, the initiating Participant will:
  - (i) select the Transaction Type Code CR;
  - (ii) select the Change Reason Code that most appropriately relates to the relevant event (as provided in Table 4-A);
  - (iii) populate the Change Request with the data permitted by the Change Reason Code;
  - (iv) submit the Change Request to MSATS, either an on-line interactive mode or an offline batch mode;
  - (v) at its discretion, withdraw the Change Request, up until the time the Change Request is Completed; and



- (vi) have available to the Participant the data items as governed by the Change Reason
- (d) The Pending Validation status:
  - (i) commences after the Change Request has passed initial validation for entry into MSATS:
  - (ii) finalises after the Change Request has been either:
    - (A) Accepted after all required data has been submitted-(; or
    - (B) Rejected, if any required data has not been submitted or is inaccurate.
- (e) The Rejected status occurs where a Change Request has failed validation, either:
  - (i) whilst it is at the Pending Validation status; or
  - (ii) at the time of completion of the Change Request, in rare circumstances where a change to some other data made after this Change Request was submitted has now made this change invalid.
- (f) The Requested status occurs where:
  - (i) a transaction has been validated, i.e. there is no missing data; and
  - (ii) the Objection Logging Period and Objection Clearing Periods have been identified, in circumstances in which any Objections received are validated against the Objection Rules or no Objections have been submitted.
- (g) The Objected status:
  - (i) occurs where one or more Objections have been received, in which event notifications of the Objections are sent to the relevant parties, including details of the Objections and whether the transaction was already being Objected to:
  - (ii) changes to Requested status, if the last Objection is withdrawn and the Objection
    Logging Period has not expired;
  - (iii) changes to Pending status, if the Objection Logging Period has expired and the last objection is withdrawn; and
  - (iv) changes to Cancelled status, if the Objection Clearing Period has expired and an Objection that is subject to the Objection Logging Period has not been withdrawn.
- (h) The Pending status:
  - (i) occurs where no Objections have been received, or all Objections have been withdrawn and the Objection period has passed;
  - (ii) remains whilst any required data remains outstanding, or an Objection that is not subject to the Objection Logging Period is not raised; and
  - (iii) will change to Completed if the Proposed Change Date is reached and all required data is present.
- (i) The Completed status:
  - i) occurs, in the case of a Change Request that is:
    - (A) Pending, where the Proposed Change Date is reached and all required data is present; and
    - (B) Objected, where:



- Objections have not been received, the Objection Logging Period has ended, and an Actual Change Date exists; or
- 2. Objections have been received, all Objections have been withdrawn, the Objection Logging Period has ended, and an Actual Change Date exists.;
- (ii) occurs simultaneously with the formation of a NMI Master Record; and
- (iii) is effective from the Actual Change Date.
- (j) The Cancelled status occurs where:
  - (i) the initiator of the Change Request has withdrawn the transaction; or
  - (ii) MSATS cancels the Change Request where:
    - (A) not all Objections have been withdrawn at expiry of the Objection Clearing Period;
    - (B) The Change Request has been in a status of 'Pending' longer than 7 months from the date of initiation; or
    - (C) A Type 2 Concurrent Transfer scenario applies.
  - (ix) select an appropriate Change Reason Code, populate the Change Request with the data permitted by the Change Reason Code, and then submit the Change Request to MSATS. The submission can be through the interactive screen or by a batch process.
- (l) MSATS will then validate the Change Request prior to transferring the Change Request to the Pending Validation status.
- (m) The Pending Validation status commences after the Change Request has passed initial validation for entry into MSATS. However, not all the data that is required to initiate the transaction may be present in MSATS. If mandatory data is missing from the Change Request, the Change Request will be Rejected. If the missing data is for the NMI Master Record, a Data Request will be sent to the nominated Participant, and MSATS will check for the receipt of that data. There is no time limit imposed by MSATS for the provision of this data, however, the Participant that receives the Data Request must respond in a reasonable time. The Change Request will be approved only after all required data has been submitted.
- (n) The Rejected status occurs where a Change Request has failed validation. This can occur:
  - (i) During the validation of a Change Request whilst it is at the Pending Validation status; or
  - (ii) At the time of completion of the Change Request (in rare circumstances where a change to some other data made after this Change Request was submitted has now made this change invalid).
  - When a transaction has been Rejected, all Participants associated with the transaction will be notified in accordance with the Change Request Status Notification Rules.
- (o) The Requested status is where a transaction has been validated, i.e. there is no missing data. Notifications of the Requested transaction are sent to the relevant Participants. The Objection Logging Period and Objection Clearing Periods have been identified. Any Objections received are validated against the Objection Rules or no Objections have been submitted.
- (p) The Objected status occurs where one or more Objections have been received. Notifications of the Objections are sent to the relevant parties. This includes details of the Objections and



whether the transaction was already being Objected to. When an Objection is withdrawn, the relevant parties will be notified of the details of the withdrawn Objection. When the last Objection is withdrawn, the transaction status changes back to Requested, unless the Objection Logging Period has expired, in which case it will move to Pending status. If the Objection Clearing Period has expired and an Objection that is subject to the Objection Logging Period has not been withdrawn the status will be changed to Cancelled.

- (q) The Pending status is where no Objections have been received, or all Objections have been withdrawn and the Objection period has passed. The transaction is waiting for the change date to be reached. If the Proposed Change Date is reached and all required data is present, the status will change to Completed. The status will remain Pending whilst any required data remains outstanding or an Objection that is not subject to the Objection Logging Period is not raised. Notifications are sent to the relevant Participants in accordance with the Change Request Status Notification Rules.
- (r) The Completed status occurs where the Objection Logging Period has passed, all required data is present in MSATS and the Proposed Change Date has been reached or is passed. Notifications are sent to the relevant Participants in accordance with the Change Request Status Notification Rules.
- (s) The Cancelled status occurs where:
  - (i) Not all Objections have been withdrawn at expiry of the Objection Clearing Period; or
  - (ii) The initiator of the Change Request has withdrawn the transaction.

When a Change Request is Cancelled, notifications are sent to the relevant Participants in accordance with the Change Request Status Notification Rules.

# 3.5. Transaction Validation

- (a) A Change Request that has been Initiated by a Participant will undergo several validations by MSATS prior to being accepted to the Requested status.
  - (i) <u>t</u>The first validation will check that any code or date in the Change Request is in accordance with the codes and rules look-up tables. Validation will be performed on the data contained in the following data items:
    - (A) Change Request ID;
    - (B) Jurisdiction;
    - (C) Role ID;
    - (D) NMI Status Code;
    - (E) Read Type Code;
    - (F) Change Request code;
    - (G) TNI Code;
    - (H) DLF Code;
    - (I) Metering Installation Type Code;
    - (J) Parent Name;
    - (K) Child Name;- and
    - (L) Proposed Change Date:
  - (ii) <u>t</u>The second validation will check for valid Change Reason Codes and Field Validation Rules. Validation will be performed against the following codes and rules:



- (A) Change Reason Codes, as per Table 4-A; and
- (B) Field Validation Rules: RI, OI, RQ, RD, RA-
- (iii) <u>aA</u> third validation will check the *NMI* characters against the NMI Checksum;
- (iv) <u>aA</u> fourth validation will check that the Participant who Initiated the Change Request is an active Participant and able to act in the Role that can initiate the transaction. Validation will be performed on the data contained in the following data items:
  - (A) Participant ID;
  - (B) Participant Status; and
  - (C) Participant Roles:
- (v) <u>aA</u> fifth validation will check that the Proposed Change Date and the Actual Change Date are within the range allowed by the Change Reason Code; <u>and</u>
- (vi) Ag-sixth validation will check the Proposed Change Date, the Actual Change Date and the Actual End Date against the Timeframe Rules.
- (b) An Objection will be validated against general conditions and rule based conditions, as follows:
  - General conditions against which a validation of an Objection is performed are as follows:
    - (A) the Participant submitting the Objection is an active Participant;
    - (B) <u>t</u>The Objection is not a duplicate of an existing Objection by that Participant;
    - (C) <u>t</u>The Role of the Participant is in accordance with the Objection Rules;
    - (D) <u>t</u>The Objection is linked to an active Change Request ID; <u>and</u>
    - (E) <u>t</u>The status of the Change Request is either Requested or Objected.
  - (ii) <u>r</u>Rule-based conditions against which a validation of an Objection is performed are as follows:
    - (A) <u>t</u>The Participant can make the Objection in accordance with its status-; and
    - (B) <u>t</u>∓he Objection Code is permitted for the Role-.
  - (iii) <u>t</u>The Change Request is within its Objection Logging Period; and-
  - (iv) <u>t</u>The Change Request is valid (PEND, REQ, OBJ) for Objections that are not subject to the Objection Logging Period.
- (c) A Change Request will be validated for information regarding embedded networks as follows:
  - (i) the Embedded Network Codes will be checked against a list of codes contained in MSATS:-
  - (ii) Parent Names and Child Names will be checked to ensure that they are not identical for the same *NMI*; <del>-;</del>
  - (iii) the Child NMI being submitted will be checked against the Parent NMI
  - (iv)  $\underline{a}A$  check will be performed for circular relationships:
  - (v) <u>p</u>Prevent changes of the LR from being effected on a Child NMI <u>; and</u>
  - (vi) <u>c</u>←heck that if a Parent NMI is not active that there are no active Child NMIs.



- (d) After the Change Request has been submitted, any subsequent Change Request submitted by the initial Participant to change the data on the Change Request will be validated, as follows:
  - (i) <u>t</u>The *NMI* on the subsequent Change Request will be checked against the *NMI* on the initial Change Request; and-
  - (ii) <u>t</u>The Participant ID on the subsequent Change Request will be checked against the Participant ID on the initial Change Request.

# 3.6. Valid Proposed Change Date for Prospective and Retrospective Change Requests

## 3.6.1. Retrospective Changes

- (a) For a Retrospective Change, the Proposed Change Date must either be the date the Change Request is raised or a date in the past and within the number of days allowed by the Timeframe Rules/Change Reason Code/NMI Classification Code on this Change Request. The maximum number of days is the value stored in Retrospective Days. At present, the maximum number of days in the past for any Role Change Request is 130 business days, the maximum number of days in the past for changing NMI Standing Data is 140 business days.
- (b) Retrospective Changes have 0 days for the Prospective Days in the Timeframe Rules for the Jurisdiction/Change Reason Code/NMI Classification Code combination.
- (c) Table 3-C lists Retrospective Change Reason Codes.

Table 3-C - Retrospective Change Reason Codes

CR-Code	CR-Code	CR-Code	CR Code	CR Code	CR Code	CR Code
Change Retailer	Provide Data	Create NMI	Maintain Metering	Maintain Datastream	Maintain NMI	Change Roles
<del>1010</del>	<del>1500</del>	2001	3001	4001	<del>5001</del>	<del>6110</del>
1020		<del>2021</del>	3005	4005	<del>5021</del>	6210
1021		<del>2101</del>	3051	4051	<del>5051</del>	6301
1022		<del>2501</del>	3081		5055	6401
1023		<del>2521</del>	3091		<del>5061</del>	6421
1024			3101		<del>5071</del>	6501
1025					5081	6701
<del>1026</del>					<del>5101</del>	6801
1027					5111	
1028						
1029						
1040						
1081						
1082						
1084						

#### 3.6.2. Prospective Changes

(a) For a Prospective Change, the Proposed Change Date must be the day following the date on which a Change Request is submitted, or a date after that date.



(b) \_\_\_\_The maximum number of days for a Prospective Change depends on the Timeframe Rules/Change Reason Code/NMI Classification Code for the relevant Change Request. The maximum number of days is the value stored in Prospective Days. At present, the maximum allowable number of days for any Prospective Change is 65 business days.

(d) Prospective Changes have 0 days for the Retrospective Days in the Timeframe Rules/Change Reason Code/NMI Classification Code combination.

Table 3-D - Prospective Change Reason Codes

CR-Code	CR Code	CR-Code	CR-Code	CR-Code	CR-Code
Change Retailer	Create NMI	Maintain Metering	Maintain Datastream	Maintain NMI	Change Roles
1000	2000	3000	4000	5050	6100
1030	2020	3004	4004	5054	6200
1080	2100	3050	4050	5060	6300
1083	<del>2500</del>	3080		5070	6400
	2520	3090		5080	6500
		<del>3100</del>		<del>5100</del>	6700
				5110	6800

# 3.7. MSATS Reports

The following reports are available to Participants from MSATS.

## Table 3-B0-A - MSATS Reports

Report Name	<u>Description</u>
CATS C1	Data Replication Resynchronisation Report
CATS C3	NMI Change Request Report
CATS C4	NMI Master Report
CATS C7	New Participant Data Access Report
CATS C9	NMI Count Report
CATS C12	Report ROLR NMI Count
MDM RM8	Date BMP PPS Generated Report
MDM RM9	Actual Versus Estimate Data Report
MDM RM11	MDM Missing Data (null) Report
MDM RM13	NMI Datastreams History Report
MDM RM14	MDP Data Version Comparison Report
MDM RM15	Multiple Versions Report
MDM RM16	Level 1 Settlement Reconciliation Report
MDM RM17	Level 3 Settlement Reconciliation Report for Non-Aggregated Data
MDM RM18	Interval Data Report
MDM RM19	Aggregated Energy Actual-vs-Estimate Report





Report Name	<u>Description</u>
MDM RM20	Profile Shape Data Report
MDM RM21	Level 2 Settlement Reconciliation Report
MDM RM22	Data Estimation Report
MDM RM26	MDP Substitution and Estimation Report



## 4. CATS CODES AND RULES FOR A CHANGE REQUEST

# 4.1. Introduction

- (a) This section specifies the codes and rules that apply when a Participant submits a Change Request to, or seeks access to CATS Standing Data.
- (b) MSATS contains the following codes and rules that apply to Change Requests:

Change Reason Codes	Role Codes	Initiation Rules
Jurisdiction Codes	Timeframe Rules	Objection Codes
Objection Rules	NMI Classification Codes	NMI Status Codes
Metering Installation Type Codes	Read Type Codes	Field Validation Rules
Change Request Status Notification Rules	Customer Classification Code	Customer Threshold Code

## 4.2. Change Reason Code

- (a) A Change Request carries with it a set of CATS Standing Data items. The set of data items will vary with the transaction selected by the Participant initiating the Change Request. Each transaction has a Change Reason Code. The Change Reason Codes govern the population of data in a Change Request.
- (b) For each Change Reason Code, the following parameters are defined:
  - (i) The Participants permitted to initiate a Change Request.
  - (ii) The data items that can be populated in the Change Request.
  - (iii) The data that must already be present in MSATS before the Change Request can be Completed.
  - (iv) Whether another Participant must supply the exact date of the change (i.e. is the MDP required to supply the date of the Actual Meter Reading to Complete the Change Request).
  - (v) The date range window.
  - (vi) The Objection Logging Period.
  - (vii) The Objection Clearing Period.
  - (viii) The Roles that will be notified of a Change Request, and at what stages in the Change Request that they will be notified.
  - (ix) The Participants who can Object to Change Request and the basis for Objection.
- (c) For any Change Reason Code, some elements are defined globally (i.e. they apply in all Jurisdictions) while others are defined separately for each Jurisdiction.
- (d) Within certain Change Reason Codes, the Participant must provide data items associated with address information, either as:
  - (i) mandatory information, which includes locality (which has the same meaning as 'suburb'), state and postcode; or
  - optional information, which may include information in the Unstructured Address format, except for state and postcode information, or other information that the



Participant can provide in the structured address format, which must be provided in the structured address format.

(d)(e) The Change Reason Codes and a brief description of each are provided in Table 4-A.

Table 4-A – <u>Assignment of Change Reason Codes to Events</u>

<u>Event</u>	CR	Description	Initiating Participant
	1000 <u>, 1010</u>	Change Retailer	New FRMP
<u>Change</u>	1020 <sup>(14)</sup>	Change Retailer–Retrospective—Long Term/Error (not SMALL)	New FRMP
	1023	New NMI – Update/Correct FRMP on Greenfield Site_(SMALL NMI only)	New FRMP
<u>Retailer</u>	1025	Transferred in error (SMALL NMI only)	New FRMP
	1029	Other Error Corrections (SMALL NMI only)	New FRMP
	1030 <u>, 1040</u>	Change Retailer – Move-In	New FRMP
Reverse	<u>1060</u>	Cooled Off (SMALL NMI only)	Current FRMP
<u>and</u> Provide	<u>1061</u>	Debt (SMALL NMI only)	New FRMP
<u>Data <del>al</del></u> Provide Data	1500	Provide Actual Change Date	New and Current MDP
	2000 <u>. 2001</u>	Create NMI Details	New LNSP
	2020 <u>. 2021</u>	Create NMI Details –_Child	New ENM
Create NMI	<u>2500, 2501</u>	Create NMI, NMI Datastream & metering installation details	New LNSP
	<u>2520, 2521</u>	Create NMI, MDM Datastream & Metering Installation Details – Child NMI	New ENM
	<del>2100</del>	Create External Profile Shape	New AEMO
	2101	Create External Profile Shape – Retrospective	New AEMO
	<del>5110</del>	Change External Profile Shape	Current AEMO
	<del>5111</del>	Change External Profile Shape – Retrospective	Current AEMO
	2500	Create NMI, NMI Datastream & metering installation details	New LNSP
	<del>2501</del>	Create NMI, NMI Datastream & metering installation details – Retrospective	New LNSP
	2520	Create NMI, MDM Datastream & Metering Installation Details — Child NMI	New ENM
	<del>2521</del>	Create NMI, MDM Datastream & Metering Installation Details — Child NMI — Retrospective	New ENM
	3000 <u>, 3001<sup>(32)</sup></u>	Create metering installation details	Current MPB
	3004 <u>, 3005</u> <sup>(+2)</sup>	Exchange of Metering Information	Current MPB
Create and	3050 <u>, 3051<sup>(42)</sup></u>	Change metering installation details	Current MPB
Maintain Metering	3080 <u>, 3081</u>	Advanced change metering installation details	Current MC
	3090 <u>, 3091<sup>(32)</sup></u>	Advanced Meter Exchange	Current MC
	3100 <u>, 3101</u>	Change Network Tariff Code	Current LNSP or Current ENM
	4000 <u>, 4001</u> (32)	Create NMI Datastream Details	Current MDP
	4004 <u>, 4005</u> (32)	Exchange of Datastream Information	Current MDP
		20 DECEMBERMAY 2020	Page 44 of 212



<u>Event</u>	CR	Description	Initiating Participant
Create and Maintain Datastream	4050 <u>, 4051</u> <sup>(3)</sup>	Change NMI Datastream Details	Current MDP
	<u>5050, 5051</u>	Change NMI Details	<u>Current LNSP</u>
	<u>5001</u>	Backdate NMI Start Date	AEMO or LNSP
	<u>5021</u>	Backdate NMI Start Date – Child	AEMO or ENM
	<u>5054, 5055</u>	Change NMI Details – Customer Classification Code	Current FRMP
	<u>5060, 5061</u>	<u>Change NMI Details – Child</u>	<u>Current ENM</u>
<u>Maintain</u>	<u>5070, 5071</u>	<u>Update Next Scheduled Read Date</u>	Current MDP
<u>NMI</u>	<u>5080, 5081</u>	Change Parent Name	<u>Current LNSP</u>
	<u>5100, 5101</u>	Change NMI Details (AEMO only)	<u>AEMO</u>
	6100 <u>, 6110</u>	Change LNSP	New LNSP or new ENM
	6200 <u>. <b>6210</b></u>	Change MDP	Current FRMP or Current MC
	6300 <u>. 6301</u>	Change MC	New MC or Current FRMP
	6400 <u>, 6401</u>	Change LR	New LR
	6421	Change LR — Retrospective — Child NMI	New LR
<u>Change</u>	6500 <u>. 6501</u>	Change RoLR	New RoLR
<u>Roles</u>	6700 <u>. 6701</u>	Change MP	Current MC
	6800 <u>. 6801</u>	Change Multiple Roles	Current FRMP or Current MC
<u>Auto</u>	<u>ECLR</u>	Change of Local Retailer – Child	AEMO/MSATS
<u>Change</u> <u>Role –</u> <u>System</u>	<u>EPFR</u>	Change of Secondary FRMP – Parent	AEMO/MSATS
<u>Manage</u> <u>External</u>	<u>5110, 5111<sup>(4)</sup></u>	Change External Profile Shape	<u>xAEMO</u>
	2100, 2101 <sup>(4)</sup>	<u>Create External Profile Shape</u>	<u>New-AEMO</u>
Profiles <sup>(1)</sup>	BCxx	Invoke Bulk Change Process	AEMO
AEMO Only	ROLR	Invoke Retailer of Last Resort	AEMO

Note (1): "not SMALL NMI" means LARGE, WHOLESAL, INTERCON, GENERATR or SAMPLE NMIs, Likely to be used with Read Type Codes PR, CR or ER

Note (2): A single Change Request using these Change Reason Codes may be populated with multiple Meter Serial IDs.A single Change Request using these Change Reason Codes may be populated with multiple NMI suffixes.

Note (3): A single Change Request using these Change Reason Codes may be populated with multiple NMI suffixes. A single Change Request using these Change Reason Codes may be populated with multiple Meter-Serial IDs.

Note (4): Refer to Section 8 in the WIGS Procedures for details on these Change Reason Codes, "not SMALL NMI" means LARGE, WHOLESAL, INTERCON, GENERATR or SAMPLE NMIs.

# 4.3. Role Codes

- (a) A Role Code identifies the type of association that a Participant has with a NMI.
- (b) The NMI Master Record will contain each 'Current' Role for each NMI. Each proposed Role for a NMI is referred to as a 'New' Role.
- (c) The Role Codes defined in Table 4-B are used to define:
  - (i) Participants that can initiate a Change Request;
  - (ii) Participants to supply data when it is needed to Complete a Change Request;
  - (iii) Change Request Status Notification Rules;



- (iv) Objection Rules; and
- (v) Access rights to CATS Standing Data.

## Table 4-B – Role Codes

Code	Description
FRMP	Financially Responsible Market Participant
LNSP	Local Network Service Provider or Embedded Network Manager for child connection points
LR	Local Retailer
MDP	Metering Data Provider – Category D
MPB	Metering Provider – Category B
MPC	Metering Data Provider – Category C
NEMM	National Electricity Market Operator
NSP2	Second Network Service Provider (For Wholesale NMIs only)
ROLR	Retailer of Last Resort
RP	Metering Coordinator

# 4.4. Change Request Initiation Rules

- (a) The Initiation Rules specify the Roles permitted to Initiate Change Requests.
- (b) A Change Request may be Initiated by both 'New' or 'Current' Roles.
- (c) Only a 'New' Role can be entered on a Change Request.
- (d) The Initiation Rules for each Change Reason Code are listed in the section to which the Change Reason Codes are detailed.

# 4.5. Jurisdiction Codes

- (a) The Jurisdiction Codes defined in Table 4-C identifies the Jurisdiction in which a *NMI* is situated
- (b) The Jurisdiction Code is used to apply Jurisdiction-based business rules.

Table 4-C – Jurisdiction Codes

Code	Description
Code	Description
ACT	Australian Capital Territory
ALL	All Jurisdictions
NEM	National Electricity Market
NSW	New South Wales
QLD	Queensland
SA	South Australia
TAS	Tasmania
VIC	Victoria

# 4.6. Timeframe Rules

(a) The Timeframe Rules specify whether a Jurisdiction, Change Reason Code and NMI Classification Code are a valid combination.



- (b) For any Change Reason Code, the Timeframe Rules specify:
  - (i) Wwhether the Change Reason Code can be used to make a Prospective Change or Retrospective Change :
  - (ii) #the number of days into the future (Prospective Days) or the past (Retrospective Days) that are allowable for the Proposed Change Date.
  - (iii) <u>t</u>The number of days allowed for Objections (Objection Logging Period), which commences from the next *business day* after the date that the Change Request is Initiated; and.
  - (iv) <u>t</u>The number of days after which a Change Request that has been Objected to will be Cancelled (Objection Clearing Period), which commences from the next *business day* after the date that the Change Request is Initiated.
- (c) The Timeframe Rules may be specified by Jurisdiction.
- (d) Unless stated otherwise, the Timeframe Rules for a Change Reason Code apply to all Jurisdictions.

## 4.7. Objection Codes

- (a) The Objection Codes defined in Table 4-D are the only basis on which Participants can Object to a Change Request, solely on the condition that Participants are able to produce evidence to AEMO to substantiate the raising of an Objection Code as fair and reasonable, within one business day of a request by AEMO to produce such evidence.
- (b) The Objection Codes are applied to each Jurisdiction and each Change Reason Code in accordance with the Objection Rules.

## Table 4-D – Objection Codes

Code	Description
BADDATA	Used by a Participant to confirm that the standing data in the change request or the NMI Master Record is incorrect (e.g. Meter Serial ID). If the Participant role is incorrect; use NOTRESP.
BADMETER	Used by the MDP for change retailer requests, where the Read Type Code is not compatible with the method for collecting <i>metering data</i> at the <i>metering installation</i> .
BADPARTY	Used by the MC when the MDP, MPB, or MPC nominated on a change of retailer request or change of role is incorrect as they are not the party appointed by the MC, or do not have the capability or capacity to operate in the Role proposed.
BLOCK	AEMO Objection to the transaction either at the request of a Jurisdiction or for operational reasons.
CONTRACT	Must only be used where a change in MC is proposed, the Current MC has been appointed by a large End User and has an existing contractual obligation with the large End User that takes precedence over the proposed change.
CRCODE	Can be used if the Change Reason Code being used does not apply to the NMI concerned.
DATEBAD	Used by the MDP for <i>meter installation</i> types 4A, 5 and 6 to inform the initiating party the proposed date in the change of retailer or change of role request does not align with the date the Metering Reading is scheduled to be taken.  Used by the Current FRMP, or MDP for retrospective change of <i>retailer</i> or change of role requests where one or both of the Proposed Change Date, or Actual End Date is incorrect.
DEBT	Used by the Current FRMP for change retailer requests in Victoria only, were there is an aged debt reaching Jurisdictional limits.



Code	Description
DECLINED	Used by a Participant who does not wish to perform the Role for which it is nominated in the Change Request. Can only be used by:
	(1) an Initial MC registered with AEMO in accordance with clause 2.4A.1 of the NER, which has been appointed in respect of a connection point, if either:
	(a) this Initial MC has notified a retailer at the connection point of a metering installation malfunction which has occurred to a metering installation in accordance with clause 11.86.7 of the NER;
	(b) a metering installation is no longer a metering installation type 5 or 6 in respect of which an Initial MC is able to provide services; or
	(c) the MP and MDP for a connection point in MSATS are not accredited to provide services in respect of a metering installation type 5 or 6; or
	(2) a Participant other than an Initial MC who does not wish to perform the Role for which it is nominated in the Change Request.
NOACC (1)	Used where no access can be obtained to the <i>metering installation</i> to perform the manual collection of <i>metering data</i> required to facilitate a transfer of FRMP, or Meter Churn.
NOTAPRD	Used by the LNSP where a Participant is not accredited or authorised to operate within the LNSP area, most typically applying to the Role of MP.
NOTAWARE	Used by the Current FRMP when no communication has been received from the New FRMP confirming that an error correction transaction will be processed.
NOTPRUD	No prudential approval.  AEMO has not approved the transaction for prudential reasons.
NOTRANS	Used by the Current FRMP and only applies to retrospective change of <i>retailer</i> requests. A check of records shows no previous change of <i>retailer</i> request exists for the error correction change of <i>retailer</i> .
NOTRESP	Not responsible for <i>NMI</i> in the identified Role.  For use by a∹
	(1) a nominated Participant to Object on the basis that they are not responsible in the Role in which they are nominated.
	(1)(2) an Initial MC where they have been nominated as the new MC for a Greenfield site for which they are not accredited to provide services.
RETRO	Participant does not agree to a Retrospective Change.

Note (1): Objections for "NOACC" are not subject to Objection Logging Periods or Objection Clearing Periods. A valid Actual Change Date being entered against a Change Request with an Objection of "NOACC" will withdraw any "NOACC" Objections.

# 4.8. Objection Rules

- (a) The Objection Rules specify the way in which Objection Codes can be used for each Change Reason Code and Role.
- (b) The Objection Rules for each Change Reason Code are listed in the section to which the Change Reason Code applies.
- (c) Unless stated otherwise, Objection Rules apply in every Jurisdiction.

# 4.9. NMI Classification Codes

- (a) The NMI Classification Code enables MSATS to be informed of the nature of the flow of electricity at the *connection point* to which the *NMI* information applies.
- (b) The NMI Classification Codes 'LARGE' and 'SMALL' are used in these Procedures. They are parameters for defining Change Reason Codes, application timeframes and Objection Rules.



(c) The NMI Classification Codes 'LARGE' and 'SMALL' are based on the total annual load of the NMI as per Table 4-E.

## Table 4-E – NMI Classification Codes

Code	Description-(2)	<u>Jurisdiction</u>			
EPROFILE	External <i>profile</i> shape	All			
GENERATR	Generator	All			
INTERCON	Interconnector	All			
LARGE (1)	Victoria:- NSW: ACT:>=160 MWh SA:	Victoria, New South Wales, Australian Capital Territory, South Australia			
	<del>QLD:</del> >=100 MWh	Queensland			
	<del>TAS:</del> >=150 MWh	<u>Tasmania</u>			
SAMPLE	Sample Meter	All			
SMALL <sup>(1)</sup>	Victoria:- NSW:	Victoria, New South Wales, Australian Capital Territory, South Australia			
	QLD: <100 MWh	Queensland			
	TAS:<150 MWh	<u>Tasmania</u>			
WHOLESAL	Wholesale Transmission Node Identifier	All			
	—These codes are used in the CATS Procedures. —See relevant Jurisdictional regulation for full details.				

## 4.10. End User Classification

#### 4.10.1. Customer Classification Code

- (a) The FRMP must update provide and maintain an End User's Customer Classification Code, within five 5-business days of becoming aware that the value in MSATS is incorrect or not populated, as specified in Table 4-F.
- (b) The Customer Classification Code relates to an End User, or previous End User, at a single connection point to which the NMI applies.

# Table 4-F – Customer Classification Codes

Code	Description (1)				
BUSINESS	The End User has identified that the primary use of the <i>connection point</i> is for business purposes.				
RESIDENTIAL	The End User has identified that the primary use of the <i>connection point</i> is for residential purposes.				
Note (1): —See relevant Jurisdictional regulation for full details.					



## 4.10.2. Customer Threshold Code

- (a) The Customer Threshold Code is used to indicate the level of an End User's electricity consumption at a single connection point to which a NMI applies and is based on the LNSP's determination of the annualised consumption for an End User at a single connection point.
- (b) The Customer Threshold Code is mandatory for all *NMIs* with a NMI Status Code of 'A' or 'D', and a Customer Classification Code of 'BUSINESS'.
- (c) The Customer Threshold Codes are specified in Table 4-G.

## Table 4-G – Customer Threshold Codes

Customer Threshold Code	Description
LOW	Consumption is less than the 'lower consumption threshold' as defined in the National Energy Retail Regulations.
MEDIUM	Consumption is equal to or greater than the 'lower consumption threshold', but less than the 'upper consumption threshold', as defined in the National Energy Retail Regulations.
HIGH	Consumption is equal to or greater than the 'upper consumption threshold' as defined in the National Energy Retail Regulations.

# 4.11. Status Codes

#### 4.11.1. NMI Status Codes

- (a) The NMI Status Codes defined in table 4-H are used to determine if a NMI can be used for a retail transfer.
- (b) The NMI Status Code 'X' is the only status that does not allow *NMI* transfers between retailers

## Table 4-H – NMI Status Codes

Code	Name of code	Description of code
Α	Active NMI	Applies when a NMI is energised.
D	Not energised NMI	Applies when the NMI exists in MSATS and the connection point is de-energised.
X	Extinct NMI	<ul> <li>Applies when:         <ul> <li>the network connection has been permanently removed from the connection point. or:</li> <li>the embedded network connection has been permanently removed from the child connection point. or</li> <li>the connection point has been moved from an LNSP's network to an embedded network or vice versa.</li> </ul> </li> <li>Under this condition the existing NMI will not be reallocated to any other connection point in the future.</li> <li>A NMI with this status can never be transferred.</li> </ul>
G	Greenfield Site NMI	Applies to a Site that has never been energised. The <i>connection point</i> may require further Site works to be undertaken and will also require energisation. Once the NMI Status Code is changed from 'G', it cannot revert to 'G'.
N	Off Market Child NMI	Applies when a child connection point is no longer settled in the NEM.



#### 4.11.2. Datastream Status Codes

- (a) In the MDM process, the Datastream Status Code is used to determine whether a Datastream is to be used in the settlements process, either because the NMI is Tier 2 or because metering data is required from this NMI as part of the process of creating a Load Profile.
- (b) The Datastream Status Codes in MSATS are 'A' and 'I', as defined in Table 4-I.

#### Table 4-I – Datastream Status Codes

Code	Name of code	Description of code
А	Active NMI Datastream	Applies when an NMI Datastream is to be used in settlements.
1	Inactive NMI Datastream	Applies when the NMI Datastream is not to be used in settlements.

(c) If a retail transfer CR is Completed and an End User has transferred to a second tier retailer (i.e. FRMP is not the LR) the Datastream Status Code for a Second Tier NMI must be 'A' when the NMI is energised.

#### 4.11.3. Meter Register Status Codes

- (a) The Meter Register Status Codes denote the status of the *meter* in MSATS.
- (b) The only Meter Register Status Codes are 'C', 'R', and 'D' as defined in Table 4-J.

## Table 4-J – Meter Register Status Codes

Code	Name of code	Description of code
C	Current	Applies when the NMI is current and not de-energised.
R	Removed	Applies when the <i>metering installation</i> associated with the <i>NMI</i> is removed.
D	Remotely De-energised	Applies when the NMI is de-energised.

## 4.11.4. Register Identifier Status Codes

- (a) The Register Identifier Status Code indicates if a Meter Register is active.
- b) The Register Identifier Status Codes are C and R and are defined in Table 4-K.

# Table 4-K – Register Identifier Status Codes

Code	Name	Description
С	Current	Applies when a Meter Register at the NMI is current, i.e. connected to a connection point.
R	Removed	Applies when a Meter Register at the NMI is removed, i.e. not connected to a connection point.

## 4.12. Metering Installation Type Codes

- (a) The Metering Installation Type Codes defined in Table 4-L identifies the type of metering installation as specified in the NER.
- (b) The Metering Installation Type Code also indicates whether the Actual Change Date must be input by a Participant other than the initiator of the Change Request. If the Manually Read Flag (see Table 4-L) is set to Y and the Change Request Field Validation Rules have been set up to request a date, a request will be sent to the nominated Participant to provide it.



## Table 4-L – Metering Installation Type Codes

Code	Description	Manually Read Flag
BASIC	Accumulation Meter – Type 6	¥
COMMS1	Interval Meter with communications – Type 1	¥
COMMS2	Interval Meter with communications – Type 2	¥
COMMS3	Interval Meter with communications – Type 3	¥
COMMS4	Interval Meter with communications – Type 4 (Note: This code is used for <i>large customer</i> with type 4 <i>metering installations</i> and for <i>small customer</i> type 4 <i>metering installation</i> installed before 1 December 2017)	¥
COMMS4C	CT connected <i>metering installation</i> that meets the <i>minimum services</i> specifications	¥
COMMS4D	Whole current <i>metering installation</i> that meets the <i>minimum services</i> specifications	¥
MRAM	small customer metering installation – Type 4A	¥
MRIM	Manually Read Interval Meter – Type 5	¥
PROF	For Profile Setup	H
SAMPLE	Sample Meter	¥
UMCP	Unmetered Supply – Type 7	N
VICAMI	Aa relevant metering installation as defined in clause 9.9C of the NER.	¥

#### 4.12.1. Consequences of Allocating Certain Metering Installation Codes

- (a) If the Metering Installation Type Code is COMMSx, MRIM, MRAM, VICAMI, or UMCP:
  - (i) DataStreamType<sup>1</sup> must be I or P (P Sample *meters* only);
  - (ii) ProfileName must be NOPROF: and
  - (iii) Datastream Suffix must be Nx (e.g. N1).
- (b) If the Metering Installation Type Code is BASIC:
  - (i) DataStreamType must be C;
  - (ii) <u>i</u>ln Victoria, Tasmania and ACT, ProfileName must be NSLP;
  - (iii) <u>i</u>In NSW, QLD and SA, ProfileName must be NSLP or the relevant CLP<u>: and</u>
  - (iv) Datastream Suffix must be numeric (e.g. 11).

# 4.13. Read Type Code

(a) The Read Type Code is not used by MSATS for the purpose of settlements. There are no rules in MSATS controlling the use of the Read Type Code.

(b)(a) The Read Type Code is ana\_directioninstruction from the requesting FRMP to the MDP\_that a specified Meter Reading is to be used, nominated in the Change Request to assist the transfer or that no Meter Reading is required, by using the specified reading method.

\_

<sup>&</sup>lt;sup>1</sup> See Standing Data for MSATS for explanation of DataStreamType.



- (b) Where a Special Metering Reading has been requested advice is provided to an MDP, the MDP would will arrange for the Special Meter Reading to be undertaken upon receipt by the MDP of the ServiceOrderRequest from the FRMP.
- (c) The Read Type Code is used to signal when a *meter* should be read, whether an alternative arrangement is to be used, or whether no read is required.
- (d)—In each case the Read Type Code is <u>an-a direction instruction</u>-relating to the date in the Proposed Change Date, for example.
- (e)(c)\_A meter may be read on the NSRD (NS) or on aAa date on which the Special Read Date-(SP) is to occur.
- (f) An Estimated Reading (ER) may be provided in place of the Actual Meter Reading.
- (g)(d) The Read Type Codes are specified in Table 4-M.

# Table 4-M – Read Type Codes

Code	Name of code	Description of code
CR	Consumer Read	Available if approved by Jurisdictional policy. Advice from New FRMP to MC or MDP that the End User has agreed to transfer on a Meter Reading it provides. MDP/MPC is not required to undertake a Special Meter Reading.  Applies to type 6 metering installations.
EI	Existing Remotely- Read Interval Meter	Advice from the New FRMP to the MDP that there is an existing remotely-read Interval Meter at the <i>connection point</i> and that the existing <i>meters</i> will continue to be used after the transfer.  Applies to type 1 to 4 <i>metering installations</i> only.
ER	Estimated Read	Available if approved by Jurisdictional policy. Advice from the New FRMP to MDP that the End User has agreed to transfer on an Estimated Reading. No Meter Reading is required for this transfer. MDP is to provide an Estimated Reading in accordance with the <i>metrology procedure</i> and any other Jurisdiction requirements.  Applies to type 4A, 5 and type 6 metering installations.
GR	Greenfield NMI	Used when the $NMI$ being transferred is a greenfield connection point and has never had a metering installation physically installed at the connection point and the NMI Status is 'G'.
NS	Next Scheduled Read Date <sup>#</sup>	Advice from New FRMP to MDP that the Proposed Change Date for the End User transfer is the NSRD, which is, therefore, a date in the future. No other Meter Reading is required.  An acceptable date is a window that is up to 3 business days before or 2 business days after the published NSRD.  If the date proposed by the New FRMP is not within this same window (i.e. up to 3 business days before or 2 business days after), the MDP must advise the FRMP that there is a problem with the date proposed within 2 days of receipt of the Data Request.  If the meter is read outside this window, the MDP is not obliged to provide an Actual Change Date CR 1500.  Applies to types 4A, 5 and type 6 metering installations.
PR	Previous Read Date <sup>⊕</sup>	Available if approved by Jurisdictional policy. Advice from the New FRMP to the MDP that the transfer is to occur on the aprevious Meter Reading taken-within the previous 15 business days.  Applies to type 4A, 5 and type 6 metering installations.



Code	Name of code	Description of code
RR	Next Read DateRead Required	Advice from New FRMP to MDP either that:  (1) -Tthe Proposed Change Date, that will become the Actual Change Date for the End User transfer, is to be the date the for provision for of the interval meter reading an Actual Meter Reading or Estimatedsubstituted Readingmetering data, as appropriate. The Proposed Change Date will become the Actual Change Date of the End User transfer.  (2) The Proposed Change Date can be either:  (a) -Perospective for all Metering Data Types; or  (b) Retrospective for Metering Data Type of Remotely Read.  1. meter is next read, which is, therefore, a date in the future. This code should be used if it is intended that the transfer is to occur on the date that the meter is read next, whenever that date is (i.e. the Proposed Change Date has no relevance).  Applies to types 4A, 5 and type 6 metering installations.
SP	Special Read	Advice from New FRMP to <u>Current MDP</u> that <u>a B2B Service Order has been/will</u> be provided to arrange for a physical site visit to undertake a reading including but not limited to <u>rfacilitateion of an the Proposed Change Date for the End</u> User transfer <u>is a date that does not align with the scheduled reading cycle.</u> The MDP/MPC is to arrange for the Special Meter Reading.  Applies to type 4A, 5 and type 6 metering installations.
UM	Unmetered Connection Point	Used when the NMI being transferred is an unmetered connection point.

Note (1): There is no requirement to maintain the NSRD for *meters* that are remotely read. The NSRD will only be required for the type 4A, 5 and 6 *metering installations* where manual Meter Reading is necessary.

Note (2): The previous Meter Reading date is not held by in MSATS and is available via NMI Discovery. The New FRMP would obtain this information from the End User. This Read Type Code is likely to be used with Change Reason Codes 1010 and 1081.

(h)(e) The combinations of Read Type Codes, Metering Installation Type Codes and Change Reason Codes that can be valid, (provided the Read Type Code is allowed in a Jurisdiction), are specified in Table 4-N. (The Metering Installation Type Code referred to here is the code for the existing metering record).

Table 4-N – Valid Combinations of Read Type Codes, Metering Installation Type Codes and Change Reason Codes

CR Code		1000		1010, 102X, 1040 except 1023		1030		1023	All CR Code	<del>es</del>
Metering Installation Type Code		BASIC	MRIM / MRAM	BASIC	MRIM / MRAM	BASIC	MRIM / MRAM		COMMSx / VICAMI	UMCP
NS	Next Scheduled Read Date	<del>Yes</del>	Yes	No	No	No	No	No	No	No
RR	Next Read DateRead Required	<del>Yes</del>	Yes	No	No	<del>Yes</del>	Yes	No	No <u>Yes</u>	No
SP	Special Read	Yes	Yes	No	No	Yes	Yes	No	No	No
ER	Estimated Read	Yes	Yes	Yes	No	Yes	Yes	No	No	No



<del>CR Code</del>		1000		1010, 102X, 1040 except 1023		1030		1023	All CR Code	<del>es</del>
CR	Consumer Read	Yes	No	No	No	No	No	No	No	No
PR	Previous Read Date	No <u>Yes</u>	No <u>Yes</u>	Yes	Yes	No	No	No	No <u>Yes</u>	No
UM	Unmetered Connection Pt	No	No	No	No	No	No	No	No	Yes
El	Existing Interval Meter	No	No	No	No	No	No	No	<del>Yes</del>	No
GR	Greenfield NMI	No	No	No	No	No	No	<del>Yes</del>	No	No

Note: 1080 is the same as 1000, 1081 is the same as 1010, 1083 is the same as 1030, and 1084 is the same as 1040.

Note: 102X refers to 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028 and 1029.

Note: COMMSx refers to COMMS1, COMMS2, COMMS3, COMMS4, COMMS4C, COMMS4D.

<u>CR Code</u>		<u>1000</u>		<u>1030</u>		<u>1040, 102X</u> (except 1023)		<u>1023</u>	<u>All</u>
Metering Data Type*		Remotely Read	Manually Read	Manually Read	Remotely Read	Manually Read	Remotely Read	Not Applicable	<u>UMCP</u>
Previous Read Date	<u>No</u>	<u>Yes</u>	<u>Yes</u>	<u>No</u>	<u>No</u>	<u>Yes</u>	<u>Yes</u>	<u>No</u>	<u>No</u>
Special Read	<u>Yes</u>	<u>No</u>	<u>No</u>	<u>Yes</u>	<u>Yes</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>
Read Required	<u>Yes</u>	<u>Yes</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>
Existing Interval Meter	<u>No</u>	<u>Yes</u>	<u>No</u>	<u>No</u>	<u>Yes</u>	<u>No</u>	<u>Yes</u>	<u>No</u>	<u>No</u>
<u>Greenfield</u> <u>NMI</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>Yes</u>	<u>No</u>
Unmetered Connection Pt	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>No</u>	<u>Yes</u>
	letering Data Type* Previous Read Date Special Read Required Existing Interval Meter Greenfield NMI Unmetered Connection Pt	letering Data Type* Previous Read Date Special Read Required Existing Interval Mo Meter Greenfield NMI Unmetered Connection Pt  Manually Read Manually Read Menually Read Menually Read Menually Read Yes No No No Meter No	letering Data Type* Read Previous Read Date Special Read Required Existing Interval Meter Greenfield NMI Unmetered Connection Pt  Manually Remotely Read Requirey Read Yes No Yes Yes Yes No	letering Data Type* Read Previous Read Date Special Read Required Existing Interval Monually Read Read Read Read Read Read Required Read No Read Required Read Required Read No Read Required No Meter Read No Mo No	letering Data Type* Read Read Read Read Read Read Read Read	Special Read   No   Yes   No   No   No   No   No   No   No   N	Connection   No   No   No   No   No   No   No	Connection   No   No   No   No   No   No   No	1000

Note: 102X refers to 1020, 1023, 1025 and 1029.

Note: No meter reading is required for CR Code 1023

# 4.14. LastPrevious Read Dates and Quality Flags

- (a) The LastPrevious Read Date and Read-Previous Read Quality Flag is a are values provided by the MDP-that specify the date of the previous metering reads and metering data quality flags type of Meter Reading that waswere obtained/provided to the market-for the Last ReadDate.
- (b) The Previous Read Dates and Quality Flags will only be provided where the *Metering Data Type* is Manually Read.
- The LastPrevious Read Dates and Quality Flags Codes are specified in Table\_Table 4-M.

# Table 4-0 - Last Read Quality Flag

<u>Code</u>	Name of code	<u>Description of code</u>
<u>A</u>	Actual	Actual Meter Reading



<u>Code</u>	Name of code	<u>Description of code</u>
<u>\$</u>	<u>Substitute</u>	For any substituted metering data that is considered temporary and may be replaced by Actual Metering Data. Substitutions apply to historical date/time periods at the time of Substitution.
Ē	<u>Final Substitute</u>	For substitutions that are of a permanent or final nature and, subjection to the Metrology Procedure, the <i>metering data</i> would not be replaced by Actual Metering data at any time.
Note: Ap	plies to Type 4A, Type 5 and	Type 6 Metering Installations.

#### 4.14.4.15. Field Validation Rules

- (a) The Field Validation Rules are based on data source codes as per table 4-O.
- (b) For any Change Reason Code, the Field Validation Rules specify:
  - (i) <u>w</u>Which fields must be completed at the time the transaction is Initiated;
  - (ii)  $\underline{w}$  hich fields can optionally be completed at the time the transaction is Initiated;
  - (iii) wWhich fields must be present on the NMI Master Record for the transaction to proceed from Pending Validation to Requested and, if they are not present, which Participant must supply them; and
  - (iv) wwhether the Actual Change Date has to be obtained from another Participant for NMIs where the metering installations are manually read (and if it does, who should be asked to supply it).
- (c) The obligations on Participants arising from the allocation of the Field Validation Rules are detailed in the section to which the Change Reason Code applies.
- (d) Each data source code is hard coded in MSATS and is not available for maintenance. The available data codes are identified in Table 4-Q.

# Table 4-PO – Field Validation Data Source Codes

Code	Explanation
OI	Optional on Initiation. This means it is optionally supplied by the initiator of the Change Request.
RA	Requested by CATS regardless of whether it is already in CATS.  For all RA fields, the Participant that supplies the data must be identified.  For all RA fields, it is also necessary to identify whether this data is required prior to the transaction passing from Pending Validation to Requested.  This code will be used for requesting the Actual Change Date on End User transfer Change Requests. (However, in this special case, the request will only be sent if the metering installation is flagged as manually read).
RD	This is only required for the Actual Change Date on the transaction that is returned as a consequence of a request to provide an Actual Change Date (currently 1500 is the only one).
RI	Required to Initiate. This means it must be supplied by the initiator of the Change Request.
RQ	Requested by CATS if the data is not already in CATS.  For all RQ fields, the Participant that supplies the data must be identified.  For all RQ fields, it is also necessary to identify whether this data is required prior to the transaction passing from Pending Validation to Requested.

# 4.15.4.16. Change Request Status Notification Rules

The Change Request Status Notification Rules define which Roles are to be advised when a Change Request undergoes a change in status.



# 4.16.4.17. Maintenance of Codes and Rules

(a) From time to time AEMO must maintain will update the following codes and rules tables in MSATS, as required:

Change Reason Codes	Role Codes	Initiation Rules
Jurisdiction Codes	Timeframe Rules	Objection Codes
Objection Rules	NMI Classification Codes	NMI Status Codes
Metering Installation Type Codes	Read Type Codes	Field Validation Rules
Change Request Status Notification Rules	NMI Discovery Search – NMI Search Rules	NMI Discovery Search – NMI Data Access Rules
NMI & CATS Standing Data Access Rules	Network Tariff Code	<u>Participant</u>
Embedded Network Codes		

(b) MSATS will send a message <u>via the replication report</u> to all Participants if a change is made to any code or rule.

#### 4.17.4.18. Datastream Status Code

- (a) The Datastream Status Code is part of CATS Standing Data and is used for the management of the metering data within MSATS.
- (b) The Datastream Status Code makes use of the codes specified in Table 4-I.
- (c) When required by a Change Reason Code, Participants must nominate on a Change Request the status of the Datastream Status Code for the selected NMI.
- (d) If a Datastream Status Code is set to A (active) this flag will be used by MSATS to indicate that metering data is to be expected for the NMI for the purpose of:
  - (i) aggregation in the settlements process; or
  - (ii) netting off in the determination of a profile shape.

## 4.18.4.19. Embedded Network Codes and Rules

- (a) MSATS requires each *embedded network* to be given a name, which is to be a code of up to 10 characters.
- (b) The LNSP must generate and provide the Embedded Network Code to AEMO:
  - (i) <u>t</u>The first character of the Embedded Network Code is to be the first character of the Jurisdiction in which the *embedded network* is located.
  - (ii) <u>t</u>The second character of the Embedded Network Code is to be a character chosen to represent the LNSP in whose *distribution network* the *embedded network* is *connected*.
  - (iii) <u>t</u>The LNSP must liaise with the owner of the *embedded network* to determine the other characters of the Embedded Network Code as per the Embedded Network Code structure specified by AEMO;<sup>2</sup>; <u>and</u>
  - (iv) <u>t</u>The LNSP must provide the Embedded Network Code to AEMO within <u>five</u>5 business days from the time it receives the request from the embedded network owner or the ENM acting on behalf of the embedded network owner.
- (c) The LNSP must provide to AEMO the following when providing the Embedded Network Code:

<sup>&</sup>lt;sup>2</sup> Document No MT\_GN1710v0xx.doc – Allocation of Embedded Network Codes



- (i) <u>d</u>Description of the *embedded network* (up to 50 characters long).
- (ii) <u>l</u>Locality, postcode and state of the *embedded network*.
- (iii) start date of the embedded network.
- (iv) DLF Code of the Parent NMI-3; and
- (v) TNI Code of the Parent NMI.4
- (d) The LNSP at the *parent connection point* must allocate the Embedded Network Code to the Parent NMI within <u>two 2</u> business days from the later of:
  - (i) being notified by AEMO that the Embedded Network Code has been created in MSATS $_{i7}$  or
  - (ii) the mandatory information required by the Create NMI Change Request becoming available if the Parent NMI has not been created.
- (e) The ENM must allocate the Embedded Network Code to the Child NMI which is the same as the Embedded Network Code of the Parent NMI.
- (f) Within <u>five5</u> business days of being appointed as the ENM for an embedded network, the ENM must provide AEMO with the following:
  - (i) Date of the nomination
  - (ii) Embedded Network's (EN's) Participant ID;
  - زناii) Name of the Exempt Embedded Network Service Provider (EENSP)5 ن
  - (iv) Embedded Network Code.;
  - (v) Parent NMI.; and
  - (vi) Address of the Parent NMI.

# 4.19.4.20. Obtaining Electronic Downloads of Configuration Rules

The CATS configuration can be downloaded from MSATS by using the C1 'Data Replication Resynchronisation Report (C1)' report, and selecting the following tables:

# Table 4-QP - CATS Configuration Tables Available for Download

Туре	Description	Table
	List of Roles along with their assigned Participant IDs used by MSATS	CATS_PARTICIPANT_ROLES
Code	List of the available Change Reason Codes	CATS_CHANGE_REASON_CODES
Code	Change Request Status codes	CATS_CR_STATUS_CODES
Code	Data source code used for Field Validation Rules	CATS_DATA_SOURCE_CODES
Code	De-registration codes	CATS_DEREG_CODES
Code	DLF Codes	CATS_DLF_CODES
Code	Parent Name codes	CATS_EMB_NET_ID_CODES
Code	Error codes used by MSATS	CATS_ERROR_CODES
Code	List of Jurisdiction Codes	CATS_JURISDICTION_CODES
Code	Meter installation type codes	CATS_METER_INSTALL_TYPE_CODES

 $<sup>^{\</sup>rm 3}$  Note that subsequent update to the DLF Code is not required via this transaction.

<sup>&</sup>lt;sup>4</sup> Note that subsequent update to the TNI Code is not required via this transaction.

<sup>&</sup>lt;sup>5</sup> As it appears on the AER's public register.





Туре	Description	Table
Code	NMI Classification Codes	CATS_NMI_CLASS_CODES
Code	NMI Status Codes	CATS_NMI_STATUS_CODES
Code	List of available Objection Codes	CATS_OBJECTION_CODES
Code	List of Registered Participant IDs	CATS_PARTICIPANTS
Code	List of allowable Read Type Codes	CATS_READ_TYPE_CODES
Code	List of available Roles	CATS_ROLES
Code	Transmission connection point identifier codes	CATS_TNI_CODES
Code	List of transaction types in MSATS	CATS_TRANS_TYPE_CODES
Code	Calendar used by MSATS	MSATS_NATIONAL_CALENDAR
Code	Network Tariff Codes	CATS_NETWORKTARIFF_CODES
Rule	Change Request Initiation Rules	CATS_CR_INITIATION_RULES
Rule	Rule governing NMI Discovery Search	CATS_DISCOVERY_ACCESS_RULES
Rule	Rules defining if Site address is returned in NMI Discovery Search	CATS_DISCOVERY_SEARCH_RULES
Rule	Jurisdiction rules governing Change Request Initiation	CATS_JURISDICTIONAL_RULES
Rule	Change Request Status Notification Rules that specify which notifications are generated by MSATS	CATS_NOTIFICATION_RULES
Rule	The rules governing the use of Objections	CATS_OBJECTION_RULES
Rule	Transaction Field Validation Rules	CATS_TRANS_FIELD_VALIDATION



# 5. MSATS REPORTS

(a) The following reports are available to Participants from MSATS.

Table 5-A - MSATS Reports

Report Name	Description
CATS-C1	Data Replication Resynchronisation Report
CATS-C3	NMI Change Request Report
CATS-C4	NMI Master Report
CATS C7	New Participant Access Report
CATS C9	NMI Count Report
MDM RM8	DatePPSBMPGenerated
MDM RM9	Actual Versus Estimate Data Report
MDM RM11	Missing Data
MDM RM13	NMI Datastreams History Report
MDM RM14	MDP Data Version Comparison Report
MDM RM15	Count of Multiple Versions Report
MDM RM16	Level 1 Settlement Reconciliation Report
MDM RM17	Level 3 Settlement Reconciliation Report for Non-Aggregated Data
MDM-RM18	Interval Data Report
MDM-RM19	Aggregated Energy Actual-vs-Estimate Report
MDM-RM20	PPS-Report
MDM RM21	Level 2 Settlement Reconciliation Report
MDM RM22	Data Estimation Report
MDM RM26	MDP Substitution and Estimation Report

(b) MSATS will produce a report using Transaction Type Code RPTD.



# 6.5. GUIDELINES FOR MANAGING CONCURRENT RETAIL TRANSFERS

# 6.1.5.1. Definition of Ceoncurrent Rretail Irtransfers

- (a) Concurrent retail transfers are those where there is more than one change of retailer for a particular NMI at the same time in MSATS.
- b) There are two types of concurrent retail transfers in MSATS:
  - (i) Type 1 is a concurrent retail transfer where the same FRMP has submitted more than one change of *retailer* Change Request for the one *NMI*: or.
  - (ii) Type 2 is a concurrent retail transfer request where more than one FRMP has submitted a change of retailer Change Request for one NMI.

## 6.2.5.2. Guidelines

Type 1 Concurrent Retail Transfers

- (a) MSATS will identify the type 1 concurrent retail transfers and the FRMP that has Initiated these Change Requests.
- (b) MSATS will Reject the newly submitted Change Request and a notification will be sent to the initiating FRMP detailing the reason for the Rejection.
- (c) The existing Change Request will remain unaffected and active in MSATS.

## Type 2 Concurrent Retail Transfers

- (d) MSATS will identify the type 2 concurrent retail transfers and the FRMPs that have Initiated these Change Requests.
- (e) MSATS will Reject the newly submitted Change Request and a notification will be sent to the initiating Participant detailing the reason for the Rejection.
- (f) The existing Change Request to change a retailer is Cancelled and notifications will be sent to all the parties related to the Change of Retailer Request as per normal notifications (i.e. FRMP, MDP, MC etc). The reason for the cancellation shall also be provided in the notification.
- (g) The affected FRMPs should determine the reason for the concurrent retail transfers and as necessary proceed to investigate who is the preferred FRMP of the End User consistent with relevant Jurisdictional requirements. The preferred FRMP should then initiate a single valid transfer Change Request.



# 7.6. CHANGE RETAILER - SMALL OR LARGE NMICHANGE REQUESTS

# 6.1. SMALL or LARGE NMIs

# 7.1.1.<u>6.1.1.</u> Application [1000 1010 1020 1030 1040]

Section 76.1 applies when one of the following Change Reason Codes applies:

Change Reason Code	Description
1000 – Change Retailer	The date of transfer is on a:  - Prospective Day - daya date as nominated by the new FRMP for a Meter Reading, an estimated substituted reading or a Special Read, as defined by the Read Type Code.  - Retrospecive Day - a date as nominated by the new FRMP date of the last reading provided in MSATS NMI Discovery. The Metering Data Type must be Remotely Read.
1010 – Change Retailer <del>- Retrospective Align to</del> <del>Meter Read</del> -(SMALL only)	The date of transfer is the date of the <u>a last Previous</u> Meter Reading (a Retrospective Day).  The Metering Data Type must be Manually Read.
1020 – Change Retailer – Retrospective – Long Term/Error ( <u>Not SMALL<sup>6</sup>LARGE only</u> )	The date of transfer could be a date agreed between the Current FRMP and New FRMP (a Retrospective Day) where the actual transfer date was in error.  In addition, and in Victoria only, the date of transfer could be a date agreed by the Current FRMP and New FRMP (a Retrospective Day)
1030 – Change Retailer – Move-In	The date of transfer (move-in) is on a Prospective Day.
1040 – Change Retailer – Move-In – Retrospective	The date of transfer (move-in) would be on a Retrospective Day.

# 7.1.2.6.1.2. Conditions Precedent

- (a) The NMI already exists in MSATS<sup>7</sup>.
- (b) The NMI Classification Code is SMALL or LARGE.
- (c) A change of retailer role can only be initiated by a New FRMP.
- (b)(d) For Change Reason Code 1010 the Metering Data Type for the connection point must be Manually Read and NMI Classification SMALL.

<sup>&</sup>lt;sup>6</sup> "not SMALL" refers to LARGE, WHOLESAL, INTERCON, GENERATR or SAMPLE NMIs.

<sup>7</sup> If it doesn't, the *retailer* should refer to section 10-8.1 and seek LNSP action to establish a *NMI*.



- 7.1.3. The date of the transfer of retailer from the Current FRMP to the New FRMP will be the Actual Change Date.
- 7.1.4. The Actual Change Date is to be established in accordance with the Read Type Code submitted to MSATS by the New FRMP.
- 7.1.5. Initiating Roles
- 7.1.6. A change of retailer role can only be initiated by a New FRMP. A New FRMP may initiate a Change Request to effect a change of retailer in accordance with section 7.4.

#### 7.1.7.6.1.3. FRMP Requirements

The New FRMP-must:

- (a) <u>mMust</u> obtain the Current FRMP's agreement to retrospectively transfer an End User on a previous Meter Reading (applies to CR1010).
- (b) obtain the NMI Checksum.
- (c)(a) Must confirm that the NMI is valid for the connection point:
- (b) Mmust provide the following information within the Change Requestsubmit a Change Request to initiate the transfer of the End User from which the New FRMP has obtained Explicit Informed Consent and provide the following information with the Change Request:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	New RP <sup>8</sup>
Read Type Code		

- (c) Must, for Change Reason Code 1010, ensure the Proposed Change Date aligns with one of the Previous Read Dates.
- (d) The New FRMP Mmay withdraw a change of retailer transaction request at any time prior to the transfer being Completed:
- (c) Mmust withdraw the transfer request, nominate itself as the New FRMP.
- (e) where the NMI Classification Code is SMALL, if advised by the New MDP or the Current MDP that a Meter Reading cannot be obtained in response to a Read Type Code for SP NSRD or a Special Read Date; and, the New FRMP must either: withdraw the transfer request
- (f) May populate the Change Request with the following items:

New RP

(g) Mmay, for Change Reason Code 1020, populate the Change Request with:

Actual End Date

- (d) where the NMI Classification Code is SMALL, if advised by the New MDP or the Current MDP that the NSRD or a Special Read Date is invalid, must either:
  - (i) advise the MDP of a valid date; or
  - (ii) withdraw the transfer request.



The Current FRMP must:

(e)(h) Qon receipt of a request from the New FRMP for an agreement to <u>correct an error and</u> retrospectively transfer on a previous Meter Reading, respond to the request within <u>two</u>2 business days.

The New FRMP may:

(f) populate the Change Request with the identity of the following Roles:

MPB MPC

or leave this to the New MC to complete.

(g) for Change Reason Codes 1000, 1020, 1030 and 1040, if the MDP is changing, provide the following additional information:

(h)(a) for Change Reason Code 1020, populate the Change Request with:

17<u>tar</u> for Change Reason Code 1020, populate the change request with

- 7.1.8. for Retrospective Changes, nominate a Proposed Change Date. The limits for Retrospective Change dates are provided in section 7.7; and
- 7.1.9. withdraw a change of retailer transaction request at any time until the transfer is Completed.

## 7.1.10.6.1.4. MDP Requirements

The MDP must:

- (a) Once the transfer has Completed, set up the NMI suffix(s) so that they become active on the Actual Change Date if this data is not already provided or has changed.
- (b) Where the Read Type Code is SP:

<del>(a)</del>——

- (i) on receipt of a Data Request for Change Reason Codes 1000, 1010, 1030 or 1040, initiate a Change Request to provide the Actual Change Date within two days of the Meter Reading; or-
- (iii) where the MDP has failed to take a Meter Reading onfor the proposed-Special Read

  Date, the MDP must advise the New FRMP of the failure within two business days of the proposed-Special Read Date.
- (c) Where the Read Type Code is RR, once the transfer has been completed, if the transfer requires an SEstimatedubstitute Reading, prepare the EstimatedSubstitute Reading and submit this to MSATS as the Meter Reading related to the Actual Change Date.



- 7.1.11. If the NMI Classification Code is LARGE, the Actual Change Date must be the date nominated as the proposed date by the New FRMP unless the date nominated is inappropriate, in which case the MDP must advise the New FRMP of the reason why the proposed date is inappropriate and agree on the Actual Change Date.
- 7.1.12. For Prospective Changes that do not require a Meter Reading, provide the Actual Change Date within 2 days of the Actual Change Date.
- 7.1.13. For changes that require a Meter Reading, provide the Actual Change Date within 2 days of the Meter Reading.
- 7.1.14. For Retrospective Changes, where the Jurisdictional rules specify that an Actual Change Date is required, ensure that the Actual Change Date submitted is no earlier than the time limit specified by the Jurisdiction for the Change Reason Code on the Change Request.
- 7.1.15. For example, if the Jurisdictional timeframe for a Change Reason Code is 10 days, the Actual Change Date must be no earlier than 10 days prior to the date the Data Request was received, even if MSATS would allow an earlier date.
- 7.1.16. Where the NMI Classification Code is SMALL and the Read Type Code requires the NSRD or the Special Read Date, forward the Meter Reading taken at this time to the Current FRMP, New FRMP, Current LR and Current LNSP.
- 7.1.17. Where the NMI Classification Code is SMALL:
- 7.1.18. the MDP must Object to the Change Request if the NSRD nominated by the New FRMP is not within two business days prior to, or two business days after, the NSRD, or the date nominated by the New FRMP for the Retrospective Change does not correspond to an Actual Meter Read Date.
- 7.1.19. the MDP must advise the New FRMP of the failure to take a Meter Reading within 2 days and await instructions if the next-Scheduled Meter Reading or Special Meter Reading does not occur within three business days before, or two business days after, the NSRD or Special Read Date (as applicable).
- 7.1.20. if the Read Type Code requires an Estimated Reading, prepare the Estimated Reading and submit this to MSATS as the Meter Reading related to the Actual Change Date (not for a Retrospective Change).
- 7.1.21. the MDP must notify the New FRMP where the Read Type Code is not aligned with the method of Meter Reading that can reasonably be facilitated at the metering installation and is inconsistent with the Metering Installation Type Code.
- 7.1.22. for Retrospective Changes on receipt of a Data Request for an Actual Change Date, provide the Actual Change Date within 2 days of receipt of the Data Request.
- 7.1.23. if requested by the New FRMP and allowed in that Jurisdiction, carry out an Actual Meter Reading within the time periods specified in the relevant metrology procedure.
- 7.1.24. Where the NMI Classification Code is LARGE, validate that the Metering Installation Type Code is identified as a type 1, type 2, type 3 or type 4 metering installation. If an error is identified, advise the New FRMP and await instructions.



7.1.25. Where the NMI Classification Code is LARGE, for Retrospective Changes that do not require a Meter Reading, provide the Actual Change Date within 2 days of receipt of the Data Request.

## 7.1.26.6.1.5. MC Requirements

The MC must ensure MDP, MPC and MPB roles are correct and if not raise appropriate Change Request to update it. Refer to  $\frac{30 \text{ to } 37}{12.1 \text{ to } 12.8}$  for Change Request types for Role Changes.

#### 7.1.27.6.1.6. Timeframe Rules

When preparing a Change Request the New FRMP must choose, for the identified Change Reason Codes, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table  $\frac{76}{6}$ -A.

## Table 76-A – Timeframe Rules

CR 1000 – Change Retailer			
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
<u>0</u>	<u>0</u>	<u>1510</u>	<u>65</u>
CR 1010 – Change Retailer –	<u>Retrospective</u>		
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
<u>0</u>	<u>0</u>	<u>65</u>	<u>0</u>
CR 1000 – Change Retailer			
CR 1030 – Change Retailer –	- Move-In		
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
<u>0</u> 1	<del>20</del> 0	0	65
CR 1010 – Change Retailer –	Retrospective Align to Meter	Read	
CR 1040 – Change Retailer –	- Move-In – Retrospective		
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	<del>15</del> 10	0
CR 1020 – Change Retailer-F	Retrospective – Long Term/Err	or (not SMALL)	
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

## 7.1.28.<u>6.1.7.</u> Objection Rules

The 'Yes' Roles specified in Table  $\frac{76}{2}$ -B may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table  $\frac{76}{2}$ -A.



# Table 76-B – Objection Rules

CR 1000 – Change Retailer

Objection	NMI	Jur'n	FRMP		LR		MDP		МРВ		RoLR		RP		LNSP	
Code	Class		N	С	N	С	Ν	С	N	С	N	С	N	С	N	С
BADMETER	ALL	ALL	-	-	-	-	Yes	Yes			-	-		-	-	
BADPARTY	ALL	ALL	-	-	_	_	-	_	-	-	-	-	Yes	-	-	-
DECLINED	ALL	ALL	-	-	-	_	Yes	-	-	-	-	-	Yes	-	-	-
NOTAPRD	ALL	ALL	-	-	_	_		_	-	-	-	-	-	-	-	Yes
DATEBAD	ALL	ALL	-	-	_	_	Yes	Yes	-	-	-	-	-	-	-	-
NOACC	SMALL	ALL	-	-	-	-	Yes_	Yes	-	-	-	-	-	-	-	-

# CR 1010 - Change Retailer - Retrospective Align to Meter Read

Objection	NMI							<del>Jur'n</del>	FRM	IP.	LR		MDF	<u>)</u>	MPB	ļ.	RoLl	ţ	RP		LNSP	
Code	Class		N	€	N	€	N	€	N	€	N	€	N	€	N	€						
BADMETER	SMALL	ALL	-	-	-	-	Yes	Yes			-	-		-	-							
BADPARTY	SMALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-						
DECLINED	SMALL	ALL	-	-	-	-	Yes	-	-	-	-	-	Yes	-	-	-						
NOTAPRD	SMALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes						
DATEBAD	SMALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-						
DEBT	SMALL		-	Yes	-	-	-	-	-	-	-	-	-	-	-	-						
		<del>VIC</del>																				
RETRO	SMALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-						

# CR 1020 – Change Retailer – Retrospective - Long Term/Error (not SMALL)

Objection	NMI	Jur'n	FRM	Р	LR		MDF	)	MPB		RoLf	2	RP		LNS	Р
Code	Class		N	С	Ν	С	Ν	С	N	С	N	С	N	С	N	С
BADMETER	LARGE	ALL	-	_	-	-	Yes	Yes	_	-	-	-		_	-	
BADPARTY	LARGE	ALL	-	_	-	_	-	_	_	_	-	-	Yes	_	-	_
DECLINED	LARGE	ALL	-	_	-	_	Yes	_	_	_	-	-	Yes	_	-	_
NOTAPRD	LARGE	ALL	-	_	-	_	-	_	_	_	-	-	_	_	-	Yes
DATEBAD	LARGE	ALL	-	-	-	-	Yes_	Yes	-	-	-	-	-	-	-	-
RETRO	LARGE	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
DEBT					-	-	-	-	-	-	-	-	-	-	-	-
CONTRACT					-	-	-	-	-	-	-	-	-	-	-	-
	LARGE	ALL	-	-	-	-	-	-	-	_	_	_	_	Yes	-	-

# CR 1030 – Change Retailer – Move-In

Objection	NMI	Jur'n	FRM	IP	LR		MDF	)	MPE	l	RoLF	2	RP		LNS	Р
Code	Class		Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
BADMETER	ALL	ALL	-	-	-	-	Yes	Yes			-	-		_	-	
BADPARTY	ALL	ALL	-	-	_	-	_	-	_	_	_	_	Yes	-	_	-
DECLINED	ALL	ALL	_	_	_	_	Yes	_	_	_	_	_	Yes	_	_	_



Objection	NMI	Jur'n	FRM	Р	LR		MDF	,	MPB		RoLF	2	RP		LNSI	P
Code	Class		Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
NOTAPRD	ALL	ALL	-	-	-	_	_	_	-	-	-	-	-	-	-	Yes
NOACC	SMALL	ALL	-	-	-	-	Yes_	Yes	-	-	-	-	-	-	-	-
CONTRACT	LARGE	ALL	_	_	_	_	_	_	-	_	_	_	_	Yes	-	-

CR 1040 – Change Retailer – Move-In – Retrospective

Objection	NMI	Jur'n	FRM	1P	LR		MDF	)	MPE	3	RoLF	2	RP		LNS	Р
Code	Class		N	С	Ν	С	Ν	С	N	С	Ν	С	Ν	С	N	С
BADMETER	ALL	ALL	-	-	-	-	Yes	Yes			-	-		-	-	
BADPARTY	ALL	ALL	-	-	_	-	-	-	-	-	_	-	Yes	-	-	-
DECLINED	ALL	ALL	-	-	_	-	Yes	-	-	-	_	-	Yes	-	-	-
NOTAPRD	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
DATEBAD	ALL	ALL	-	-	-	-	<del>Yes</del> -	Yes	-	-	-	-	-	-	-	-
NOACC	SMALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-
CONTRACT	LARGE	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

# 7.1.29.6.1.8. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section 7.16.1.1 are specified in Table 76-C.

Table 76-C – Change Request Status Notification Rules

CR 1000 – Change Retailer

CR 1010 – Change Retailer – Retrospective Align to Meter Read

CR 1030 – Change Retailer – Move-In

CR 1040 – Change Retailer – Move-In – Retrospective

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMF	)	LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
COMPLETED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
OBJECTED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
PENDING	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
REJECTED	Yes	Yes	-	-	-	Yes	Yes	Yes	-	-	-	-	Yes	Yes
REQUESTED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes

CR 1020 – Change Retailer – Retrospective – Long Term/Error (not SMALL)

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMF	)	LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	Yes	Yes	-	-	-	Yes	Yes	Yes	-	-	-	-	Yes	Yes
COMPLETED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
OBJECTED	Yes	Yes	-	-	-	Yes	Yes	Yes	-	-	-	-	Yes	Yes



Status Change	FRMP		LR		LNSP		MDP		МРВ		RoLR		RP	
	N	С	Ν	С	Ν	С	Ν	С	N	С	N	С	N	С
PENDING	Yes	Yes	-	-	-	Yes	Yes	Yes	-	-	-	-	Yes	Yes
REJECTED	Yes	Yes	-	-	-	Yes	Yes	Yes	-	-	-	-	Yes	Yes
REQUESTED	Yes	Yes	-	-	-	Yes	Yes	Yes	-	-	-	-	Yes	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.

# 6.2. Error Corrections - SMALL NMIs

## 6.2.1. Application [1023 1025 1029]

Please note that the appropriate Change Request for a LARGE NMI is CR 1020 – Change Retailer – Retrospective – Long Term/Error (not SMALL<sup>9</sup>). More information about this Change Request is provided in Section 6.1.

Section 6.2 applies to the following Change Reason Codes:

Change Reason Code	<u>Description</u>
1023 – New NMI – Update/Correct FRMP on Greenfield Site	Used where the LNSP has nominated an incorrect retailer on a newly created NMI or a FRMP other than the FRMP who requested the Allocate NMI requests the supply to be connected.
	•
1025 – Transferred in Error	Used where the Current FRMP transferred the NMI in error and requests the New Retailer to transfer it back. A wrong NMI was selected by the Current FRMP to transfer.
1029 – Other Error Corrections (SMALL only)	Used to correct errors caused by Participant process or systems issues; for example, late processing of contractual paperwork by initiating Participant.  These must be reasons other than those covered by other error correction CR's.

# 6.2.2. Conditions Precedent

- (a) The NMI exists in MSATS.<sup>10</sup>
- (b) The NMI Classification Code is SMALL. This section applies to the *metering installations* types 4, 4A, 5, 6, or 7.
- (c) The date of the transfer of *retailer* from the Current FRMP to the New FRMP will be the Actual Change Date.
- (d) The Actual Change Date is to be established in accordance with the Read Type Code submitted to MSATS by the New FRMP.

#### 6.2.3. Initiating Roles

A New FRMP may initiate a Change Request to effect a change of *retailer* in accordance with section 1.1.

20 DECEMBERMAY 2020

Page 69 of 212

 $<sup>\</sup>underline{{}^9}$  "not SMALL" refers to LARGE, WHOLESAL, INTERCON, GENERATR or SAMPLE NMIs.

<sup>10</sup> If the NIMI does not already exist in MSATS, the retailer should refer to section 8.1 "Create NMI" and seek LNSP action to establish the NIMI.



## 6.2.4. FRMP Requirements

The New FRMP must:

- (a) Obtain the NMI Checksum.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Submit a Change Request to initiate the transfer of the End User from which the New FRMP has obtained Explicit Informed Consent.
- (d) Confirm that the NMI is a greenfield site and has never had a metering installation installed at the connection point (applies to CR1023).
- (e) Populate the Change Request with the following information:

<u>Change Reason Code</u>	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Read Type Code

#### (f) Nominate itself as the New FRMP.

The New FRMP may:

(g) Populate the Change Request with the identity of the following Roles:

RP

# or leave this action to the New MC to complete.

(h) Populate the Change Request with:

Actual End Date

- (i) For Retrospective Changes, nominate a Proposed Change Date in accordance with the Timeframe Rules,
- (j) Withdraw a change of retailer transaction request at any time until the transfer is completed.

#### 6.2.5. MDP Requirements

Once the transfer has Completed, the MDP must set up the NMI suffix(s) so that they become active on the Actual Change Date if this data is not already provided or has changed except when a Greenfield site is transferred using a CR 1023.

# 6.2.6. MC Requirements

The MC must ensure MDP, MPC and MPB roles are correct and if not raise appropriate Change Request to update. Refer to section 12 for Change Request types for Role Changes.

# 6.2.7. Timeframe Rules

When preparing a Change Request, the New FRMP must choose, for the identified Change Reason Codes, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in the Table 6-E.

Table 6-E – Timeframe Rules

#### MSATS PROCEDURES



CR 1023 - New NMI - Update/Correct FRMP on Greenfield Site

CR 1025 – Transferred in error

CR 1029 – Other error corrections (SMALL only)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	<u>20</u>	<u>130</u>	<u>0</u>

# 6.2.8. Objection Rules

The 'Yes' Roles specified in Table 6-F may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 6-E.

# Table 6-F – Objection Rules"

CR 1023 – New NMI –Update/Correct FRMP on Greenfield Site

Objection	<u>NMI</u>	<u>Jur'n</u>	FRM	<u>P</u>	<u>LR</u>		MDF	2	MPB		RoLF	<u>R</u>	<u>RP</u>		LNSI	2
<u>Code</u>	Class		<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>
DATEBAD	<u>SMALL</u>	ALL	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
DECLINED	SMALL	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ
NOTAPRD	SMALL	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>
NOTRESP	SMALL	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ
CRCODE	SMALL	ALL	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ

# CR 1025 – Transferred in Error

<u>Objection</u>	<u>NMI</u>	<u>Jur'n</u>	FRM	<u>IP</u>	<u>LR</u>		MDF	2	MPB		RoLl	<u>R</u>	<u>RP</u>		LNS	<u>P</u>
<u>Code</u>	Class		<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>
BADMETER	SMALL	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
DATEBAD	SMALL	<u>ALL</u>	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
DECLINED	SMALL	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Yes	Ξ	Ξ	Ξ
<u>NOTAPRD</u>	SMALL	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>
CRCODE	SMALL	ALL	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
NOTAWARE	SMALL	ALL	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
<u>NOTRANS</u>	SMALL	ALL	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ

# CR 1029 – Other Error Corrections (SMALL only)

Objection Code	NMI Class	<u>Jur'n</u>	<u>FRMP</u>		<u>LR</u>		MDP		<u>MPB</u>		RoLR		<u>RP</u>		<u>LNSP</u>	
			<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>
DATEBAD	SMALL	ALL	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ
DECLINED	<u>SMALL</u>	<u>ALL</u>	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ
NOTAPRD	<u>SMALL</u>	<u>ALL</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>
RETRO	<u>SMALL</u>	ALL	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
BADMETER	<u>SMALL</u>	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
BADPARTY	SMALL	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ

20 DECEMBERMAY 2020

Page 71 of 212



\*\* N = New Role, C = Current Role.

## 6.2.9. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 6-G.

Table 6-G – Change Request Status Notification Rules\*\*

 $\underline{\mathsf{CR}}\,\mathsf{1023}-\mathsf{New}\,\mathsf{NMI}-\mathsf{Update}/\mathsf{Correct}\,\mathsf{FRMP}\,\mathsf{on}\,\mathsf{Greenfield}\,\mathsf{Site}$ 

CR 1025 – Transferred in Error

CR 1029 – Other Error Corrections (SMALL only)

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMP		<u>LR</u>		<u>LNSP</u>		<u>MDP</u>		<u>MPB</u>		RoLR		<u>RP</u>	
	N	<u>C</u>	N	<u>C</u>	N	<u>C</u>	N	<u>C</u>	N	<u>C</u>	N	<u>C</u>	N	<u>C</u>
CANCELLED	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>
COMPLETED	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Yes	Ξ	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>
<u>OBJECTED</u>	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Yes	Ξ	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>
PENDING	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Yes	Ξ	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>
REJECTED	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Yes	Ξ	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>
REQUESTED	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	Yes	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>

\*\* N = New Role, C = Current Role.



### 7. REVERSE AND PROVIDE DATA - CHANGE REQUESTS

### 7.1. Reverse – SMALL NMIs

### 7.1.1. Application 1060, 1061

Section 7.1 applies when one of the following Change Reason Codes applies:

<u>Change Reason Code</u>	Description
1060 – Reverse Retailer – Cooling Off	The reversal of a transfer where the End User has enacted their right to cool off.
1061 – Reverse Retailer – Debt Objection	The reversal of a transfer where the previous FRMP wishes to retain a customer based on Certified Debt.

### 7.1.2. Conditions Precedent

- (a) The NMI already exists in MSATS.
- (b) The NMI Classification Code is SMALL.
- (c) For CR1060:
  - (i) an existing retail transfer has completed prior to the cooling off period ending; and
  - (ii) the reversal must be able to be processed before the cooling off period ends.
- (d) For CR1061:
  - (i) the Jurisdiction is VICTORIA; and
  - (ii) an existing CR1000/CR1010 has completed within one business day.

### 7.1.3. Initiating Roles

A reversal of retailer role can only be initiated:

- (a) For a CR1060 by a Current FRMP.
- (b) For a CR1061 by the most recent previous FRMP.

### 7.1.4. FRMP Requirements

The initiating FRMP:

- (a) Must confirm that the NMI is valid for the connection point.
- (b) Must provide the following information with the Change Request:

<u>Change Reason Code</u>	Participant transaction ID	NMI and NMI Checksum
		Related Change Request ID

(c) May withdraw a reversal of retailer transaction request at any time prior to the reversal being Completed.

### 7.1.5. Timeframe Rules

(a) When preparing a Change Request the initiating FRMP must ensure the previously

Completed Change Request date of completion is not greater than the period shown in Table 7-A.



### <u>Table 7-A – Timeframe Rules</u>

CR 1060 – Reverse Retailer – Cooling Off									
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)						
<u>0</u>	<u>0</u>	<u>10</u>	<u>0</u>						
CR 1061 – Reverse Retailer –	Debt Objection								
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)						
<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>						

### 7.1.6. Objection Rules

Objections are not permitted.

### 7.1.7. Change Request Status Notification Rules

<u>The Change Request Status Notification Rules for the Change Reason Codes identified in Section 7.1 are specified in Table 7-B and Table 7-C.</u>

### <u>Table 7-B – Change Request Status Notification Rules\*\*</u>

CR 1060 - Reverse Retailer - Cooling Off

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRME	<u>-</u>	<u>LR</u>		<u>LNSP</u>		MDP		<u>MPB</u>		Rolr		<u>RP</u>	
	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>
CANCELLED	Ξ	<u>Yes</u>	Ξ	=	Ξ	Ξ	Ξ	Ξ	=	Ξ	Ξ	Ξ	Ξ	Ξ
COMPLETED	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	Yes	Ξ	Yes	Ξ	Yes	Ξ	Ξ	Ξ	<u>Yes</u>
<u>OBJECTED</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
PENDING	±.	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
REJECTED	±.	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
REQUESTED	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ

<sup>\*\*</sup> N = New Role, C = Current Role.

### <u>Table 7-C – Change Request Status Notification Rules\*\*</u>

<u>CR1061 – Reverse Retailer – Debt Objection</u>

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRME	<u> </u>	<u>LR</u>		LNSP		MDP		<u>MPB</u>		Rolr		<u>RP</u>	
	N	<u>C</u>	N	<u>C</u>	N	<u>C</u>	N	<u>C</u>	N	<u>C</u>	<u>N</u>	<u>C</u>	N	<u>C</u>
CANCELLED	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
COMPLETED	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>
<u>OBJECTED</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
PENDING	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
REJECTED	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
REQUESTED	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ



### 7.2. Provide Data – Provide Actual Change Date

### 7.2.1. Application [1500]

Section 7.2 applies to the following Change Reason Code:

<u>Change Reason Code</u>	Comment
1500 – Provide Actual Change Date (MDP)	The MDP is required to provide MSATS with the Actual Change Date following the Initiation of a Change Request by a FRMP or MC requiring an Actual Change Date.

#### 7.2.2. Conditions Precedent

- (a) The *NMI* exists in MSATS.
- (b) The FRMP or the MC has Initiated a Change Request requiring an Actual Change Date.
- (c) The NMI Classification Code is SMALL or LARGE.
- (d) The MDP has received a Data Request for the provision of the Actual Change Date.

### 7.2.3. Initiating Roles

The MDP may initiate a Change Request to submit an Actual Change Date to MSATS in accordance with section 1.1.

#### 7.2.4. MDP Requirements

The MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Provide the Actual Change Date to MSATS within 2 days of reading the meter or otherwise prescribed by the relevant Jurisdiction. In the case of a Retrospective Change, it must be provided within 2 days of notification.
- (d) Populate a Change Request with the following information:

<u>Change Reason Code</u>	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Actual Change Date	Related Change Request ID
MDP		

### 7.2.5. Timeframe Rules

When preparing a Change Request, the MDP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 7-D.

### <u>Table 7-D – Timeframe Rules</u>

CR 1500 – Provide Actual Change Date (MDP)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
<u>0</u>	<u>0</u>	<u>20</u>	<u>0</u>

#### 7.2.6. Objection Rules

Objections are not permitted.



### 7.2.7. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section 7.2.1 are specified in Table 7-E.

### Table 7-E – Change Request Status Notification Rules"

CR 1500 – Provide Actual Change Date (MDP)

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRM	<u>P</u>	<u>LR</u>		LNSP		MDP		<u>MPB</u>		Rolr		<u>RP</u>	
	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>	<u>N</u>	<u>C</u>
CANCELLED	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
COMPLETED	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
<u>OBJECTED</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
<u>PENDING</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
REJECTED	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Yes	Yes	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
REQUESTED	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ

<sup>\*\*</sup> N = New Role, C = Current Role



### **REVERSE CHANGE REQUEST**

### Application 1060, 1061

Section applies when one of the following Change Reason Codes applies:

<u>Change Reason Code</u>	<u>Description</u>
1060 - Reverse Retailer - Cooling Off	The reversal of a transfer where the End User has enacted their right to cool off.
1061 – Reverse Retailer – Debt Objection	The reversal of a transfer where the previous FRMP wishes to retain a customer based on Certified Debt.

### **Conditions Precedent**

- The NMI already exists in MSATS
- The NMI Classification Code is SMALL
- For CR1060:
  - an existing retail transfer has completed prior to the cooling off period ending; and.
  - the reversal must be able to be processed before the cooling off period ends.
- For CR1061:
  - the Jurisdiction is VICTORIA; and
  - an existing retail transferCR1000/CR1010 has completed within one business day.

### **Initiating Roles**

A reversal of retailer role can only be initiated:

- For a CR1060 by a Current FRMP.
- For a CR1061 by the most recent previous FRMP.

### FRMP Requirements

### The initiating FRMP:

- onfirm that the NMI is valid for the connection point.
- rovide the following information with the Change Request:

<u>Change Reason Code</u>	Participant transaction ID	NMI and NMI Checksum
The Previous FRMP Participant ID	Proposed Change Date	Related Change Request ID
Read Type Code		

withdraw a reversal of retailer transaction request at any time prior to the reversal being Completed.



### Timeframe Rules

When preparing a Change Request the initiating FRMP must ensure the Actual Change Date in the previously Completed Change Request date of completion is not greater than the period shown in Table:

#### <u>Table 7- – Timeframe Rules</u>

CR 1060 – Reverse Retailer – Cooling Off									
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)						
<u>0</u>	<u>0</u>	<u>10</u>	<u>0</u>						
CR 1061 – Reverse Retailer –	Debt Objection								
Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)						
<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>						

### **Objection Rules**

Objections are not permitted.

### **Change Request Status Notification Rules**

The Change Request Status Notification Rules for the Change Reason Codes identified in Section 7 are specified in Table 7- and Table 7-C.

### <u>Table 7- – Change Request Status Notification Rules\*\*</u>

CR 1060 - Reverse Retailer - Cooling Off

<u>PARTICIPANT ROLE – Receives Notification of Change</u>

Status Change	FRME	2	<u>LR</u>		<u>LNSP</u>		MDP		<u>MPB</u>		Rolr		<u>RP</u>	
	<u>4</u>	€	<u>4</u>	€	<u>4</u>	€	<u>4</u>	€	<u>4</u>	€	<u>4</u>	€	<u>4</u>	€
CANCELLED	=	<u>Yes</u>	=	=	Ξ	Ξ	Ξ	Ξ	=	=	=	Ξ	Ξ	=
COMPLETED	<u>Yes</u>	<u>Yes</u>	=	=	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	=	<u>Yes</u>	=	Ξ	Ξ	<u>Yes</u>
<u>OBJECTED</u>	±	Ξ	Ξ	Ξ	Ξ	=	Ξ	=	Ξ	Ξ	=	Ξ	=	=
PENDING	±	<u>Yes</u>	Ξ	Ξ	Ξ	=	Ξ	=	Ξ	Ξ	=	Ξ	=	=
REJECTED	±	<u>Yes</u>	Ξ	Ξ	Ξ	=	Ξ	=	Ξ	Ξ	=	Ξ	=	=
REQUESTED	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	=	=	Ξ	Ξ

\*\* N = New Role, C = Current Role.



### Table 7-C - Change Request Status Notification Rules\*\*

<u>CR1061 – Reverse Retailer – Debt Objection</u>

PARTICIPANT ROLE - Receives Notification of Change

<u>Status Change</u>	FRME	<u>)</u>	<u>LR</u>		<u>LNSP</u>		MDP		MPB		Rolr		<u>RP</u>	
	<u>4</u>	€	<u>N</u>	€	<u>4</u>	€	<u>4</u>	€	<u>4</u>	€	<u>N</u>	€	<u>N</u>	€
CANCELLED	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
COMPLETED	<del>Yes</del>	<u>Yes</u>	=	Ξ	Ξ	<u>Yes</u>	Ξ	<del>Yes</del>	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	<del>Yes</del>
<u>OBJECTED</u>	Ξ	Ξ	=	Ξ	Ξ	=	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
<u>PENDING</u>	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
<u>REJECTED</u>	<u>Yes</u>	Ξ	=	Ξ	Ξ	=	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
REQUESTED	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ

\*\* N = New Role, C = Current Role.



### 8. CHANGE RETAILER - ERROR CORRECTIONS - SMALL NMIS

### 8.1. Application [1021 1022 1023 1024 1025 1026 1027 1028 1029]

Please note that the appropriate Change Request for a LARGE NMI is CR 1020 – Change Retailer – Retrospective – Long Term/Error (not SMALL<sup>11</sup>). More information about this Change Request is provided in Section 76.

Section 8 applies to the following Change Reason Codes:

Change Reason Code	Description
1021 – Error Correction – Missed CR1500	Used where the proposed transfer date has been missed due to the MDP not being able to provide a corresponding Actual Change Date on the original Change Request (CR 1000, 1010, 1030 or 1040).
1022 – Incorrect transfer date	Used where the MDP supplies an incorrect Actual Change Date and the original Change Request (CR 1000, 1010, 1030 or 1040) was Completed on the incorrect date.
1023 — New NMI — Update/Correct FRMP on Greenfield Site	Used where the LNSP has nominated an incorrect retailer on a newly created NMI or a FRMP other than the FRMP who requested the Allocate NMI requests the supply to be connected.
<del>1024 – Transfer missed</del>	Used where the New Retailer failed to initiate the transfer in time.  Acceptable reasons for the use of this code are:  Where a Site has more than one NMI and not all of them were transferred. The error correction transaction will be used to transfer the other NMI(s) missed.  Re-energisation of Site, with or without End User notification (End User request to retailer.)
1025 — Transferred in Error	Used where the Current FRMP transferred the NMI in error and requests the New Retailer to transfer it back. A wrong NMI was selected by the Current FRMP to transfer.
1026—Cooled Off	Used where an End User signs a contract with a New Retailer. The End User then cancels the request within the Cooling-Off Period. New Retailer fails to withdraw the transfer request (transfer Pending) or was unable to do so (transfer Completed).
1027 – Customer Moves Out on or before CR completion date	Used where an End User signs a contract with a New Retailer but moves out on or before the Change Request completion date (transfer date).
1028 – Non-account holder signs contract	Used where a person other than the End User at a Site signs a contract with a New Retailer. The End User for the Site then discovers this and does not wish to transfer.
1029 — Other Error Corrections (SMALL only)	Used to correct errors caused by Participant process or systems issues; for example, late processing of contractual paperwork by initiating Participant.  These may <u>must</u> be reasons other than those covered by CR 1021 – 1028 other error correction CR's.

### 8.2. Conditions Precedent

(a) The NMI exists in MSATS.<sup>42</sup>

<sup>&</sup>lt;sup>11</sup> Please note that "not SMALL" refers to LARGE, WHOLESAL, INTERCON, GENERATR or SAMPLE NMIs.

<sup>&</sup>lt;sup>42</sup> If the NMI does not already exist in MSATS, the retailer should refer to section 10 "Create a NMI" and seek LNSP action to establish the NMI.



- (b) The NMI Classification Code is SMALL. This section applies to the *metering installations* types 4, 4A, 5, 6, or 7.
- (c) The date of the transfer of retailer from the Current FRMP to the New FRMP will be the Actual Change Date.
- (d) The Actual Change Date is to be established in accordance with the Read Type Code submitted to MSATS by the New FRMP.

### 8.3. Initiating Roles

A New FRMP may initiate a Change Request to effect a change of *retailer* in accordance with section 8.4.

### 8.4. FRMP Requirements

The New FRMP must:

- (a) Obtain the NMI Checksum.
- (b) Confirm that the *NMI* is a valid *NMI* for the connection point prior to the Initiation of a Change Request.
- (c) Submit a Change Request to initiate the transfer of the End User from which the New FRMP has obtained Explicit Informed Consent.
- (d) Confirm that the NMI is a greenfield site and has never had a metering installation installed at the connection point.(applies to CR1023).
- (e) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Read Type Code

(f) Nominate itself as the New FRMP.

The New FRMP may:

(g) Populate the Change Request with the identity of the following Roles:

RP	MPB	MPC
MDP		

or leave this action to the New MC to complete.

(h) Populate the Change Request with:

Actual End Date

- (i) For Retrospective Changes, nominate a Proposed Change Date in accordance with the Timeframe Rules.
- (j) Withdraw a change of retailer transaction request at any time until the transfer is completed.

### 8.5. MDP Requirements

Once the transfer has Completed, the MDP must set up the NMI suffix(s) so that they become active on the Actual Change Date if this data is not already provided or has changed except when a Greenfield site is transferred using a CR 1023.

#### 8.6. MC Requirements

The MC must ensure MDP, MPC and MPB roles are correct and if not raise appropriate Change Request to update. Refer to section 30 to 37 for Change Request types for Role Changes.



### 8.7. Timeframe Rules

When preparing a Change Request, the New FRMP must choose, for the identified Change Reason Codes, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in the Table 8-A.

Table 8-A - Timeframe Rules

CR 1021 - Error correction - Missed CR1500

CR 1022 - Incorrect transfer date

CR 1023 - New NMI - Update/Correct FRMP on Greenfield Site

CR 1024 - Transfer missed

CR 1025 - Transferred in error

CR 1026 - Cooled Off

CR 1027 - Customer moves out on or before CR completion date

CR 1028 - Non-account holder signs contract

CR 1029 - Other error corrections (SMALL only)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	<del>20</del>	130	θ

### 8.8. Objection Rules

The 'Yes' Roles specified in Table 8-B may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 8-A.

### Table 8-B - Objection Rules

CR 1021 - Error Correction - Missed CR1500

CR 1022 - Incorrect transfer date

Objection	NMI Class	<del>Jur'n</del>	FRM	₽	LR		MDF	<u>.</u>	MPB		RoLF	<del>Ļ</del>	RP		LNSI	2
Code			4	€	4	€	4	C	4	€	Н	€	4	€	И	€
BADMETER	SMALL	ALL	Ξ	=	=	Ξ	Yes	Yes	=	=	Ξ	=	Ξ	=	Ξ	Ξ
DATEBAD	SMALL	ALL	-	Yes	-	-	Yes	Yes	-	-	-	-	-	-	-	-
DECLINED	SMALL	ALL	-	_	-	-	Yes	_	_	-	_	-	Yes	-	-	_
NOTAPRD	SMALL	ALL	-	_	-	-	_	_	_	-	_	-	-	-	-	Yes
NOTRANS	SMALL	ALL	_	Yes	_	_	_	_	_	-	_	-	_	_	-	_
DEBT	SMALL	<del>VIC</del>	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-

CR 1023 - New NMI - Update/Correct FRMP on Greenfield Site

Objection	NMI	<del>Jur'n</del>	FRM	P	LR		MDF	<u>)</u>	MPE	ļ	RoLf	₹	RP		LNS	P
Code	Class		H	€	N	€	N	€	N	€	H	€	N	€	N	€
BADMETER	SMALL	ALL	Ξ	=	=	=	Yes	Yes	=	=	=	=	=	=	=	=
DATEBAD	SMALL	ALL	-	Yes	-	-	Yes_	-	-	-	-	-	-	-	-	-
DECLINED	SMALL	ALL	-	-	-	-	Yes_	-	-	-	-	-	Yes	-	-	-
NOTAPRD	SMALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
NOTRESP	SMALL	ALL	Ξ	Ξ	=	=	Ξ	Ξ	Ξ	=	Ξ	Ξ	<u>Yes</u>	=	Ξ	=
CRCODE	SMALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-

20 DECEMBERMAY 2020

Page 82 of 212



5	NMI	<del>Jur'n</del>	FRN	<del>IP</del>	LR		MDI	2	MPE	}	RoLl	₹	RP		LNS	P
Code	Class		4	C	И	E	Н	E	4	E	И	C	4	€	4	€
BADDATA	SMALL	ALL	_	_	_	_	_	_	_	_	_	_	_	Yes	_	_

### CR 1024 – Transfer missed

Objection	NMI	<del>Jur'n</del>	FRM	I <del>P</del>	LR		MDF	<u> </u>	MPE		RoLl	<del>2</del>	RP		LNSI	<u>P</u>
Code	Class		4	E	4	E	4	C	И	E	4	E	4	E	4	<b>E</b>
BADMETER	SMALL	ALL	±	Ξ	=	Ξ	Yes	Yes	Ξ	Ξ	Ξ	Ξ	Ē	Ξ	Ξ	Ē
DATEBAD	SMALL	ALL	_	Yes	-	-	Yes	Yes	-	-	-	-	-	-	-	-
DECLINED	SMALL	ALL	-	-	-	-	Yes	-	-	-	-	-	Yes	-	-	-
NOTAPRD	SMALL	ALL	-		-	-	-	-	-	-	-	-	-	-	-	Yes
CRCODE	SMALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
NOTAWARE	SMALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
DEBT	SMALL	<del>VIC</del>	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-

CR 1025 - Transferred in Error

CR 1026 - Cooled Off

CR 1027 – Customer Moves Out on or before CR completion date

CR 1028 - Non-account holder signs contract

Objection	NMI	<del>Jur'n</del>	FRM	P	<del>LR</del>		MDF	2	MPE	<b>,</b>	RoLl	<del>}</del>	RP		LNS	P
Code	Class		Ν	€	N	€	Н	€	N	€	Н	€	N	€	Н	€
BADMETER	SMALL	ALL	=	=	=	=	Yes	Yes	=	=	e	=	=	=	=	=
DATEBAD	SMALL	ALL	-	Yes	-	-	Yes	Yes	-	-	-	-	-	-	-	-
DECLINED	SMALL	ALL	-	-	-	-	Yes	-	-	-	-	-	Yes	-	-	-
NOTAPRD	SMALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
CRCODE	SMALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
NOTAWARE	SMALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
NOTRANS	SMALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
DEBT	SMALL	VIC	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-

### CR 1029 — Other Error Corrections (SMALL only)

Objection	NMI	<del>Jur'n</del>	FRM	₽	LR		MDF	2	MPB		RoLl	₹	RP		LNSI	2
Code	Class		4	€	И	€	И	€	И	€	4	€	Н	€	Н	€
DATEBAD	SMALL	ALL	-	Yes	-	-	Yes	Yes	-	-	-	-		Yes	-	-
DECLINED	SMALL	ALL	_	-	-	_	Yes	Yes	-	-	_	-	Yes	_	-	_
NOTAPRD	SMALL	ALL	_	-	-	_	-	-	-	-	_	-	-	_	-	Yes
RETRO	SMALL	ALL	_	Yes	-	_	-	-	-	-	_	-	_	-	_	-
BADMETER	SMALL	ALL	_	_	-	-	Yes	Yes	-	-	-	-	_		_	
BADPARTY	SMALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	Yes	_	=
DEBT	SMALL	<del>VIC</del>	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-

\*\* N = New Role, C = Current Role.



### 8.9. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 8-C.

Table 8-C - Change Request Status Notification Rules

CR 1021 - Error Correction - Missed CR1500

CR 1022 - Incorrect transfer date

CR 1023 - New NMI - Update/Correct FRMP on Greenfield Site

CR 1024 – Transfer missed

CR 1025 - Transferred in Error

CR 1026 - Cooled Off

CR 1027 - Customer Moves Out on or before CR completion date

CR 1028 - Non-account holder signs contract

CR 1029 - Other Error Corrections (SMALL only)

PARTICIPANT ROLE - Receives Notification of Change

Status	FRMP		<del>LR</del>	<del>LR</del>		<del>LNSP</del>		MDP		MPB		RoLR		
Change	N	€	N	€	N	€	N	€	N	€	N	€	Н	€
CANCELLED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	<del>Yes</del>
COMPLETED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	<del>Yes</del>
OBJECTED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	<del>Yes</del>
PENDING	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	<del>Yes</del>
REJECTED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	<del>Yes</del>
REQUESTED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



### 9. CHANGE RETAILER - EMBEDDED NETWORKS - SMALL OR LARGE

### 9.1. Application [1080 1081 1082 1083 1084]

Section 9 applies when one of the following Change Reason Codes applies:

Change Reason Code	Comment
1080 – Change Retailer – Child NMI	The date of transfer is a Prospective Change.
1081 – Change Retailer – Child NMI – Retrospective Align Meter Read	The date of transfer would be the date of the last Meter Reading (a Retrospective Change).
1082 – Change Retailer Child – Retrospective: Long Term/Error	The date of transfer could be a date agreed by the current and New FRMP (a Retrospective Change) where the actual transfer date was in error.  In addition, and for Victoria only, the date of transfer could be a date agreed by the Current FRMP and New FRMP (a Retrospective Change) to which both parties agree that the transfer should have been effected.
1083 – Change Retailer Child NMI – Move- In	The date of transfer (move-in) would be on a Prospective Day.
1084 – Change Retailer Child NMI – Move- In – Retrospective	The date of transfer (move-in) would be a Retrospective Day.

### 9.2. Conditions Precedent

- (a) The NMI exists in MSATS.<sup>13</sup>
- (b) The NMI Classification Code is SMALL or LARGE.
- (c) The date of the transfer of *retailer* from the Current FRMP to the New FRMP will be the Actual Change Date:
- (d) The Actual Change Date is to be established in accordance with the Read Type Code submitted to MSATS by the New FRMP.

### 9.3. Initiating Roles

A New FRMP may initiate a Change Request to effect a change of *retailer* in accordance with section 9.4.

### 9.4. FRMP Requirements

The New FRMP must:

- (a) Obtain agreement from the Current FRMP to retrospectively transfer an End User on a previous Meter Reading (applies to CR1081).
- (b) Obtain the NMI Checksum from an approved source.
- (c) Confirm that the *NMI* is a valid *NMI* for the connection point prior to the Initiation of a Change Request.
- (d) Submit a Change Request to initiate the transfer of the End User for which the New FRMP has obtained an Explicit Informed Consent.
- (e) Populate the Change Request with the following information:



Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	New RP <sup>14</sup>
Read Type Code		

- (f) Nominate itself as the New FRMP.
- (g) Where the NMI Classification Code is SMALL, if advised by the New MDP or Current MDP that a Meter Reading cannot be obtained in response to a Read Type Code for NSRD or a Special Read Date, must either:
  - (i) Withdraw the transfer request; or
  - (ii) Advise the MDP to read the meter on the NSRD or propose a Special Read Date.
- (h) Where the NMI Classification Code is SMALL, if advised by the New MDP or Current MDP that the NSRD or a Special Read Date is invalid, must either:
  - (i) Advise the MDP of a valid date; or
  - (ii) Withdraw the transfer request.

#### The Current FRMP must:

 on receipt of a request from the New FRMP for an agreement to retrospectively transfer on a previous Meter Reading, respond to the request within 2 business days.

#### The New FRMP may:

(j) Populate the Change Request with the identity of the following Roles:

MPB	MPC	

or leave this action to the New MC to complete.

(k) For Change Reason Codes 1080, 1081, 1082, 1083 and 1084, if the MDP is changing, populate the Change Request with the following additional information:

#### MDP

(I) For Change Reason Code 1082, populate the Change Request with:

### Actual End Date

- (m) Nominate, in accordance with paragraph (e), a Proposed Change Date. The time limits for Retrospective Changes are provided in section 9.7.
- (n) Withdraw a change of retailer transaction request at any time until the transfer is Completed.

### 9.5. MDP Requirements

### The MDP must:

- (a) Once the transfer has Completed, set up the NMI suffix(s) so that they become active on the Actual Change Date.
- (b) On receipt of a Data Request for Change Reason Codes 1080, 1081, 1083 or 1084, Initiate a Change Request to provide the Actual Change Date.
- (c) Where the NMI Classification Code is LARGE, it must be the date nominated as the proposed date by the New FRMP unless the date nominated is inappropriate, in which case the MDP must advise the New FRMP of the reason why the proposed date is inappropriate and mutually agree on what the Actual Change Date should be.



- (d) If the Read Type Code does not require a read, validate that the Metering Installation Type Code is identified as a type 1, type 2, type 3 or type 4 metering installation. If an error is identified, advise the New FRMP.
- (e) For Prospective Changes that do not require a Meter Reading, provide the Actual Change Date within 2 days of the Actual Change Date being reached.
- (f) For Retrospective Changes that do not require a Meter Reading, provide the Actual Change Date within 2 days of receipt of the Data Request.
- (g) For Retrospective Changes, ensure that the Actual Change Date submitted is no earlier than the time limit specified by the Jurisdiction for the Change Reason Code on the Change Request.
  - For example, if the Jurisdictional timeframe for a Change Reason Code is 10 days, the Actual Change Date must be no earlier than 10 days prior to the date the Data Request was received, even if MSATS would allow an earlier date.
- (h) For changes that require a Meter Reading, provide the Actual Change Date within 2 days of the Meter Reading.
- (i) Where the NMI Classification Code is SMALL, where the Read Type Code requires the NSRD or the Special Read Date, forward the Meter Reading taken at this time to the Current FRMP, New FRMP, Current LR.
- (j) Where the NMI Classification Code is SMALL, if the NSRD or Special Read Date nominated by the New FRMP as the proposed date is not within a date range that is two business days prior to or two business days subsequent to the Scheduled Reading Date, or the date nominated by the New FRMP for the Retrospective Change does not correspond to a read date, the MDP must Object to the Change Request.
- (k) Where the NMI Classification Code is SMALL, if the next Scheduled Meter Reading or Special Meter Reading does not occur within a date range that is three business days before or two business days after the Special Read Date or NSRD the MDP must advise the New FRMP of the failure to take a Meter Reading within 2 days and await instructions from the FRMP.
- (I) Where the NMI Classification Code is SMALL, if the Read Type Code requires an Estimated Reading, prepare the Estimated Reading and submit this to MSATS as the Actual Change Date.
- (m) Where the NMI Classification Code is SMALL, if the Read Type Code requires an End User Meter Reading, obtain it from the New FRMP and submit this value to MSATS as the Actual Change Date (only if allowed by the Jurisdiction).
- (n) If the NMI Classification Code is SMALL, for Retrospective Changes, where the Meter Reading occurred prior the Change Request being submitted, provide the Actual Change Date 2 days of receipt of the Data Request.
- (o) If the NMI Classification Code is SMALL, if requested by the New FRMP, carry out an Actual Meter Reading within the time periods specified in the metrology procedure (only if allowed by the Jurisdiction).

### 9.6. MC Requirements

The MC must ensure MDP, MPC and MPB roles are correct and if not raise appropriate Change Request to update. Refer to section 30 to 37 for Change Request types for Role Changes.



### 9.7. Timeframe Rules

When preparing a Change Request, the New FRMP must choose, for the identified Change Reason Codes, a Proposed Change Date that lies between the Prospective Period and the Retrospective Period, as shown in Table 9-A.

#### Table 9-A - Timeframe Rules

CR 1080 - Change Retailer - Child NMI

Jurisdiction	Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
ALL	4	20	0	65

CR 1081 - Change Retailer - Child NMI - Retrospective - Align Meter Rd

Jurisdiction	Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
ALL**	1	<del>20</del>	<del>10</del>	θ

CR 1082 - Change Retailer Child - Retrospective: Long Term/Error

Jurisdiction	Objection Lo		Objection Cle		Retrospective Period (business days)	Prospective Period (business days)
	SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI		
ALL	4		20		130	θ
ACT		1		<del>10</del>	130	0
NSW		1		<del>10</del>	130	0
<del>VIC</del>		1		20	130	0
QLD		1		20	130	0
SA		4		<del>20</del>	130	0

CR 1083 - Change Retailer Child NMI - Move-In

Jurisdiction	Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
ALL	1	<del>20</del>	θ	65

CR 1084 - Change Retailer Child NMI - Move-In - Retrospective

Jurisdiction	Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
ALL	1	<del>20</del>	<del>10</del>	θ

### 9.8. Objection Rules

The 'Yes' Roles specified in Table 9-B may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 9-A.

### Table 9-B - Objection Rules

CR 1080 - Change Retailer - Child NMI

Objection	NMI	<del>Jur'n</del>	FRA	<del>AP</del>	LR		MDP		MPB		RoL	R	RP		LN:	<del>SP</del>
Code	Class		H	€	N	€	Н	€	N	€	N	€	N	€	N	€
BADMETER	ALL	ALL	-	-	-		Yes	Yes			-	-		-	-	-
NOTAPRD	ALL	ALL	_	-	-	Yes	-	-	-	-	-	-	-	-	-	-
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-



Objection	NMI	<del>Jur'n</del>	ur'n FRMP		<del>LR</del>	<del>LR</del>		MDP		MPB		R	RP		LNSP	
Code	Class		4	€	4	€	Н	€	И	€	4	<b>C</b>	Н	€	И	€
DECLINED	ALL	ALL	-	-	-	-	Yes	-	-	-	-	_	Yes	_	_	-
	LARGE	NSW												Yes		
NOACC	SMALL	ALL	-	-	-	-	Yes	Yes	_	-	_	_	-	-	_	-
DEBT	SMALL	VIC	-	Yes	-	-	-	-	_	-	_	_	-	-	_	-
CONTRACT	LARGE	ALL	-	-	-	-	-	-	_	-	_	_	-	Yes	_	-
CR 1081 – Cha	<del>nge Retail</del>	<del>er – Chil</del>	<del>d NN</del>	<del>11 – Ret</del>	rosp	ective	Align	Meter	Rd							

Objection NMI		<del>Jur'n</del>	FRN	<del>AP</del>	LR		MDP	MDP		MPB		RoLR		RP		SP
Code	Class		H	€	N	€	N	€	N	€	N	€	Н	€	N	€
BADMETER	SMALL	ALL	-	-	-		Yes	Yes			-	-		-	-	-
BADPARTY	SMALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
DECLINED	SMALL	ALL	-	-	-	-	Yes	-	-	-	-	-	Yes	-	-	-
NOTAPRD	SMALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
DATEBAD	SMALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-
DEBT	SMALL	VI€	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
RETRO	SMALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
CONTRACT	LARGE	ALL	_	-	-	-	_	-	_	-	-	-	-	Yes	_	-

### CR 1082 - Change Retailer Child - Retrospective: Long Term/Error

Objection	NMI	<del>Jur'n</del>	FRN	MP.	LR		MDP		MPB		Rol	<u>R</u>	RP		LN	SP
Code	Class		И	€	И	€	И	€	N	€	И	<b>C</b>	Н	€	N	€
DATEBAD	ALL	ALL	_	-	-	-	Yes	Yes	-	_	-	-	-	-	_	-
BADMETER	ALL	ALL	_	-	-		Yes	Yes			-	-		-	_	-
BADPARTY	ALL	ALL	_	-	-	-	-	-	-	_	-	-	Yes	-	_	-
DECLINED	ALL	ALL	_	-	-	-	Yes	-	-	_	-	-	Yes	-	_	-
NOTAPRD	ALL	ALL	-	-	-	Yes	-	-	-	_	_	-	-	-	_	-
DEBT	SMALL	<del>VIC</del>	-	Yes	-	-	-	-	-	-	-	_	-	-	-	-
RETRO	SMALL	NSW SA VIC	-	Yes	-	=	=	=	-	-	-	-	-	=	-	_
CONTRACT	LARGE	ALL	_	_	_	_	_	_	_	_	_	_	_	Yes	_	_

### CR 1083 – Change Retailer Child NMI – Move-In

Objection	IMM	<del>Jur'n</del>	FRN	<del>AP</del>	LR		MDP		MPB		RoL	R	RP		LN:	<u>SP</u>
Code	Class		H	€	N	€	H	€	Н	€	N	€	N	€	H	€
BADMETER	ALL	ALL	-	-	-		Yes	Yes			-	-		-	-	-
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
DECLINED	ALL	ALL	_	_	_	_	Yes	_	_	_	-	-	Yes	_	-	_
NOTAPRD	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
NOACC	SMALL	ALL	_	_	_	_	Yes	Yes	_	_	-	-	_	_	-	_
CONTRACT	LARGE	ALL	-	-	-	-	-	-	-	-	-	_	-	Yes	-	-



CR 1084 – Change Retailer Child NMI – Move-In – Retrospective

Objection	NMI	<del>Jur'n</del>	FRN	<del>AP</del>	LR		MDP		MPB		RoL	R	RP		LN:	SP
Code	Class		4	€	N	€	И	€	4	€	И	C	Н	€	4	<b>C</b>
BADMETER	ALL	ALL	-	=	=		Yes	Yes			-	_		-	_	-
BADPARTY	ALL	ALL	_	_	-	_	_	_	_	_	-	_	Yes	-	-	-
DECLINED	ALL	ALL	_	_	-	_	Yes	_	_	_	-	_	Yes	-	-	-
NOTAPRD	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
DATEBAD	ALL	ALL	-	-	_	-	Yes	Yes	_	-	_	-	-	-	-	-
NOACC	SMALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-
CONTRACT	LARGE	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

### 9.9. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section 9.1 are specified in Table 9-C.

### Table 9-C - Change Request Status Notification Rules"

CR 1080 - Change Retailer - Child NMI

CR 1081 - Change Retailer - Child NMI - Retrospective Align Meter Rd

CR 1083 - Change Retailer Child NMI - Move-In

CR 1084 – Change Retailer Child NMI – Move-In – Retrospective

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRM	P	LR		LNSP MDP		MPB		RoLR	RoLR				
	N	E	Н	€	И	€	Н	€	Н	€	И	€	Н	€
CANCELLED	Yes	Yes	-	-	-	-	Yes	Yes	Yes	Yes	-	-	Yes	Yes
COMPLETED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
OBJECTED	Yes	Yes	-	-	-	-	Yes	Yes	Yes	Yes	-	-	Yes	Yes
PENDING	Yes	Yes	-	-	-	-	Yes	Yes	Yes	Yes	-	-	Yes	Yes
REJECTED	Yes	Yes	-	-	-	-	Yes	Yes	-	-	-	-	Yes	Yes
REQUESTED.	Yes	Yes	-	=	-	-	Yes	Yes	Yes	Yes	-	-	Yes	Yes

CR 1082 - Change Retailer Child - Retrospective: Long Term/Error

PARTICIPANT ROLE – Receives Notification of Change

						9								
Status Change	FRM	P	<del>LR</del>		LNSP	1	MDP		MPB		RoLR		RP	
	N	€	Н	€	N	€	N	€	N	€	N	€	N	€
CANCELLED	Yes	Yes	-	-	-	-	Yes	Yes	-	-	-	-	Yes	Yes
COMPLETED	Yes	Yes	-	-	-	<del>Yes</del>	Yes	<del>Yes</del>	Yes	Yes	-	-	<del>Yes</del>	<del>Yes</del>
OBJECTED	Yes	Yes	-	-	-	-	Yes	<del>Yes</del>	-	-	-	-	<del>Yes</del>	<del>Yes</del>
PENDING	Yes	Yes	_	_	-	_	Yes	Yes	_	_	_	-	Yes	Yes
REJECTED	Yes	Yes	-	-	-	-	Yes	Yes	-	-	-	-	Yes	<del>Yes</del>
REQUESTED	Yes	Yes	_	_	_	_	Yes	Yes	_	_	_	-	Yes	Yes

<sup>\*\*</sup> N = New Role, C = Current Role



### 10. PROVIDE DATA - PROVIDE ACTUAL CHANGE DATE - SMALL OR LARGE

### 10.1. Application [1500]

Section 10 applies to the following Change Reason Code:

Change Reason Code	Comment
1500 – Provide Actual Change Date (MDP)	The MDP is required to provide MSATS with the Actual Change Date following the Initiation of a Change Request by a FRMP or MC requiring an Actual Change Date.

### 10.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The FRMP or the MC has Initiated a Change Request requiring an Actual Change Date.
- (c) The NMI Classification Code is SMALL or LARGE.
- (d) The MDP has received a Data Request for the provision of the Actual Change Date.

#### 10.3. Initiating Roles

The MDP may initiate a Change Request to submit an Actual Change Date to MSATS in accordance with section 9.4.

#### 10.4. MDP Requirements

The MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the connection point prior to the Initiation of a Change Request.
- (c) Provide the Actual Change Date to MSATS within 2 days of reading the meter or otherwise prescribed by the relevant Jurisdiction. In the case of a Retrospective Change, it must be provided within 2 days of notification.
- (d) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Actual Change Date	Related Change Request ID
MDP		

### 10.5. Timeframe Rules

When preparing a Change Request, the MDP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 10-A.

### Table 10-A - Timeframe Rules

CR 1500 - Provide Actual Change Date (MDP)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
θ	θ	<del>20</del>	θ

### 10.6. Objection Rules

Objections are not permitted.



### 10.7. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section 10.1 are specified in Table 10-B.

### Table 10-B - Change Request Status Notification Rules"

CR 1500 - Provide Actual Change Date (MDP)

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMP		LR		LNSP	LNSP		MDP		MPB		RoLR		
	Н	€	Н	€	4	€	Н	€	4	€	Н	€	Н	€
CANCELLED	-	_	-	=	-	-	-	-	=	-	_	-	-	_
COMPLETED	-	_	-	=	-	-	-	-	=	-	_	-	-	_
OBJECTED	_	_	_	-	_	_	_	_	-	-	_	-	_	_
PENDING	-	_	-	-	-	-	-	-	-	-	-	-	-	=
REJECTED	-	_	-	-	-	-	Yes	Yes	-	-	-	-	-	=
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*\* N = New Role, C = Current Role



### CREATE NMI – CHANGE REQUESTS

### 10.8.8.1. Create a NNMI — Small OR LARGE

### 10.8.1.<u>8.1.1.</u> Application [2000 2001]

Section 448.1 applies to the following Change Reason Codes:

Change Reason Code	Comment
2000 – Create NMI Details	Used where the New LNSP establishes the initial set of information in MSATS about a <i>connection point</i> to apply from a Prospective Day.
2001 – Create NMI Details – Retrospective	Used where the New LNSP establishes the initial set of information in MSATS about a <i>connection point</i> to apply from a Retrospective Day.

### 10.8.2.8.1.2. Conditions Precedent

- (a) The NMI does not exist in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

### 10.8.3.8.1.3. Initiating Roles

A New LNSP may initiate a Change Request to create a  $\mathit{NMI}$  record in MSATS in accordance with section 8.1.4.

### 10.8.4.<u>8.1.4.</u> LNSP Requirements

The New LNSP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	TNI Code
DLF Code	NMI Classification Code	Jurisdiction Code
FRMP (as nominated)	LR	RoLR
RP	MDP	MPB
MPC	NMI Status Code	Locality
State	Postcode	

- (d) Nominate itself as the New LNSP.
- (e) Populate the Change Request with values for the following address fields (as appropriate):

### EITHER

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type

OR



Unstructured Address 1	Unstructured Address 2	Unstructured Address 3
Unstructured Address i	Unstructured Address 2	Unstructured Address 5

The New LNSP may populate the Change Request with the following information:

Parent Name	Building Name	Feeder Class
Customer Threshold Code		

### 10.8.5.8.1.5. MPB Requirements

On receipt of the Change Request Status notification for the Completed status, the New MPB must provide the Metering Installation Type Code to MSATS when known, using Change Reason Code 3000 or 3001.

### 10.8.6.<u>8.1.6.</u> Timeframe Rules

When preparing a Change Request, the New LNSP must choose, for the identified Change Reason Codes, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table <u>8</u>44-A.

### Table <u>8</u>11-A – Timeframe Rules

CR 2000 - Create NMI Details

Objection Logg (business days)	Objection Logging Period (business days)		ring Period	Retrospective Period (business days)	Prospective Period (business days)
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI		
1	1	10	20	0	65

### CR 2001 – Create NMI Details – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	10	130	0

### 10.8.7.8.1.7. Objection Rules

The 'Yes' Roles specified in Table  $\underline{811}$ -B may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table  $\underline{811}$ -A.

### Table <u>8</u>11-B – Objection Rules"

CR 2000 - Create NMI Details

3	NMI	Jur'n	FRMP		LR		MDP		MPB		RoLR		RP		LNSP	
Code	Class		N	С	N	С	N	С	N	С	N	С	N	С	Ν	С
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	SMALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-
	LARGE												-			

### CR 2001 – Create NMI Details – Retrospective

Objection NMI		Jur'n	FRMP		LR		MDP		МРВ		RoLR		RP		LNSP	
Code	Class		Ν	С	N	С	N	С	N	С	Ν	С	N	С	Ν	С
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	SMALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-
	LARGE												-			



Objection	NMI		FRMP		LR		MDP		МРВ		RoLR		RP		LNSP	
Code	le Class		Ν	С	N	С	Ν	С	N	С	Ν	C	Ν	С	Ν	С
RETRO	ALL	ALL	Yes	-	Yes	-	_	-	_	-	_	-	-	-	-	_

### 10.8.8.8.1.8. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section 8.1110.1 are specified in Table 811-C.

### Table 811-C – Change Request Status Notification Rules

CR 2000 – Create NMI Details

CR 2001 – Create NMI Details – Retrospective

PARTICIPANT ROLE – Receives Notification of Change

Status	FRMP		LR		LNSP		MDP		МРВ		RoLR		RP	
Change	N	С	Ν	С	Ν	С	Ν	С	N	С	Ν	С	N	С
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-

<sup>\*\*</sup> N = New Role, C = Current Role.



### 11.8.2. CREATE NMI - Create Cchild NMI - Small OR LARGE

### 11.1.8.2.1. Application [2020 2021]

Section <u>48.2</u> 2 applies to the following Change Reason Codes:

Change Reason Code	Comment
2020 – Create NMI Details – Child	Used where the New ENM establishes the initial set of information in MSATS about a <i>connection point</i> that is, or will be, connected to an <i>embedded network</i> to apply from a Prospective Day.
2021 – Create NMI Details – Child – Retrospective	Used where the New ENM establishes the initial set of information in MSATS about a <i>connection point</i> that is, or will be, connected to an <i>embedded network</i> to apply from a Retrospective Day.

### 11.1.1.8.2.2. Conditions Precedent

- (a) The NMI does not exist in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

### 11.1.2.8.2.3. Initiating Roles

A New ENM may initiate a Change Request to create a *NMI* record in MSATS in accordance with section 8.2.4.

### 11.1.3.<u>8.2.4.</u> ENM Requirements

The New ENM must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	TNI Code
DLF Code	NMI Classification Code	Jurisdiction Code
Child Name	FRMP (as nominated)	LR
RoLR	RP	MDP
MPB	MPC	NMI Status Code
Locality	State	Postcode
LNSP; as the ENM		

- (d) Nominate itself as the LNSP.
- (e) Populate the Change Request with values for the following address fields (as appropriate): EITHER

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type

OR



Unstructured Address 1	Unstructured Address 2	Unstructured Address 3
Ulistructured Address 1	Ulistructured Address 2	Ulistructured Address 5

The New ENM may populate the Change Request with the following information:

Parent Name	Building Name	Feeder Class	
Customer Threshold Code			

### 11.1.4.8.2.5. MPB Requirements

The New MPB must on receipt of the Change Request Status notification for the Completed status, provide the Metering Installation Type Code to MSATS using Change Reason Code 3000 or 3001.

### 11.1.5.<u>8.2.6.</u> Timeframe Rules

When preparing a Change Request, the New ENM must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table <u>812-EA</u>.

### Table 12-A8-E – Timeframe Rules

CR 2020 - Create NMI Details - Child

Objection Logg (business days)	, ,	Objection Cleari (business days)	ing Period	Retrospective Period (business days)	Prospective Period (business days)		
SMALL NMI	LARGE NMI	SMALL NMI LARGE NMI					
1	1	10	20	0	65		

### CR 2021 – Create NMI Details – Child – Retrospective

Objection Logg (business days)	ing Period	Objection Cleari (business days)	ng Period	Retrospective Period (business days)	Prospective Period (business days)	
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI			
1	1	10	20	130	0	

### 11.1.6.<u>8.2.7.</u> Objection Rules

The 'Yes' Roles specified in Table <u>12–B8-F</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table <u>12–A8–E</u>.

### Table 12-B8-F – Objection Rules"

CR 2020 - Create NMI Details - Child

Objection	NMI	Jur'n	FRM	Р	LR		MDP		MPB		RoLF	?	RP		LNSF	
Code	Class		Ν	С	Ν	С	Ν	С	N	С	Ν	С	N	С	N	С
BADPARTY	SMALL	NSW VIC SA	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
	LARGE	ALL														
NOTRESP	SMALL	NSW VIC SA	Yes	-	-	-	Yes	-	Yes	-	-	-	Yes	-	-	-
	LARGE	ALL														



### CR 2021 – Create NMI Details – Child – Retrospective

Objection		Jur'n	FRMP		LR MDP		MPB Ro		RoLF	RoLR		RP		LNSP		
Code	Class		N	С	Ν	С	N	С	N	С	Ν	С	N	С	N	С
BADPARTY	SMALL	NSW VIC SA	-	-			-	-	-	-	-	-	Yes	-	-	-
	LARGE	ALL														
NOTRESP	SMALL	NSW VIC SA	Yes	Yes -			Yes	Yes -	Yes	-	-	-	Yes	-	-	-
	LARGE	ALL														
RETRO	SMALL	NSW VIC SA	Yes	-	-	-					-	-	-	-	-	-
	LARGE	ALL														

<sup>\*\*</sup> N = New Role, C = Current Role.

### 11.1.7.8.2.8. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section  $\frac{11.18}{2}$ . are specified in Table  $\frac{12-C_8-G}{2}$ .

### Table 12-C8-G – Change Request Status Notification Rules"

CR 2020 - Create NMI Details - Child

CR 2021 – Create NMI Details – Child – Retrospective

PARTICIPANT ROLE – Receives Notification of Change

						-								
Status Change	FRMF	)	LR		LNSP	•	MDP		MPB		RoLR		RP	
	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 11.2.8.3. CREATE NMI — Create NMI, Mmetering Linstallation Deletails and NMI Datastream — Small OR LARGE

### 11.2.1.8.3.1. Application [2500 2501]

Section 138.3 applies to the following Change Reason Codes:

<del></del>	3
Change Reason Code	Comment
2500 – Create NMI, Datastream & Meter Details	Used where the New LNSP is able to provide the Datastream and <i>metering installation</i> details at the same time it establishes the initial set of information in MSATS for a <i>connection point</i> to apply from a Prospective Day.
2501 – Create NMI, Datastream & Meter Details – Retrospective	Used where the New LNSP is able to provide the Datastream and <i>metering installation</i> details at the same time it establishes the initial set of information in MSATS for a <i>connection point</i> to apply from a Retrospective Day.

#### 11.2.2.8.3.2. Conditions Precedent

- (a) The NMI does not exist in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

### 11.2.3.8.3.3. Initiating Roles

If the New LNSP meets the condition imposed by section 8.3.2 the New LNSP may initiate a Change Request to create a *NMI*, *metering installation* details and NMI Datastream in MSATS in accordance with section\_8.3.4.

### 11.2.4.8.3.4. LNSP Requirements

The New LNSP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	TNI Code
DLF Code	NMI Classification Code	Jurisdiction Code
FRMP (as nominated)	LR	RoLR
RP	MDP	MPB
MPC	NMI Status Code	Locality
State	Postcode	Meter Serial ID (at least one)
Metering Installation Type Code (for each <i>meter</i> )	Meter Register Status Code (for each <i>meter</i> )	Register ID (at least one for each <i>meter</i> )
Register Identifier Status Code (for each register)	Network Tariff Code	Actual/Cumulative Indicator (for each register)
Controlled Load Indicator (for each register)	Dial Format (for each register)	Multiplier Value (for each register)
Time of Day Code (for each register)	Unit of Measure Code (for each register)	NMI Suffix (at least one)
Datastream Type (for each suffix)	Profile Name (for each suffix)	ADL (for each suffix)



Datastream Status Code (for	MDM Contributory Suffix (for
each suffix)	each register)

- (d) Nominate itself as the New LNSP.
- (e) Provide the ADL if this value is not otherwise provided by the New FRMP.
- رf) Populate the Change Request with values for the following address fields (as applicable) تو

### **EITHER**

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type

### OR

Unstructured Address 1	Unstructured Address 2	Unstructured Address 3

### The New LNSP may:

(g) Populate the Change Request with the following information:

Parent Name	Building Name	Feeder Class
Customer Threshold Code		

(h) Populate the Change Request with the following information for each *meter*:

Additional Site Information	NSRD	Meter Location
Meter Hazard	Meter Route	Meter Use
Meter Point	Meter Manufacturer	Meter Model
Transformer Location	Transformer Type	Transformer Ratio
Meter Constant	Last Test Date	Next Test Date
Test Result Accuracy	Test Result Notes	Test Performed By
Measurement Type	Meter Program	Meter Read Type
Remote Phone Number	Communication Equipment Type	Communication Protocol
Data Conversion Arrangements	Data Validation Arrangements	Estimation Instructions
Asset Management Plan Details	Calibration Tables (details of any calibration factors programmed into the meter)	Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)
Test and Calibration Program Details	User Access Rights Details (i.e. details of any End User access to the <i>metering installation</i> such as pulse outputs)	

Network Tariff Code Additional	Demand Value 1, if the Network	Demand Value 2, if the Network
Information	Tariff includes a demand	Tariff includes a second demand
	component	component



### 11.2.5.8.3.5. Timeframe Rules

When preparing a Change Request, the New LNSP must choose, for the identified Change Reason Codes, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 13-A8-H.

#### Table 13-A8-H - Timeframe Rules

CR 2500 - Create NMI, Datastream & Meter Details

Objection Logg (business days)	ing Period	Objection Clearing (business days)	Retrospective Period (business days)	Prospective Period (business days)	
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI		
1	1	10	20	0	65

CR 2501 – Create NMI, Datastream & Meter Details – Retrospective

Objection Logg (business days)	ing Period	Objection Clearing (business days)	Period	Retrospective Period (business days)	Prospective Period (business days)	
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI			
1	1	10	20	130	0	

### 11.2.6.<u>8.3.6.</u> Objection Rules

The 'Yes' Roles specified in Table  $\frac{13-B8-I}{I}$  may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table  $\frac{13-A8-II}{I}$ .

### Table 13-B8-1 - Objection Rules"

CR 2500 – Create NMI, Datastream + Meter Details

Objection NMI		Jur'n	FRMP		LR		MDP		МРВ		RoLR		RP		LNSP	
Code	Class		N	С	N	С	Ν	С	Ν	С	Ν	С	N	С	Ν	С
BADPARTY	SMALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
	LARGE												-			
NOTRESP	ALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-

CR 2501 – Create NMI, Datastream + Meter Details – Retro

		Jur'n	FRMP		LR		MDP		МРВ		RoLR		RP		LNSP	
Code	Class		N	С	N	С	N	С	N	С	N	С	N	С	N	С
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	ALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-
RETRO	ALL	ALL	Yes		Yes	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

### 11.2.7.8.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section 12.1.8.3.1 are specified in Table 13–C8–J.



### Table 13-C8-J – Change Request Status Notification Rules

CR 2500 – Create NMI, Datastream + Meter Details

CR 2501 – Create NMI, Datastream + Meter Details – Retro

PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMF	)	LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 11.3.8.4. CREATE NMI - Create Child NMI, Mmetering Linstallation Details and MDM Datastream - Child NMI (Small or LARGE)

### 11.3.1.8.4.1. Application [2520 2521]

Section 48.44 applies to the following Change Reason Codes:

Change Reason Code	Comment
2520 – Create NMI, Datastream & Meter Details – Child NMI	Used where the New ENM makes a Prospective Change to the Datastream and <i>metering installation</i> details at the same time it establishes the initial set of information in MSATS about a connection point that is connected to an <i>embedded network</i> .
2521 – Create NMI, Datastream & Meter – Child NMI - Retrospective	Used where the New ENM makes a Retrospective Change to the Datastream and metering installation details at the same time it establishes the initial set of information in MSATS about a connection point that is connected to an embedded network.

### 11.3.2.8.4.2. Conditions Precedent

- (a) The NMI does not exist in MSATS.
- (b) The NMI classification code is SMALL or LARGE.

### 11.3.3.<u>8.4.3.</u> Initiating Roles

- (a) A New ENM may initiate a Change Request to create a NMI, *metering installation* details and MDM Datastream for an *embedded network* in the MSATS system in accordance with clause 8.4.4.
- (b) The New ENM must use one of the following Change Reason Codes 2520 or 2521 to establish a Change Request.

### 11.3.4.8.4.4. **ENM Requirements**

The New ENM must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the initiation of the Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	TNI Code
DLF Code	NMI Classification Code	Jurisdiction Code
FRMP (as nominated)	LR	ROLR
RP	MDP	MPB
MPC	LNSP; as the ENM	NMI Status Code
Child Name	Locality	State
Postcode	Meter Serial ID (at least one)	Metering Installation Type Code (for each <i>meter</i> )
Meter Register Status Code (for each <i>meter</i> )	Register ID (at least one for each meter)	Register Identifier Status Code (for each register)



Network Tariff Code	Actual/Cumulative Indicator (for each register)	Controlled Load Indicator (for each register)
Dial Format (for each register)	Multiplier Value (for each register)	Time of Day Code (for each register)
Unit of Measure Code (for each register)	NMI Suffix (at least one)	Datastream Type (for each suffix)
Profile Name (for each suffix)	ADL (for each suffix)	Datastream Status Code (for each suffix)
MDM Contributory Suffix (for each register)		

- Nominate itself as the new LNSP. (d)
- Populate the Change Request with values for the following address fields (as applicable): (e) EITHER:

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type
OR		

OR

Unstructured Address 1	Unstructured Address 2	Unstructured Address 3
Ulistructured Address 1	Ulistructured Address 2	Ulistructured Address 5

### The New ENM may:

Populate the Change Request with the following information:

Embedded Network Parent Name	Building Name	Feeder Class
Customer Threshold Code		

Populate the Change Request with the following information for each *meter*.

Additional Site Information	NSRD	Meter Location		
Meter Hazard	Meter Route	Meter Use		
Meter Point	Meter Manufacturer	Meter Model		
Transformer Location	Transformer Type	Transformer Ratio		
Meter Constant	Last test Date	Next Test Date		
Test Result Accuracy	Test Result Notes	Test Performed By		
Measurement Type	Meter Program	Meter Read Type		
Remote Phone Number	Communication Equipment Type	Communication Protocol		
Data Conversion Arrangements	Data Validation Arrangements	Estimation Instructions		
Asset Management Plan Details	Calibration Tables (details of any calibration factors programmed into the meter)	Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)		



Test and Calibration Program
User Access Rights Details (i.e. details of any End User access to

the metering installation such as

pulse outputs)

(h) Populate the Change Request with the following information for each register:

Network Tariff Code Additional Information

Demand Value 1, if the Network Tariff includes a demand component Demand Value 2, if the Network Tariff includes a second demand

### 11.3.5.<u>8.4.5.</u> Timeframe Rules

The Timeframe Rules are shown in Table 14-A8-K.

### Table 14-A8-K - Time frame rules

#### CR 2520 - Create NMI, Datastream & Meter Details - Child NMI

Objection Logg (business days)	ing Period	Objection Clearing (business days)	J Period	Retrospective Period (business days)	Prospective Period (business days)		
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI				
1	1	10	20	0	65		

#### CR 2521 - Create NMI, Datastream & Meter - Child NMI - Retrospective

Objection Logg (business days)	, ,	Objection Clearing (business days)	Period	Retrospective Period (business days)	Prospective Period (business days)
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI		
1	1	10	20	130	0

### 11.3.6.8.4.6. Objection Rules

The 'Yes' Roles specified in in Table  $\frac{14-88-L}{L}$  may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table  $\frac{14-88-L}{L}$ .

## Table 14-B8-L - Objection Rules\*\* CR 2520 - Create NML Datastream & M

### CR 2520 - Create NMI, Datastream & Meter Details - Child NMI

CR 2520 - Create Nini, Datastream & Meter Details - Child Nini																
Objection	NMI	Jur'n	FRMI	)	LR		MDP		MPB		RoLR		RP		LNSP	,
Code	Class		N	С	N	С	N	С	N	С	N	С	N	С	N	С
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	ALL	ALL	Yes	-	-	-	Yes	-	Yes	-	-	-	Yes	-	Yes	-

### CR 2521 - Create NMI, Datastream & Meter - Child NMI - Retrospective

The state of the s																
Objection	NMI	Jur'n	FRMP		LR		MDP		MPB		RoLR		RP		LNSP	
Code	Class		N	С	N	С	N	С	N	С	N	С	N	С	N	С
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-
NOTRESP	ALL	ALL	Yes	-	-	-	Yes	-	Yes	-	-	-	Yes	-	Yes	-
RETRO	SMALL	NSW VIC SA	Yes													
	LARGE	ALL														

<sup>\*\*</sup> N = New Role, C = Current Role.



### 11.3.7.8.4.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 14-C8-M.

Table 14-C8-M - Change request status notification rules\*\*

CR 2520 - Create NMI, Datastream & Meter Details - Child NMI

CR 2521 - Create NMI, Datastream & Meter Details - Child NMI - Retrospective

PARTICIPANT ROLE & ROLE STATUS - Receives Notification of Change

Status Change	Status Change FRMP		LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-

<sup>\*\*</sup> N = New Role, C = Current Role.



### 9. CREATE AND MAINTAIN METERING - CHANGE REQUESTS-

### 11.4.9.1. CREATE METERING INSTALLATION DETAILS Create Metering Installation Details—SMALL OR LARGE

### 11.4.1.9.1.1. Application [3000 3001]

Section 459.1 applies to the following Change Reason Codes:

Change Reason Code	Comment					
3000 – Create Metering Installation Details	Used where the Current MPB makes a Prospective Change to the initial set of information in MSATS about the <i>metering installation</i> details, and there is no associated <i>meter</i> removal for the <i>NMI</i> for the same effective date.					
3001 – Create Metering Installation Details – Retrospective	Used where the Current MPB makes a Retrospective Change to the initial set of information in MSATS about the <i>metering installation</i> details, and there is no associated meter removal for the <i>NMI</i> for the same effective date.					

#### 11.4.2.9.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details do not exist in MSATS.
- (c) The NMI Classification Code is SMALL or LARGE.

### 11.4.3.9.1.3. Initiating Roles

A Current MPB may initiate a Change Request to create *metering installation* records in MSATS in accordance with section 49.15.4.

### 11.4.4.9.1.4. MPB Requirements

The Current MPB must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum		
Its Participant ID	Proposed Change Date	Meter Serial ID (at least one)		
Metering Installation Type Code (for each <i>meter</i> )	Meter Register Status Code (for each <i>meter</i> )	Register ID (at least one for each <i>meter</i> )		
Register Identifier Status Code (for each register ID)	Actual/Cumulative Indicator (for each Register ID)	Controlled Load Indicator (for each Register ID)		
Dial Format (for each Register ID)	Multiplier Value (for each Register ID)	Time of Day Code (for each Register ID)		
Unit of Measure Code (for each Register ID)	Network Tariff Code (for each Register ID)	MDM Contributory Suffix (for each register)		

- (d) Where changes to Network Tariff information are required:
  - Check that the Network Tariff Code is correct and, if it is not, update it to have the correct value.



(ii) Change the Network Tariff Code to ensure that the current information provided in MSATS is the latest information available from the Current LNSP.

### The Current MPB may:

(e) Populate the Change Request with the following information for each *meter*:

Additional Site Information	Meter Hazard	NSRD			
Meter Location	Meter Point	Meter Route			
Meter Use	Transformer Location	Meter Manufacturer			
Meter Model	Meter Constant	Transformer Type			
Transformer Ratio	Test Result Accuracy	Last Test Date			
Next Test Date	Measurement Type	Test Result Notes			
Test Performed By	Remote Phone Number	Meter Program			
Meter Read Type	Data Conversion Arrangements	Communication Equipment Type			
Communication Protocol	Asset Management Plan Details	Data Validation Arrangements			
Estimation Instructions	Test and Calibration Program Details	Calibration Tables (details of any calibration factors programmed into the meter)			
Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)	User Access Rights Details (i.e. details of any End User access to the <i>metering installation</i> such as pulse outputs)				

(f) Populate the Change Request with the following information for each register:

Network Tariff Code Additional	Demand Value 1, if the Network	Demand Value 2, if the Network
Information	Tariff includes a demand	Tariff includes a second demand
	component	component

(g) For Retrospective Changes, populate the Change Request with the following information:

Actual End Date

### 11.4.5.<u>9.1.5.</u> Timeframe Rules

When preparing a Change Request, the Current MPB must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table <u>915</u>-A.



## Table 159-A – Timeframe Rules

CR 3000 – Create Meter Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 3001 – Create Meter Details – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

# 11.4.6.9.1.6. Objection Rules

Objections are not permitted.

## 11.4.7.9.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules -are specified in Table  $1\underline{95}$ -B.

## Table 159-B – Change Request Status Notification Rules"

CR 3000 - Create Meter Details

CR 3001 – Create Meter Details – Retrospective

Status Change	FRMP		LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 11.5.9.2. Maintain Metering Exchange of Metering I EXCHANGE OF METERING information — SMALL or Large

## 11.5.1.9.2.1. Application [3004 3005]

Section 169.2 applies to the following Change Reason Codes:

Change Reason Code	Comment
3004 – Exchange of Metering information	Used where the Current MPB is required to provide a Prospective Change to the information in MSATS about the <i>metering installation</i> details. The change will include the removal of at least one existing meter and the installation of at least one new meter. A minimum set of <i>metering installation</i> details for the <i>NMI</i> shall exist upon completion of the Change Request.
3005 – Exchange of Metering information – Retrospective	Used where the Current MPB is required to provide a Retrospective Change to the information in MSATS about the <i>metering installation</i> details. The change will include the removal of at least one existing meter and the installation of at least one new meter. A minimum set of <i>metering installation</i> details for the <i>NMI</i> shall exist upon completion of the Change Request.

#### 11.5.2.9.2.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details exist in MSATS.
- (c) At least one *meter* is removed, and one *meter* is created in each Change Request.
- (d) The NMI Classification Code is SMALL or LARGE.

# 11.5.3.<u>9.2.3.</u> Initiating Roles

A Current MPB may initiate a Change Request to change and create *metering installation* records in MSATS in accordance with section 9.2.4.

# 11.5.4.9.2.4. MPB Requirements

The Current MPB must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	Its Participant ID
Proposed Change Date	NMI and NMI Checksum	NMI Checksum
Meter Serial ID (for each meter)		

(d) For each meter associated to the NMI, where the Meter Register Status Code is to be 'C' populate the Change Request with the following information (where this information does not currently exist in MSATS):

eter Register Status Code Metering Installation Type Code
---

(e) For all Register IDs associated with the NMI, where the Register Identifier Status Code is to be 'C' populate the Change Request with the following information (where this information does not currently exist in MSATS):



Register ID	Unit of Measure Code (for each Register ID)	Multiplier Value (for each Register ID)
Time of Day Code (for each Register ID)	Dial Format (for each Register ID)	Register Identifier Status Code (for each Register ID)
Controlled Load Indicator (for each Register ID)	Actual/Cumulative Indicator (for each Register ID)	Network Tariff Code (for each Register ID)
MDM Contributory Suffix (for each register)		

- (f) Where changes to Network Tariff information are required:
  - Check that the Network Tariff Code is correct and, if it is not, update it to have the correct value.
  - (ii) Change the Network Tariff Code to ensure that the current information provided in MSATS is the latest information available from the Current LNSP.

The Current MPB may:

(g) Populate the Change Request with the following information for each *meter*:

Additional Site Information	NSRD	Meter Location
Meter Hazard	Meter Route	Meter Use
Meter Point	Meter Manufacturer	Meter Model
Transformer Location	Transformer Type	Transformer Ratio
Meter Constant	Last Test Date	Next Test Date
Test Result Accuracy	Test Result Notes	Test Performed By
Measurement Type	Meter Program	Meter Read Type
Remote Phone Number	Communication Equipment Type	Communication Protocol
Data Conversion Arrangements	Data Validation Arrangements	Estimation Instructions
Asset Management Plan Details	Calibration Tables (details of any calibration factors programmed into the meter)	Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)
Test and Calibration Program Details	User Access Rights Details (i.e. details of any End User access to the <i>metering installation</i> such as pulse outputs)	Network Tariff Code Additional Information
Demand Value 1, if the Network Tariff includes a demand component	Demand Value 2, if the Network Tariff includes a second demand component	

(h) For Retrospective Changes, populate the Change Request with:

# 11.5.5.9.2.5. <u>Timeframe Rules</u>

When preparing a Change Request, the Current MPB must choose, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table  $\frac{16-A9-C}{C}$ .



## Table 16-A9-C – Timeframe Rules

CR 3004 – Exchange of Metering Information

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

## CR 3005 – Exchange of Metering Information – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

# 11.5.6.<u>9.2.6.</u> Objection Rules

Objections are not permitted.

# 11.5.7.9.2.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 16-B9-D.

## Table 16-B9-D - Change Request Status Notification Rules

CR 3004 - Exchange of Metering Information

CR 3005 – Exchange of Metering Information – Retrospective

Status Change	e FRMP LR		LNSP	LNSP MDP			МРВ		RoLR		RP			
	Ν	С	N	С	N	С	N	С	N	С	N	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-
REQUESTED	-	_	_	_		_	_	_	-	-	-		_	_

<sup>\*\*</sup> N = New Role, C = Current Role.



# 11.6.9.3. Maintain Metering — Change Metering Installation Details — Small or LARGE

## 11.6.1.9.3.1. Application [3050 3051]

Section 179.3 applies to the following Change Reason Codes:

section in <u>sec</u> applies to the following change heads.						
Change Reason Code	Comment					
3050 – Change Metering Installation Details	Used where the Current MPB is required to make a Prospective Change to the <i>metering installation</i> details in MSATS. Each Meter Serial ID must exist in MSATS and a minimum set of <i>metering installation</i> details for the <i>NMI</i> shall exist upon Completion of the Change Request.					
3051 – Change Metering Installation Details – Retrospective	Used where the Current MPB is required to make a Retrospective Change to the <i>metering installation</i> details in MSATS. Each Meter Serial ID must exist in MSATS and a minimum set of <i>metering installation</i> details for the <i>NMI</i> shall exist upon Completion of the Change Request.					

# 11.6.2.9.3.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details exist in MSATS.
- (c) The NMI Classification Code is SMALL or LARGE.

#### 11.6.3.9.3.3. Initiating Roles

A Current MPB may initiate a Change Request to change *metering installation* records in MSATS in accordance with section 9.3.4.

## 11.6.4.9.3.4. MPB Requirements

The Current MPB must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Meter Serial ID (at least one)

(d) For each *meter* associated with the *NMI* populate the Change Request with the following information (where this information does not currently exist in MSATS):

Meter Register Status Code	Metering Installation Type Code

(e) For all Register IDs associated with the NMI, where the Register Identifier Status Code is to be 'C' populate the Change Request with the following information (where this information does not currently exist in MSATS):

MDM Contributory Suffix (for a	Network Tariff Code
register)	



(f) For all Register IDs associated with the *NMI*, where the Register Identifier Status Code is to be 'C' populate the Change Request with the following information:

Register ID	Register Identifier Status Code	Actual/Cumulative Indicator
Controlled Load Indicator	Dial Format	Multiplier Value
Time of Day Code	Unit of Measure Code	

- (g) Where changes to Network Tariff information are required:
  - (i) Check that the Network Tariff Code is correct and, if it is not, update it to have the correct value.
  - (ii) Change the Network Tariff Code to ensure that the current information provided in MSATS is the latest information available from the Current LNSP.

The Current MPB may:

(h) Populate the Change Request with the following information:

	Meter Hazard	Additional Site Information
Meter Location	Meter Point	Meter Route
Meter Use	Transformer Location	Meter Manufacturer
Meter Model	Meter Constant	Transformer Type
Transformer Ratio	Test Result Accuracy	Last Test Date
Next Test Date	Measurement Type	Test Result Notes
Test Performed By	Remote Phone Number	Meter Program
Meter Read Type	Data Conversion Arrangements	Communication Equipment Type
Communication Protocol	Asset Management Plan Details	Data Validation Arrangements
Estimation Instructions	Test and Calibration Program Details	Calibration Tables (details of any calibration factors programmed into the meter)
Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)	Demand Value 1, if the Network Tariff includes a demand component	User Access Rights Details (i.e. details of any End User access to the <i>metering installation</i> such as pulse outputs)
Network Tariff Code Additional Information	Demand Value 2, if the Network Tariff includes a second demand component	

(i) For CR 3051, populate the Change Request with:

Actual End Date	
Actual Ella Date	

## 11.6.5.9.3.5. Timeframe Rules

When preparing a Change Request, the Current MPB must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 17-A9-E.



## Table 17-A9-E – Timeframe Rules

CR 3050 – Change Meter Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

## CR 3051 – Change Meter Details – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

# 11.6.6.<u>9.3.6.</u> Objection Rules

Objections are not permitted.

## 11.6.7.9.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 17-B9-F.

# Table 17-B9-F – Change Request Status Notification Rules"

CR 3050 – Change Meter Details

CR 3051 – Change Meter Details – Retrospective

Status	FRMP		LR		LNSP	LNSP		MDP		MPB		RoLR		RP	
Change	Ν	С	Ν	С	Ν	С	N	С	Ν	С	Ν	С	N	С	
CANCELLED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-	
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
REJECTED	-	-	-	-	-	-	-	-	-	Yes	-	-	-	-	
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

<sup>\*\*</sup> N = New Role, C = Current Role.



# 12.9.4. MAINTAIN METERING — Advanced Change Metering Linstallation Deletails — SMALL OR Large

## 12.1.9.4.1. Application [3080 3081]

Section 189.4 applies to the following Change Reason Codes:

committee of the commit						
Change Reason Code	Comment					
3080 – Advanced Change Metering Installation Details	Used where the Current MC is required to provide Prospective Change(s) to the <i>metering installation</i> details in MSATS, including potential changes to Datastream information, and to the Roles of MDP, MPB and MPC. The Change Request must include one or more changes to <i>metering installation</i> details for a Meter Serial ID and each Meter Serial ID must exist in MSATS. A minimum set of <i>metering installation</i> details for the NMI shall exist upon Completion.					
3081 – Advanced Change Metering Installation Details – Retrospective	Used where the Current MC is required to provide Retrospective Change(s) to the <i>metering installation</i> details in MSATS, including potential changes to Datastream information, and to the Roles of MDP, MPB and MPC. The Change Request must include one or more changes to <i>metering installation</i> details for a Meter Serial ID and each Meter Serial ID must exist in MSATS. A minimum set of <i>metering installation</i> details for the NMI shall exist upon Completion.					

#### 12.1.1.9.4.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details exist in MSATS.
- (c) The NMI Classification Code is SMALL or LARGE.

# 12.1.2.9.4.3. Initiating Roles

- (a) A Current MC may initiate a Change Request to change and create *metering installation* records in MSATS in accordance with section 9.4.4.
- (b) Where a change of Role is included in the Change Request, the initiator must agree with all affected Participants of the Roles that are changing prior to creating the Change Request.

## 12.1.3.9.4.4. MC Requirements

The Current MC must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	Its Participant ID
Proposed Change Date	NMI	NMI Checksum
The Meter Serial ID (for each meter)		

(d) For each meter associated to the NMI, where the Meter Register Status Code is to be 'C', populate the Change Request with the following (where this information does not currently exist in MSATS):



Meter Register Status Code Metering Installation Type Code
--

(e) For all Register IDs associated with the *NMI*, where the Register Identifier Status Code is to be 'C', populate the Change Request with the following (where this information does not currently exist in MSATS):

Register ID	Register Identifier Status Code (for each Register ID)	Unit of Measure Code (for each Register ID)
Multiplier Value (for each Register ID)	Time of Day Code (for each Register ID)	Dial Format (for each Register ID)
Network Tariff Code (for each Register ID)	Controlled Load Indicator (for each Register ID)	Actual/Cumulative Indicator (for each Register ID)
MDM Contributory Suffix (for each register)		

(f) For all Datastreams associated to the NMI, where the Datastream Status Code is to be 'A', populate the Change Request with the following information (where this information does not currently exist in MSATS):

NMI Suffix	Datastream Type (for each suffix)	Profile Name (for each suffix)
ADL (for each suffix)	Datastream Status Code (for each suffix)	

## The Current MC may:

(g) Populate the Change Request with the following information for each *meter*:

MDP	MPB	MPC
Additional Site Information	NSRD	Meter Location
Meter Hazard	Meter Route	Meter Use
Meter Point	Meter Manufacturer	Meter Model
Transformer Location	Transformer Type	Transformer Ratio
Meter Constant	Last Test Date	Next Test Date
Test Result Accuracy	Test Result Notes	Test Performed By
Measurement Type	Meter Program	Meter Read Type
Remote Phone Number	Communication Equipment Type	Communication Protocol
Data Conversion Arrangements	Data Validation Arrangements	Estimation Instructions
Asset Management Plan Details	Calibration Tables (details of any calibration factors programmed into the meter)	Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)
Test and Calibration Program Details	User Access Rights Details (i.e. details of any End User access to the <i>metering installation</i> such as pulse outputs)	

(h) Populate the Change Request with the following information for each register:



Network Tariff Code Additional Information Demand Value 1, if the Network Tariff includes a demand component Demand Value 2, if the Network Tariff includes a second demand component

(i) For Retrospective Changes, populate the Change Request with:

Actual End Date

- (j) Where changes to Network Tariff information is required:
  - (i) Check that the Network Tariff Code is correct and, if it is not, update it to have the
  - (ii) Change the Network Tariff Code to ensure that the current information provided in MSATS is the latest information available from the Current LNSP.

#### 12.1.4.9.4.5. MDP Requirements

On receipt of a Data Request for Change Reason Codes 3080, the MDP must initiate a Change Request to provide the Actual Change Date.

## 12.1.5.9.4.6. Timeframe Rules

When preparing a Change Request, the Current MC must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 18-A9-G.

## Table 18-A9-G – Timeframe Rules

CR 3080 - Advanced Change Metering Installation Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

CR 3081 – Advanced Change Metering Installation Details – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

### 12.1.6.9.4.7. Objection Rules

The 'Yes' Roles specified in Table 18–B9-H may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 18–A9-G.

## Table 18-B9-H - Objection Rules\*\*

CR 3080 – Advanced Change Metering Installation Details

Objection	NMI	Jur'n	FRN	FRMP			MDP		MPB		ROLR		RP		LNSP	
Code	Class		Ν	С	Ν	С	N	С	N	С	Ν	С	Ν	С	Ν	С
DECLINED	ALL	ALL	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	-

CR 3081 – Advanced Change Metering Installation Details – Retrospective

Objection	NMI	Jur'n	n FRMP		LR		MDP		MPB		ROLR		RP		LNSP	
Code	Class		Ν	С	Ν	С	N	С	N	С	Ν	С	Ν	С	Ν	С
DECLINED	ALL	ALL	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	-



Objection	NMI			FRMP			MDP		MPB		ROLR		RP		LNSP	
Code Class		N	С	Ν	С	N	С	N	С	Ν	С	Ν	С	Ν	С	
BADDATA	ALL	ALL	-	-	-	-	Yes	Yes	_	_	-	-	-	-	-	_

<sup>\*\*</sup> N = New Role, C = Current Role.

## 12.1.7.9.4.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 18-C9-I.

# Table 18-C9-1 – Change Request Status Notification Rules\*\*

CR 3080 – Advanced Change Metering Installation Details

CR 3081 – Advanced Change Metering Installation Details – Retrospective

Status Change	FRMP		LR		LNSP	LNSP		MDP		МРВ		RoLR		RP	
	N	С	N	С	N	С	N	С	N	С	N	С	Ν	С	
CANCELLED	-	Yes	-	-		Yes	Yes	Yes	Yes	Yes	-	-	-	Yes	
COMPLETED	-	Yes	-	Yes	-	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes	
OBJECTED	-	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes	
PENDING	-	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes	
REJECTED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	Yes	
REQUESTED	-	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes	

<sup>\*\*</sup> N = New Role, C = Current Role.



# 12.2.9.5. MAINTAIN METERING - ADVANCED EXCHANGE OF METERINGAdvanced Exchange of Metering - SMALL or Large

## 12.2.1.9.5.1. Application [3090 3091]

Section 199.5 applies to the following Change Reason Codes:

<del></del>	3
Change Reason Code	Comment
3090 – Advanced Exchange of Metering	Used where the Current MC is required to provide a Prospective Change to the information in MSATS relating to the <i>metering installation</i> details, including potential changes to Datastream information, Network Tariff Code and to the Roles of MDP, MPB and MPC. The change shall include the removal of at least one existing meter and the installation of at least one new meter. A minimum set of <i>metering installation</i> details for the NMI shall exist upon Completion.
3091 – Advanced Exchange of Metering – Retrospective	Used where the Current MC is required to provide a Retrospective Change to the information in MSATS relating to the <i>metering installation</i> details, including potential changes to Datastream information, Network Tariff Code and to the Roles of MDP, MPB and MPC. The change shall include the removal of at least one existing meter and the installation of at least one new meter. A minimum set of <i>metering installation</i> details for the NMI shall exist upon Completion.

## 12.2.2.9.5.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details exist in MSATS.
- (c) At least one *meter* is removed, and one *meter* is created in each Change Request.
- (d) The NMI Classification Code is SMALL or LARGE.

#### 12.2.3.9.5.3. Initiating Roles

- (a) A Current MC may initiate a Change Request to change and create metering installation records in MSATS in accordance with section 18.49.5.4.
- (b) Where a change of Role is included in the Change Request the initiator must agree with all affected Participants of the Roles that are changing prior to creating the Change Request.

## 12.2.4.9.5.4. MC Requirements

The Current MC must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	Its Participant ID
Proposed Change Date	NMI	NMI Checksum
Meter Serial ID (for each <i>meter</i> )		

(d) For each meter associated to the NMI, where the Meter Register Status Code is to be 'C' populate the Change Request with the following information (where this information does not currently exist in MSATS):



Type Code Meter Register Status Code
,,

For all Register IDs associated with the *NMI*, where the Register Identifier Status Code is to be 'C' populate the Change Request with the following information (where this information does not currently exist in MSATS):

Register ID	Register Identifier Status Code (for each Register ID)	Unit of Measure Code (for each Register ID)
Multiplier Value (for each Register ID)	Time of Day Code (for each register ID)	Dial Format (for each register ID)
Network Tariff Code (for each Register ID)	Controlled Load Indicator (for each Register ID)	Actual/Cumulative Indicator (for each Register ID)
MDM Contributory Suffix (for each register)		

(f) For all Datastreams associated to the NMI, where the Datastream Status Code is to be 'A' populate the Change Request with the following information (where this information does not currently exist in MSATS):

NMI Suffix	Datastream Type (for each suffix)	Profile Name (for each suffix)
ADL (for each suffix)	Datastream Status Code (for each suffix)	

## The Current MC may:

(g) Populate the Change Request with the following information:

MDP	MPB	MPC
Additional Site Information	NSRD	Meter Location
Meter Hazard	Meter Route	Meter Use
Meter Point	Meter Manufacturer	Meter Model
Transformer Location	Transformer Type	Transformer Ratio
Meter Constant	Last Test Date	Next Test Date
Test Result Accuracy	Test Result Notes	Test Performed By
Measurement Type	Meter Program	Meter Read Type
Remote Phone Number	Communication Equipment Type	Communication Protocol
Data Conversion Arrangements	Data Validation Arrangements	Estimation Instructions
Asset Management Plan Details	Calibration Tables (details of any calibration factors programmed into the meter)	Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)
Test and Calibration Program Details	User Access Rights Details (i.e. details of any End User access to the <i>metering installation</i> such as pulse outputs)	

(h) Populate the Change Request with the following information for each register:



Network Tariff Code Additional Information

Demand Value 1, if the Network Tariff includes a demand component

Demand Value 2, if the Network Tariff includes a second demand component

(i) For Retrospective Changes, populate the Change Request with:

Actual End Date

- (j) Where changes to Network Tariff information are required:
  - (i) Check that the Network Tariff Code is correct and, if it is not, update it to have the
  - (ii) Change the Network Tariff Code to ensure that the current information provided in MSATS is the latest information available from the Current LNSP.

#### 12.2.5.9.5.5. MDP Requirements

On receipt of a Data Request for Change Reason Code 3090, the MDP must initiate a Change Request to provide the Actual Change Date.

## 12.2.6.9.5.6. Timeframe Rules

When preparing a Change Request, the Current MC must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 19-A9-J.

#### Table 19-A9-J – Timeframe Rules

CR 3090 - Advanced Exchange of Metering

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

#### CR 3091 – Advanced Exchange of Metering – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

### 12.2.7.9.5.7. Objection Rules

## Table 19-B9-K - Objection Rules"

CR 3090 - Advanced Exchange of Metering

Objection	on NMI J Class	Jur'n	FRMP		LR		MDP		MPB		RoLR		RP		LNSP	
Code		SS	Ν	С	Ν	С	N	С	N	С	Ν	С	N	С	Ν	С
DECLINED	ALL	ALL	-	-	-	-	Yes	-	Yes	-	-	-	-	-	_	-

# CR 3091 – Advanced Exchange of Metering – Retrospective

Objection	NMI	Jur'n	FRN	ИP	LR		MDP		MPB		RoL	.R	RP		LNS	SP
Code	Class		Ν	С	Ν	С	N	С	N	С	Ν	С	N	С	Ν	С
DECLINED	ALL	ALL	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	-



Objection	NMI Class	Jur'n	FRMP		LR		MDP		MPB		RoLR		RP		LNSP	
Code			Ν	С	Ν	С	N	С	N	С	Ν	С	N	С	Ν	С
BADDATA	ALL	ALL	-	_	-	-	Yes	Yes	-	_	-	-	_	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

## 12.2.8.9.5.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 19-C9-L.

## Table 19-C9-L - Change Request Status Notification Rules"

CR 3090 – Advance Exchange of Metering

CR 3091 – Advance Exchange of Metering – Retrospective

Status Change	FRMP I		LR	LR		LNSP		MDP		MPB		RoLR		
	N	С	Ν	С	Ν	С	N	С	N	С	Ν	С	N	С
CANCELLED	-	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes
COMPLETED	-	Yes	-	Yes	-	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes
OBJECTED	-	Yes	-	-	-	YEs	Yes	Yes	Yes	Yes	-	-	-	Yes
PENDING	-	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes
REJECTED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	Yes
REQUESTED	-	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	-	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



# 13.9.6. Maintain Metering – Change Network Tariff Code – Small OR LARGE

## 13.1.9.6.1. Application [3100 3101]

Section <u>20-9.6</u> applies to the following Change Reason Codes:

Change Reason Code	Comment
3100 – Change Network Tariff	Used where the Current LNSP (or the ENM in the case of a Child NMI) is required to make a Prospective Change to Network Tariff Code.
3101 – Change Network Tariff – Retrospective	Used where the Current LNSP (or the ENM in the case of a Child NMI) is required to make a Retrospective Change to the Network Tariff Code.

# 13.1.1.9.6.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.
- (c) The Meter Register data is loaded into MSATS.

#### 13.1.2.9.6.3. Initiating Roles

A Current LNSP (or the ENM in the case of a Child NMI) may initiate a Change Request to change a Network Tariff Code in accordance with section 9.6.4.

## 13.1.3.9.6.4. LNSP or ENM Requirements

The Current LNSP (or ENM in the case of a Child NMI) must for each Register ID:

- (a) Check that the Network Tariff Code created by the MPB when the meter was created in MSATS is correct and, if it is not, update it to have the correct value.
- (b) Change the Network Tariff Code in MSATS to ensure that the current information provided in MSATS is the latest information available from the Current LNSP.
- (c) Obtain the NMI Checksum from an approved source.
- (d) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (e) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Meter Serial ID
Register ID	Network Tariff Code (for each register)	

The Current LNSP (or the ENM in the case of a Child NMI) may:

(f) Populate a Change Request with the following information:

Network Tariff Code Additional Information

(g) For Retrospective Changes, populate the Change Request with the following information:

Actual End Date	



# 13.1.4.<u>9.6.5.</u> Timeframe Rules

When preparing a Change Request, the Current LNSP (or ENM in the case of a Child NMI) must choose, for the identified Change Reason Codes, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 209-M-A.

#### Table 209-M-A - Timeframe Rules

CR 3100 - Change Network Tariff

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

#### CR 3101 - Change Network Tariff - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

## 13.1.5.9.6.6. Objection Rules

Objections are not permitted.

## 13.1.6.9.6.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 209-N-B.

## Table 209-N-B – Change Request Status Notification Rules"

CR 3100 – Change Network Tariff

CR 3101 – Change Network Tariff – Retrospective

		FRMP LR			LNSP		MDP		MPB		RoLR		RP	
Change	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	N	С	N	С
CANCELLED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 10. CREATE AND MAINTAIN DATASTREAM - CHANGE REQUESTS

## 13.2.10.1. — Create NMI Datastream — Small or large

## 13.2.1.10.1.1. Application [4000 4001]

Section 2410.1 applies to the following Change Reason Codes:

Change Reason Code	Comment
4000 – Create NMI Datastream Details	Used where the Current MDP makes a Prospective Change to the initial set of information in MSATS about the NMI Datastream details, and there is no associated Datastream Status Code change to inactive for the <i>NMI</i> for the same effective date.
4001 – Create NMI Datastream Details – Retrospective	Used where the Current MDP makes a Retrospective Change to the initial set of information in MSATS about the NMI Datastream details, and there is no associated Datastream Status Code change to inactive for the <i>NMI</i> for the same effective date.

#### 13.2.2.10.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Datastream details do not exist in MSATS
- (c) The NMI Classification Code is SMALL or LARGE.

## 13.2.3. 10.1.3. Initiating Roles

A Current MDP may initiate a Change Request to create an NMI Datastream in MSATS in accordance with section  $\frac{20.410}{100}$ .

# 13.2.4.10.1.4. MDP Requirements

The Current MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	NMI Suffix (at least one)
Datastream Type (for each suffix)	Profile Name (for each suffix)	ADL (for each suffix)
Datastream Status Code (for each suffix)		

(d) Obtain the ADL from the LNSP if this value is not otherwise provided by the New FRMP.

The Current MDP may:

(e) for Retrospective Changes, populate the Change Request with the following information:

Actual End Date	



# 13.2.5.10.1.5. <u>Timeframe Rules</u>

When preparing a Change Request, the Current MDP must choose, for the identified Change Reason Code, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 1210-A.

#### Table 1210-A – Timeframe Rules

CR 4000 - Create NMI Datastream Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 4001 - Create NMI Datastream Details - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

## 13.2.6.10.1.6. Objection Rules

Objections are not permitted.

## 13.2.7.10.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 1210-B.

# Table 2010-B – Change Request Status Notification Rules"

CR 4000 – Create NMI Datastream Details

CR 4001 – Create NMI Datastream Details – Retrospective

Status FRMP	LR		LNSP		MDP		МРВ		RoLR		RP			
Change	N	С	N	С	Ν	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 14.10.2. Maintain Datastream – Exchange of Datastream Information—SMALL or Large

## 14.1.10.2.1. Application [4004 4005]

Section 2210.2 applies to the following Change Reason Codes:

Change Reason Code	Comment
4004 – Exchange of Datastream Information	Used where the Current MDP is required to make a Prospective Change to the NMI Datastream in MSATS. The change will include at least one Datastream Status Code change to inactive and the creation of at least one new Datastream. A minimum set of NMI Datastream details for the NMI shall exist upon Completion.
4005 – Exchange of Datastream Information – Retrospective	Used where the Current MDP is required to make a Retrospective Change to the NMI Datastream in MSATS. The change will include at least one Datastream Status Code change to inactive and the creation of at least one new Datastream. A minimum set of NMI Datastream details for the NMI shall exist upon Completion.

#### 14.1.1.10.2.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation details exist in MSATS.
- (c) The NMI Classification Code is SMALL or LARGE.

## 14.1.2.10.2.3. Initiating Roles

A Current MDP may initiate a Change Request to exchange Datastream records in MSATS in accordance with section 10.2.4.

# 14.1.3.10.2.4. MDP Requirements

The Current MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	Its Participant ID
Proposed Change Date	NMI	NMI Checksum

(d) For all Datastreams associated to the NMI, where the Datastream Status Code is to be 'A' populate the Change Request with the following information: (where this information does not currently exist in MSATS);

NMI Suffix (at least one)	Datastream Type (for each suffix)	Profile Name (for each suffix)
ADL (for each suffix)	Datastream Status Code (for each suffix)	

The Current MDP may:



Populate the Change Request with the following information: (e)

N	leter Serial ID (for each <i>meter</i> )	Register ID (for each Register ID)	MDM Contributory Suffix (for each Register ID)
f)	For Retrospective Changes,	populate the Change Request w	rith:

Actual End Date

## 14.1.4.<u>10.2.5.</u> Timeframe Rules

When preparing a Change Request, the Current MDP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 22-A10-C.

#### Table 22-A10-C – Timeframe Rules

CR 4004 – Exchange of Datastream Information

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 4005 – Exchange of Datastream Information – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

#### 14.1.5.10.2.6. Objection Rules

Objections are not permitted.

# 14.1.6.10.2.7. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section 21.110.2.1 are specified in Table 22-B10-D.

## Table 22-10-DB – Change Request Status Notification Rules"

CR 4004 – Exchange of Datastream Information

CR 4005 – Exchange of Datastream Information – Retrospective

Status Change	FRMP	•	LR		LNSP		MDP		МРВ		RoLR		RP	
	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 15.10.3. Maintain Datastream - Change NMI Datastream - Small or LARGE

## 15.1.10.3.1. Application [4050 4051]

Section 2310.3 applies to the following Change Reason Codes:

Change Reason Code	Comment
4050 – Change NMI Datastream	Used where the Current MDP is required to make a Prospective Change to the NMI Datastream in MSATS. Each Datastream must exist in MSATS and a minimum set of NMI Datastream details for the NMI shall exist upon Completion.
4051 – Change NMI Datastream – Retrospective	Used where the Current MDP is required to make a Retrospective Change to the NMI Datastream in MSATS . Each Datastream must exist in MSATS and a minimum set of NMI Datastream details for the NMI shall exist upon Completion.

## 15.1.1.10.3.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The metering installation and Datastream details exist in MSATS.
- (c) The NMI Classification Code is SMALL or LARGE.

#### 15.1.2.10.3.3. Initiating Roles

A Current MDP may initiate a Change Request to change an NMI Datastream in MSATS in accordance with section 22.410.3.4.

## 15.1.3.10.3.4. MDP Requirements

The Current MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	NMI Suffix

(d) For all Register IDs associated with the NMI suffix, where the Datastream Status Code is to be 'A', populate the Change Request with the following information (where this information does not currently exist in MSATS):

Datastream Type	Profile Name	ADL
Datastream Status Code		

The Current MDP may:

(e) Populate the Change Request with the following information:

West Schalb	MDM Contributory Suffix	Meter Serial ID	Register ID	
-------------	-------------------------	-----------------	-------------	--

(f) For Retrospective Changes, populate the Change Request with the following information:

Actual End Date
-----------------



# 15.1.4.<u>10.3.5.</u> Timeframe Rules

When preparing a Change Request, the Current MDP must choose, for the identified Change Reason Codes, a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 23-A10-E.

#### Table 23-A10-E – Timeframe Rules

CR 4050 – Change NMI Datastream Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 4051 – Change NMI Datastream Details – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

## 15.1.5.10.3.6. Objection Rules

Objections are not permitted.

## 15.1.6.10.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules for the Change Reason Codes identified in section 22.410.3.1 are specified in Table  $\frac{23-B10-F}{E}$ .

## Table 23-B10-F - Change Request Status Notification Rules"

CR 4050 – Change NMI Datastream Details

CR 4051 – Change NMI Datastream Details – Retrospective

Status FRMP			LR		LNSP		MDP		МРВ		RoLR		RP	
Change	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	N	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 11. MAINTAIN NMI - CHANGE REQUESTS

## 15.2.11.1. Update Next Scheduled Read Date — Small OR LARGE

## 15.2.1.11.1.1. Application [5070 5071]

Section 2411.1 applies to the following Change Reason Codes:

Change Reason Code	Comment
5070 – Update Next Scheduled Read Date	Used where the Current MDP is required to provide MSATS with the NSRD prospectively.
5071 – Update Next Scheduled Read Date – Retrospective	Used where the Current MDP is required to provide MSATS with the NSRD retrospectively.  Note if this transaction is submitted by batch, MSATS will be updated straight away.

## 15.2.2.11.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.
- (c) The *metering installation* is manually read, or has been made capable of *remote acquisition* in accordance with 7.8.9(b) of the NER.

# <del>15.2.3.</del> <u>11.1.3.</u> Initiating Roles

A Current MDP may initiate a Change Request to submit the NSRD to MSATS in accordance with section  $\underline{-23.411.14}$ .

# 15.2.4.11.1.4. MDP Requirements

The Current MDP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Meter Serial ID
NSRD		

The Current MDP may:

- (d) Obtain the Meter Reading frequency from the New FRMP.
- (e) Obtain the Meter Reading schedule from the MPC or MC.

## 15.2.5.11.1.5. Timeframe Rules

When preparing a Change Request, the Current MDP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 2411-A.



## Table 2411-A – Timeframe Rules

CR 5070 – Update Next Scheduled Read Date

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	3

CR 5071 – Update Next Scheduled Read Date – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	1	0

## 15.2.6.11.1.6. Objection Rules

Objections are not permitted.

## 15.2.7.11.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 2411-B-.

# Table 2411-B – Change Request Status Notification Rules"

CR 5070 – Update Next Scheduled Read Date

CR 5071 – Update Next Scheduled Read Date – Retrospective

Status Change	FRMF		LR		LNSP	•	MDP		MPB		RoLR		RP	
	Ν	С	Ν	С	Ν	С	N	С	Ν	С	Ν	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# MAINTAIN NMI - UPDATE LAST READ DATE

# Application [5072]

Section 29 applies to the following Change Reason Code:

Change Reason Code	Comment
5072 — Update Last Read Date	The MDP is required to provide MSATS with the date of the Last Read Date of the meter as well as the Quality Flag of that meter reading.
	Applies to Type 4A, Type 5 and Type 6 Metering only.

## **Conditions Precedent**

- The NMI exists in MSATS.
- The NMI Classification Code is SMALL or LARGE.
- The metering installation has been manually read.

## Initiating Roles

The MDP must initiate a Change Request to update the Last Read Date to MSATS in accordance with section 24.4.

## MDP Requirements

### The MDP must:

- Obtain the NMI Checksum from an approved source.
- Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- Provide the Last Read Date and Last Read Quality Flag to MSATS within 2 days of reading the meter.
- Populate a Change Request with the following information:

<u>Change Reason Code</u>	Participant Transaction ID	NMI and NMI Checksum
<u>Its Participant ID</u>	<u>Last Read Date</u>	Last Read Quality Flag
MDP		

# Timeframe Rules

When preparing a Change Request, the MDP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 24-A.

## Table 24-A - Timeframe Rules

CR 5072 – Update Last Read Date (MDP)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
<u>0</u>	<u>0</u>	<u>15</u>	<u>0</u>

# **Objection Rules**

Objections are not permitted.



# **Change Request Status Notification Rules**

<u>The Change Request Status Notification Rules for the Change Reason Codes identified in section 9.1 are specified in Table 24-B.</u>

# <u>Table 24-B – Change Request Status Notification Rules</u>

CR 5072 - Update Last Read Date (MDP)

PARTICIPANT ROLE - Receives Notification of Change

Status Change	FRM	<u>P</u>	<u>LR</u>		LNSP		MDP		<u>MPB</u>		Rolr		<u>RP</u>	
	<u>¥</u>	€	<u>¥</u>	€	<u>¥</u>	€	<u>4</u>	€	<u>4</u>	€	<u>4</u>	€	<u>4</u>	€
CANCELLED	Ξ	=	=	=	=	Ξ	Ξ	<u>Yes</u>	=	=	=	Ξ	Ξ	=
COMPLETED	=	=	Ξ	=	Ξ	Ξ	Ξ	<del>Yes</del>	Ξ	Ξ	=	=	=	Ξ
<u>OBJECTED</u>	Ξ	Ξ	Ξ	=	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ
<u>PENDING</u>	=	=	Ξ	=	Ξ	Ξ	Ξ	<u>Yes</u>	=	÷	Ξ	Ξ	=	Ξ
REJECTED	=	=	Ξ	=	Ξ	Ξ	Ξ	<u>Yes</u>	=	÷	Ξ	Ξ	=	Ξ
REQUESTED	=	Ξ	Ξ	=	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ

\*\* N = New Role, C = Current Role



## 15.3.11.2. Maintain NMI - BACKDATEBackdate a - NMI - SMALL OR large

## 15.3.1.11.2.1. Application [5001 5021]

Section 25-11.2 applies to the following Change Reason Codes:

Change Reason Code	Comment
5001 – Backdate NMI Start Date	Used where AEMO, on request from an LNSP, or the LNSP, backdates the initial set of information in MSATS in regard to a <i>connection point</i> to apply from a Retrospective Day.
5021 – Backdate NMI Start Date – Child	Used where AEMO, on request from an ENM, or the ENM, backdates the initial set of information in MSATS about a <i>child connection point</i> .

#### 15.3.2.11.2.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

### 15.3.3.11.2.3. Initiating Roles

AEMO, the ENM, or the LNSP may initiate a Change Request to backdate a *NMI's* Start Date in MSATS in accordance with section 11.2.4 or <del>25.6</del>11.2.6.

## 15.3.4.11.2.4. LNSP Requirements (5001 only)

The New LNSP (who must be the Current LNSP for the period where the  $\it NMI$  exists in MSATS) must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is still a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate a Change Request with values for the following data items:

Participant Transaction ID	NMI and NMI Checksum	Its Participant ID
Proposed Change Date	Actual End Date (which should be the day prior to the day that the NMI Master Record starts)	TNI Code
DLF Code	NMI Classification Code	Jurisdiction Code
FRMP	LR	RoLR
RP	MDP	MPB
MPC	LNSP as itself	NMI Status Code
Locality	State	Postcode

# (d) Populate the Change Request with values for the following address fields (as appropriate): EITHER

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type



OR

Unstructured Address 1	Unstructured Address 2	Unstructured Address 3

The LNSP may:

(e) Populate the Change Request with the following information:

Parent Name	Building Name	Feeder Class
Customer Threshold Code		

# 15.3.5.11.2.5. ENM Requirements (5021 only)

The New ENM (who must be the Current ENM for the period where the  $\it NMI$  exists in MSATS) must:

- (a) Obtain the NMI Checksum from an approved source. Confirm that the *NMI* is still a valid *NMI* for the *connection point*.
- (b) Provide AEMO with values for the following data items:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Participant ID	Proposed Change Date	Actual End Date (which should be the day prior to the day that the NMI Master Record starts on)
TNI Code	DLF Code	NMI Classification Code
Jurisdiction Code	Child Name	FRMP
LR	RoLR	RP
MDP	MPB	MPC
LNSP, as the ENM	NMI Status Code	Locality
State	Postcode	

(c) Provide AEMO with values for the following address fields (as appropriate):

## EITHER

DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number
House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type

## OR

Unstructured Address 1	Unstructured Address 2	Unstructured Address 3

# The ENM may provide AEMO with the following information:

Parent Name	Building Name	Feeder Class
Customer Threshold Code		



# 15.3.6.11.2.6. AEMO Requirements

AEMO must, on request from an LNSP, populate a Change Request with the data provided by the LNSP in accordance with section 11.2.4 (CR 5001) or ENM in accordance with section 25.511.2.5 (CR 5021).

## 15.3.7.11.2.7. MPB Requirements

The New MPB must, on receipt of a Completed notification, backdate the *metering installation* details using CR 3001.

## 15.3.8.<u>11.2.8.</u> Timeframe Rules

When preparing a Change Request, AEMO or the LNSP (as applicable) must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 25-A11-C.

## Table 25-A11-C – Timeframe Rules

CR 5001 – Backdate NMI Start Date

CR 5021 – Backdate NMI Start Date – Child

Objection Logg (business days)	ing Period	Objection Cleari (business days)	ng Period	Retrospective Period (business days)	Prospective Period (business days)
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI		
1	1	10	20	140	0

### 15.3.9.11.2.9. Objection Rules

The 'Yes' Roles specified in Table <u>25-B11-D</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table <u>25-A11-C</u>.

## Table 25-B11-D – Objection Rules"

CR 5001 – Backdate NMI Start Date

Objection	NMI	Jur'n	FRM	1P	LR		MDF	)	MPE	3	RoLl	R	RP		LNS	Р
Code	Class		Ν	С	Ν	С	N	С	Ν	С	Ν	С	Ν	С	Ν	С
NOTRESP	SMALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-
	LARGE												-			
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-

CR 5021 – Backdate NMI Start Date – Child

Objection	NMI				Jur'n	FRMP		LR		MDP		MPB		RoLR		RP		LNSP	
Code	Class		Ν	С	Ν	С	Ν	С	Ν	С	N	С	Ν	С	Ν	С			
NOTRESP	SMALL	ALL	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	-	-			
	LARGE												-						
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-			
RETRO	SMALL	NSW VIC SA	Yes	-	Yes	-	-	-	-	-	-	-	-	-	-	-			
	LARGE	ALL																	

<sup>\*\*</sup> N = New Role, C = Current Role.



# 15.3.10.11.2.10. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table <u>25-C11-E</u>.

## Table 25-C11-E – Change Request Status Notification Rules"

CR 5001 – Backdate NMI Start Date

CR 5021 – Backdate NMI Start Date – Child

Status	FRMP		LR	LR		LNSP		MDP		МРВ		RoLR		RP	
Change	N	С	N	С	Ν	С	Ν	С	N	С	Ν	С	Ν	С	
CANCELLED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
COMPLETED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
OBJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
PENDING	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
REJECTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	
REQUESTED	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	-	

<sup>\*\*</sup> N = New Role, C = Current Role.



# 15.4.11.3. Maintain NMI - CChange a NMI - Small OR LARGE

## 15.4.1.11.3.1. Application [5050 5051]

Section <u>2611.3</u> applies to the following Change Reason Codes:

Change Reason Code	Comment
5050 – Change NMI Details	Used where the Current LNSP is required to make a Prospective Change to the set of information in MSATS about a <i>connection point</i> .
5051 – Change NMI Details – Retrospective	Used where the Current LNSP is required to make a Retrospective Change to the information in MSATS about a <i>connection point</i> .

## 15.4.2.11.3.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

## 15.4.3.<u>11.3.3.</u> Initiating Roles

A Current LNSP may initiate a Change Request to change a  $\mathit{NMI}$  record in MSATS in accordance with section 11.3.4.

## 15.4.4.11.3.4. LNSP Requirements

The Current LNSP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate an Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

The Current LNSP may:

(d) Populate the Change Request with the following information:

TNI Code	DLF Code	NMI Classification Code
Jurisdiction Code	NMI Status Code	Parent Name
Locality	State	Postcode
Building Name	DPID	Flat Number
Flat Type	Floor Number	Floor Type
House Number	House Number Suffix	Location Descriptor
Lot Number	Street Name	Street Suffix
Street Type	Unstructured Address 1	Unstructured Address 2
Unstructured Address 3	Feeder Class	Customer Threshold Code

(e) For Retrospective Changes, populate the Change Request with the

Actual End Date	



## 15.4.5.11.3.5. Timeframe Rules

When preparing a Change Request, the Current LNSP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 26-A11-F.

# Table <del>26-A<u>11-F</u> – Timeframe Rules</del>

CR 5050 - Change NMI Details

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 5051 - Change NMI Details - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

Note: An Objection Logging Period of zero means Objections need to be logged by midnight of the *business day* that the Change Request is submitted.

#### 15.4.6.11.3.6. Objection Rules

The 'Yes' Roles specified in Table <u>26–B11-G</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table <u>26–A11-F</u>.

## Table 26-B11-G – Objection Rules"

CR 5050 - Change NMI Details

CR 5051 – Change NMI Details – Retrospective

Objection	NMI				Jur'n	FRMP		LR		MDP		MPB		RoLR		RP		LNSP	
Code Class	Class	ass	N	С	N	С	N	С	Ν	С	Ν	С	N	С	N	С			
NOTRESP	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-			

<sup>\*\*</sup> N = New Role, C = Current Role.

#### 15.4.7.11.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 26-C11-H.

## Table 26-C11-H – Change Request Status Notification Rules

CR 5050 – Change NMI Details

CR 5051 – Change NMI Details – Retrospective

Status			LR		LNSP	LNSP		MDP		МРВ		RoLR		RP	
Change	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	N	С	
CANCELLED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-	
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	
OBJECTED	-	-	-	-	-	Yes	-	Yes	-	-	-	-	-	-	
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
REJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
REQUESTED	-	-	-	-	-	-	-	Yes	-	-	-	-	-	-	

<sup>\*\*</sup> N = New Role, C = Current Role.



# 15.5.11.4. Maintain NMI – Change a NMI – Customer CLASSIFICATION Classification Code – Small OR LARGE

## 15.5.1.11.4.1. Application [5054 5055]

Section <u>2711.4</u> applies to the following Change Reason Codes:

Change Reason Code	Comment
5054 – Change NMI Details – Customer Classification Code	Used where the Current FRMP is required to make a Prospective Change to the Customer Classification Code.
5055 – Change NMI Details – Customer Classification Code – Retrospective	Used where the Current FRMP is required to make a Retrospective Change to the Customer Classification Code.

#### 15.5.2.11.4.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

#### 15.5.3.11.4.3. Initiating Roles

A Current FRMP may initiate a Change Request to change a NMI record in MSATS in accordance with section- $\frac{27.4}{11.4.4}$ .

## 15.5.4.11.4.4. FRMP Requirements

The Current FRMP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Customer Classification Code

For Retrospective Changes, the Current FRMP may populate the Change Request with the:

Actual End Date

### 15.5.5.11.4.5. Timeframe Rules

When preparing a Change Request, the Current FRMP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 27-A11-1.

#### Table 27-A11-I – Timeframe Rules

CR 5054 – Change NMI Details Customer Classification Code

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65



# CR 5055 – Change NMI Details Customer Classification Code – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

# 15.5.6.<u>11.4.6.</u> Objection Rules

Objections are not permitted.

## 15.5.7.11.4.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 27-B11-J.

#### Table 27-B11-J - Change Request Status Notification Rules"

CR 5054 – Change NMI Details Customer Classification Code

CR 5055 – Change NMI Details Customer Classification Code – Retrospective

Status Change	Status Change FRMP		LR		LNSP	LNSP		MDP		МРВ		RoLR		RP	
	Ν	С	N	С	Ν	С	Ν	С	N	С	N	С	N	С	
CANCELLED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes	
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PENDING	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	
REJECTED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	
REQUESTED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	-	

<sup>\*\*</sup> N = New Role, C = Current Role.



# 16.11.5. Maintain NMI — Change NMI Embedded Network — C-(child) — Small or LARGE

## 16.1.11.5.1. Application [5060 5061]

Section 28-11.5 applies to the following Change Reason Codes:

Change Reason Code	Comment
5060 – Change NMI Details – Child	Used where the Current ENM is required to make a Prospective change to the information in MSATS about a <i>connection point</i> that is connected to an <i>embedded network</i> .
5061 – Change NMI Details – Child – Retrospective	Used where the Current ENM is required to provide a Retrospective Change to the information in MSATS about a <i>connection point</i> that is connected to an <i>embedded network</i> .

## 16.1.1.11.5.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

## 16.1.2.11.5.3. Initiating Roles

A Current ENM may initiate a Change Request to change a *NMI* record in MSATS in accordance with section\_28.4<u>11.5.4</u>.

## 16.1.3.11.5.4. ENM Requirements

The Current ENM must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

The Current ENM may:

(d) Populate the Change Request with the following information:

TNI Code	DLF Code	NMI Classification Code
Jurisdiction Code	NMI Status Code	Parent Name
Child Name	Locality	State
Postcode	Building Name	DPID
Flat Number	Flat Type	Floor Number
Floor Type	House Number	House Number Suffix
Location Descriptor	Lot Number	Street Name
Street Suffix	Street Type	Unstructured Address 1
Unstructured Address 2	Unstructured Address 3	Feeder Class
Customer Threshold Code		

(e) For Retrospective Changes, populate the Change Request with the following information:



Actual End Date

# 16.1.4.11.5.5. Timeframe Rules

When preparing a Change Request, the ENM must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 28–A11-K.

## Table 28-A11-K – Timeframe Rules

CR 5060 - Change NMI Details - Child

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 5061 – Change NMI Details – Child – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	140	0

# 16.1.5.<u>11.5.6.</u> Objection Rules

Objections are not permitted.

# 16.1.6.11.5.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 28-B11-L.

# Table 28-B11-L – Change Request Status Notification Rules"

CR 5060 – Change NMI Details – Child

CR 5061 – Change NMI Details – Child – Retrospective

Status Change	FRMI	Р	LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	Ν	С	N	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 17.11.6. Maintain NMI - CChange Parent Name - Small or large

# 17.1.11.6.1. Application [5080 5081]

Section 29-11.6 applies to the following Change Reason Codes:

Change Reason Code	Comment
5080 – Change Parent Name	Used where the Current LNSP is required to apply a Prospective Change to the Parent Name.
5081 – Change Parent Name – Retrospective	Used where the Current LNSP is required to apply a Retrospective Change to the Parent Name.

### 17.1.1.11.6.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

### 17.1.2.11.6.3. Initiating Roles

A Current LNSP may initiate a Change Request to change the Parent Name in accordance with section 29.411.6.4.

### 17.1.3.11.6.4. LNSP Requirements

The Current LNSP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate the Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	Parent Name

For Retrospective Changes, the Current LNSP may populate the Change Request with the following information:

Actual End Date		
-----------------	--	--

# 17.1.4.<u>11.6.5.</u> Timeframe Rules

When preparing a Change Request, the Current LNSP (as applicable) must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 29-A11-M.

## Table 29-11-MA - Timeframe Rules

CR 5080 – Change Parent Name

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65



# CR 5081 – Change Parent Name – Retrospective

Objection Logging Period (business days)	33 3		Prospective Period (business days)	
0	0	(business days) 140	0	

# 17.1.5.<u>11.6.6.</u> Objection Rules

Objections are not permitted.

## 17.1.6.11.6.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 29-B11-N.

## Table 29-B11-N – Change Request Status Notification Rules"

CR 5080 – Change Parent Name

CR 5081 – Change Parent Name – Retrospective

Status Change	FRMF		LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	-	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-
REQUESTED	-	Yes	-	-	-	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 12. CHANGE ROLE - CHANGE REQUESTS

# 17.2.12.1. Change LNSP — Small OR LARGE

## 17.2.1.12.1.1. Application [6100 6110]

Section 30-12.1 applies to the following Change Reason Codes:

Change Reason Code	Comment
6100 – Change LNSP	Used where the New LNSP or the New ENM is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Prospective Change to the name of the Current LNSP or the Current ENM in MSATS
6110 – Change LNSP – Retrospective	Used where the New LNSP or the New ENM is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Retrospective Change to the name of the Current LNSP or the Current ENM in MSATS.

# 17.2.2.12.1.2. Conditions Precedent

- The NMI exists in MSATS.
- The NMI Classification Code is SMALL or LARGE. (b)

## 17.2.3.12.1.3. Initiating Roles

A New LNSP or New ENM may initiate a Change Request to change an LNSP or ENM in MSATS in accordance with section 12.1.4.

## 17.2.4.12.1.4. LNSP or ENM Requirements

The New LNSP or the New ENM must:

- (a) Obtain the NMI Checksum from an approved source.
- Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a (b) Change Request.
- Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

Nominate itself as the New LNSP or the New ENM.

The New LNSP or the New ENM may:

populate the Change Request with the following information:

TNI	Code	DLF Code	NMI Classification Code			
Juri	sdiction Code					
(f) for Retrospective Changes, populate the Change Request with:						

Actual End Date

# 17.2.5.12.1.5. Timeframe Rules

When preparing a Change Request, the New LNSP or the New ENM (as applicable) must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 3012-A.



## Table 1230-A – Timeframe Rules

CR 6100 – Change LNSP

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

### CR 6110 - Change LNSP - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

## 17.2.6.12.1.6. Objection Rules

The 'Yes' Roles specified in Table 3012-B may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 3012-A.

# Table 3012-B – Objection Rules"

CR 6100 – Change LNSP

Objection	NMI	Jur'n	FRM	IP	LR		MDI		MPE	1	RoLF	2	RP		LNS	Р
Code	Class		N	С	N	С	N	С	Ν	С	Ν	С	N	С	N	С
BADDATA	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
NOTRESP	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes

# CR 6110 – Change LNSP – Retrospective

Objection	n	NMI	Jur'n	FRM	IP	LR		MDF		MPE	3	RoLF	3	RP		LNS	Р
Code		Class		Ν	С	N	С	N	С	N	С	Ν	С	N	С	N	С
BADDAT	A	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
NOTRESE	0	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
RETRO		ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.

# 17.2.7.12.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 3012-C.

## Table <u>1230</u>-C – Change Request Status Notification Rules"

CR 6100 – Change LNSP

CR 6110 – Change LNSP – Retrospective

Status Change	FRMP	•	LR	LR LN:		LNSP MDP			МРВ				RP	
	N	С	Ν	С	Ν	С	N	С	N	С	N	С	Ν	С
CANCELLED	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	-	Yes	Yes	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-
PENDING	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-
REJECTED	-	-	-	-	Yes	Yes	-	Yes	-	-	-	-	-	-





Status Change	FRMP		LR		LNSP		MDP		МРВ		RoLR		RP	
	N	С	Ν	С	N	С	Ν	С	N	С	N	С	N	С
REQUESTED	-	-	-	-	Yes	Yes	-	Yes	-	-	-	_	_	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 18.12.2. Change Role - Change MDP - Small OR LARGE

# 18.1.12.2.1. Application [6200 6210]

Section 31-12.2 applies to the following Change Reason Codes:

Change Reason Code	Comment
6200 – Change MDP	Used where the Current FRMP or Current MC is required to apply a Prospective Change to the name of the Current MDP
6210 – Change MDP – Retrospective	Used where the Current FRMP or Current MC is required to apply a Retrospective Change to the name of the Current MDP.

### 18.1.1.12.2.2. Conditions Precedent

- (a) The NMI details exist in MSATS
- (b) The NMI Classification Code is SMALL or LARGE.

### 18.1.2.12.2.3. Initiating Roles

The Current FRMP or Current MC may initiate a Change Request to change a MDP in MSATS in accordance with section <u>31.412.2.4</u>.

# 18.1.3.12.2.4. FRMP/Current MC Requirements

The Current FRMP or Current MC (as applicable) must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Participant ID	Proposed Change Date	MDP

The Current FRMP or Current MC (as applicable) may:

(d) For Retrospective Changes, populate the Change Request with the following information:

|--|

## 18.1.4.12.2.5. MDP Requirements

On receipt of a Data Request for CR 6200, the MDP must initiate a Change Request to provide the Actual Change Date.

# <del>18.1.5.</del><u>12.2.6.</u> Timeframe Rules

When preparing a Change Request, the Current FRMP or Current MC (as applicable) must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table  $\frac{31-A12-D}{A}$ .



# Table 31-A12-D – Timeframe Rules

CR 6200 – Change MDP

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

### CR 6210 - Change MDP - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

# 18.1.6.12.2.7. Objection Rules

The 'Yes' Roles specified in Table  $\frac{31-B_12-E}{E}$  may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table  $\frac{31-A_12-D}{E}$ .

# Table 31-B12-E - Objection Rules"

CR 6200 – Change MDP

Objection	NMI	Jur'n	FRM	P	LR		MDF	)	MPB		RoLF	2	RP		LNSF	)
Code	Class		N	С	N	С	Ν	С	Ν	С	N	С	N	С	N	С
DECLINED	ALL	ALL	-	-	-	-	Yes	-	-	-	-	-	-	-	-	-
NOTRESP	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
BADPARTY	LARGE	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-
DATEBAD	ALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-

# CR 6210 – Change MDP – Retrospective

Objection	NMI	Jur'n	FRM	P	LR		MDF	)	MPB		RoLF	2	RP		LNS	0
Code	Class		N	С	N	С	N	С	N	С	N	С	N	С	N	С
DECLINED	ALL	ALL	-	-	-	-	Yes	-	-	-	-	-	-	-	-	-
NOTRESP	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-
BADDATA	SMALL	NSW VIC SA	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-
BADDATA	LARGE	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-
BADPARTY	LARGE	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-
DATEBAD	ALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

# 18.1.7.12.2.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 31-C12-F.



# Table 31-C12-F – Change Request Status Notification Rules"

CR 6200 – Change MDP

CR 6210 – Change MDP – Retrospective

Status Change	Status Change FRMP LR		LNSP	LNSP		MDP		MPB		RoLR				
	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	-	Yes	-	-	-	-	Yes	Yes	-	-	-	-	-	Yes
COMPLETED	-	Yes	-	Yes	-	Yes	Yes	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	Yes	-	-	-	-	Yes	Yes	-	-	-	-	-	Yes
PENDING	-	Yes	-	-	-	-	Yes	Yes	-	-	-	-	-	Yes
REJECTED	-	Yes	-	-	-	-	-	-	-	-	-	-	-	Yes
REQUESTED	-	Yes	-	-	-	-	Yes	Yes	-	-	-	-	-	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



# 19.12.3. Change Role - Change MC - Small OR LARGE

# 19.1.12.3.1. Application [6300 6301]

Section 32-12.3 applies to the following Change Reason Codes:

Change Reason Code	Comment
6300 – Change MC	Used where the New MC or Current FRMP is required to apply a Prospective Change to the Current MC.
6301 – Change MC – Retrospective	Used where the New MC or Current FRMP is required to apply a Retrospective Change to the Current MC.

### 19.1.1.12.3.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

### 19.1.2.12.3.3. Initiating Roles

A New MC (where the NMI Classification Code for a *NMI* is Large) or Current FRMP (for any *NMI*) may initiate a Change Request to change the MC in MSATS in accordance with section 32.412.3.4.

### 19.1.3.12.3.4. MC/Current FRMP Requirements

The New MC/Current FRMP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Participant ID of the New MC	Proposed Change Date	

(d) Nominate the New MC.

The New MC/Current FRMP may:

(e) For Retrospective Changes, populate the Change Request with the following information:

Actual End Date

# 19.1.4.12.3.5. Timeframe Rules

When preparing a Change Request, the New MC/Current FRMP must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 32-A12-G.

# Table 32-A12-G – Timeframe Rules

CR 6300 - Change MC

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65



# CR 6301 – Change MC – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

# 19.1.5.12.3.6. Objection Rules

The 'Yes' Roles specified in Table <u>32–B12-H</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table <u>32–A12–G</u>.

## Table 32-B12-H - Objection Rules"

CR 6300 – Change MC

Objection	NMI		Jur'n	FRI	MP	LR		MDP		MPB		RoLR		RP		LNSF	,
Code	Class		Ν	С	N	С	Ν	С	Ν	С	N	С	N	С	Ν	С	
CONTRACT	LARGE	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-	
DECLINED	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-	

## CR 6301 – Change MC – Retrospective

Objection	NMI	Jur'n	FRMP		LR		MDP		МРВ		RoLR		RP		LNSP	
Code	Class		Ν	С	N	С	N	С	N	С	N	С	N	С	N	С
RETRO	ALL	ALL	-	Yes	-	-	-	-	-	-	-	-	-	Yes	-	-
DECLINED	ALL	ALL	-	-	-	-	-	-	-	-	-	-	Yes	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

# 19.1.6.12.3.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 32-C.12-I.

# Table 32-C12-I – Change Request Status Notification Rules"

CR 6300 – Change MC

CR 6301 – Change MC – Retrospective

Status Change	FRMF	)	LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	-	Yes	-	-	-	-	-	-	-	-	-	-	Yes	Yes
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	-	-	Yes	Yes
OBJECTED	-	Yes	-	-	-	-	-	-	-	-	-	-	Yes	Yes
PENDING	-	Yes	-	-	-	-	-	-	-	-	-	-	Yes	Yes
REJECTED	-	Yes	-	-	-	-	-	-	-	-	-	-	Yes	Yes
REQUESTED	-	Yes	-	-	-	-	-	-	-	-	-	-	Yes	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



# 20.12.4. Change Role - Change LR - Small or LARGE

# 20.1.12.4.1. Application [6400 6401]

Section 33-12.4 applies to the following Change Reason Codes:

Change Reason Code	Comment
6400 – Change LR	Used where the New LR is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Prospective Change to the name of the Current LR.
6401 – Change LR – Retrospective	Used where the New LR is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Retrospective Change to the name of the Current LR.

## 20.1.1.12.4.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

## 20.1.2.12.4.3. Initiating Roles

A New LR may initiate a Change Request to change an LR in MSATS in accordance with section 33.412.4.4.

## 20.1.3.12.4.4. LR Requirements

The New LR must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

(d) Nominate itself as the New LR.

The New LR may, for Retrospective Changes, populate the Change Request with the following information:

Actual End Date	

# 20.1.4.12.4.5. Timeframe Rules

When preparing a Change Request, the New LR must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 33-A12-J.

## Table 33-A12-J – Timeframe Rules

CR 6400 – Change LR

Objection Logg (business days)	ing Period	Objection Clearing (business days)	ng Period	Retrospective Period (business days)	Prospective Period (business days)
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI		
1	1	10	20	0	65

CR 6401 – Change LR – Retrospective



Objection Logg (business days)	ing Period	Objection Cleari (business days)	ng Period	Retrospective Period (business days)	Prospective Period (business days)
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI		
1	1	10	20	130	0

## 20.1.5.12.4.6. Objection Rules

The 'Yes' Roles specified in Table  $\frac{33-B_{12-K}}{12-K}$  may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table  $\frac{33-A_{12-J}}{12-K}$ .

# Table 33-B12-K - Objection Rules"

CR 6400 – Change LR

5	NMI	Jur'n	FRM	Р	LR		MDP		MPB		RoLF	l	RP		LNSF	)
Code	Class		N	С	N	С	N	С	Ν	С	N	С	N	С	Ν	С
NOTRESP	ALL	ALL	-	-	-	Yes	-	_	-	-	-	-	-	-	_	_

## CR 6401 – Change LR – Retrospective

Objection	NMI	Jur'n	FRM	Р	LR		MDP		МРВ		RoLF	l	RP		LNSF	)
Code	Class		N	С	N	С	N	С	N	С	N	С	N	С	N	С
NOTRESP	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
RETRO	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

## 20.1.6.12.4.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 33-C12-L.

# Table $\frac{33-C}{12-L}$ – Change Request Status Notification Rules

CR 6400 – Change LR

CR 6401 – Change LR – Retrospective

Status Change	FRMF		LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	N	С	Ν	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	Yes	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-
PENDING	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-
REJECTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-
REQUESTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 20.2.12.5. Change Role - Change LR - CHILD Child NMI - Small or Large

# 20.2.1.12.5.1. Application [6421]

Section 34-12.5 applies to the following Change Reason Codes:

Change Reason Code	Comment
6421 – Change LR – Child NMI	Used where the New LR for a Child NMI is required (due to an error in the NMI
<ul> <li>Retrospective</li> </ul>	Master Record) to apply a Retrospective Change to the name of the Current LR.

### 20.2.2.12.5.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.
- (c) The New LR for the *child connection point* must be the FRMP of the Parent NMI.

#### 20.2.3.12.5.3. Initiatina Roles

A New LR may initiate a Change Request to change a LR in MSATS in accordance with section 34.412.5.4.

## 20.2.4.12.5.4. LR Requirements

The New LR must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

(d) Nominate itself as the New LR.

The New LR may populate the Change Request with the following information:

Actual End Date
-----------------

# 20.2.5.12.5.5. Timeframe Rules

When preparing a Change Request, the New LR must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown Table 34-A12-M.

## Table 34-A12-M – Timeframe Rules

CR 6421 - Change LR Child NMI - Retrospective

Objection Loggin (business days)	g Period	Objection Clea		Retrospective Period (business days)	Prospective Period (business days)
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI		
1	1	10	20	130	0



# **20.2.6. 12.5.6.** Objection Rules

The 'Yes' Roles specified in Table 34-B12-N may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table 34-A12-M.

# Table 34-B12-N – Objection Rules"

CR 6421 – Change LR Child NMI – Retrospective

Objection	NMI	Jur'n	FRM	Р	LR		MDP		МРВ		MPC		RP		LNSF	,
Code	Class		N	С	N	С	N	С	Ν	С	Ν	С	Ν	С	Ν	С
NOTRESP	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-
RETRO	ALL	ALL	-	-	-	Yes	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

# 20.2.7.12.5.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 34-C12-O.

# Table 34-C12-O – Change Request Status Notification Rules

CR 6421 – Change LR Child NMI – Retrospective PARTICIPANT ROLE – Receives Notification of Change

Status Change	FRMP		LR	LR		LNSP		MDP		MPB		MPC		
	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-
COMPLETED	-	Yes	Yes	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-
PENDING	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-
REJECTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-
REQUESTED	-	-	Yes	Yes	-	-	-	Yes	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 21.12.6. Change Role - Change ROLR - Small or LARGE

# 21.1.12.6.1. Application [6500 6501]

Section 35-12.6 applies to the following Change Reason Codes:

Change Reason Code	Comment
6500 – Change RoLR	Used where the New RoLR is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Prospective Change to the name of the Current RoLR.
6501 – Change RoLR – Retrospective	Used where the New RoLR is required (either by a regulatory change or due to an error in the NMI Master Record) to apply a Retrospective Change to the name of the Current RoLR.

## 21.1.1.12.6.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

# 21.1.2.12.6.3. Initiating Roles

A New RoLR may initiate a Change Request to change a RoLR in accordance with section 35.412.6.4.

## 21.1.3.12.6.4. ROLR Requirements

The New RoLR must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

(d) Nominate itself as the New RoLR.

The New RoLR may, for Retrospective Changes, populate the Change Request with the following information:

Actual End Date

# 21.1.4.12.6.5. Timeframe Rules

The Timeframe Rules are shown in the Table 35-A12-P.

## Table 35-A12-P – Timeframe Rules

CR 6500 – Change RoLR

Objection Logo (business days)	, ,	Objection Clea (business days	2	Retrospective Period (business days)	Prospective Period (business days)		
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI				
0	0	0	0	0	65		



# CR 6501 – Change RoLR – Retrospective

Objection Logo (business days)	, ,	Objection Clea	2	Retrospective Period (business days)	Prospective Period (business days)		
SMALL NMI	LARGE NMI	SMALL NMI	LARGE NMI				
0	0	0	0	130	0		

# 21.1.5.12.6.6. Objection Rules

Objections are not permitted.

# 21.1.6.12.6.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 35-B12-Q.

# Table 35-B12-Q – Change Request Status Notification Rules"

CR 6500 – Change RoLR

CR 6501 – Change RoLR – Retrospective

Status Change FRMP			LR		LNSP		MDP		МРВ		RoLR		RP	
	N	С	N	С	Ν	С	Ν	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-
COMPLETED	-	Yes	-	Yes	-	Yes	-	Yes	-	Yes	Yes	Yes	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	Yes	Yes	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 22.12.7. Change Role – Change MPB OR or MPC or Bboth – Small or LARGE

## 22.1.12.7.1. Application [6700 6701]

Section 36-12.7 applies to the following Change Reason Codes:

Change Reason Code	Comment
6700 – Change MPB or MPC or both	Used where the Current MC is required to provide a Prospective Change to the Current MPB or MPC or both.
6701 – Change MPB or MPC or both – Retrospective	Used where the Current MC is required to provide a Retrospective Change the Current MPB or MPC or both.

### 22.1.1.12.7.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

#### 22.1.2.12.7.3. Initiating Roles

A Current MC may initiate a Change Request to change an MPB or MPC or both in accordance with section 36.412.7.4.

## 22.1.3.12.7.4. MC Requirements

The Current MC must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the NMI is a valid NMI for the connection point prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

(d) Populate the Change Request with at least one of the following information:

MPB	MPC	

The Current MC may:

(e) For Retrospective Changes, populate the Change Request with the following information:

Actual End Date		

# 22.1.4.12.7.5. MDP Requirements

On receipt of a Data Request for Change Reason Code 6700, the MDP must initiate a Change Request to provide the Actual Change Date.

# 22.1.5.<u>12.7.6.</u> Timeframe Rules

When preparing a Change Request, the Current MC must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 36-A12-R.



## Table 36-A12-R – Timeframe Rules

CR 6700 – Change MP

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

### CR 6701 – Change MP – Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

## 22.1.6.12.7.7. Objection Rules

The 'Yes' Roles specified in Table <u>36-B12-S</u> may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table <u>36-A12-R</u>.

# Table 36-B12-S – Objection Rules"

CR 6700 - Change MP

CR 6701 – Change MP – Retrospective

Objection			Р	LR M		MDP	MDP N		МРВ		RoLR		RP		LNSP	
Code	Class		Ν	С	N	С	N	С	N	С	N	С	N	С	N	С
DECLINED	ALL	ALL	-	-	-	-	-	-	Yes	-	-	-	-	-	-	-
NOTAPRD	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
DATEBAD	ALL	ALL	-	-	-	-	-	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

## 22.1.7.12.7.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table  $\frac{36-C12-T}{}$ .

## Table 36-C12-T - Change Request Status Notification Rules"

CR 6700 – Change MP

CR 6701 – Change MP – Retrospective

Status Change	FRMF	)	LR	LR LNSP		MDP		MPB		RoLR		RP		
	N	С	Ν	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	Yes	-	Yes	Yes	Yes	-	-	-	Yes
COMPLETED	-	Yes	-	-	-	Yes	-	Yes	Yes	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	Yes	-	Yes	Yes	Yes	-	-	-	Yes
PENDING	-	-	-	-	-	-	-	Yes	Yes	Yes	-	-	-	Yes
REJECTED	-	-	-	-	-	Yes	-	Yes	Yes	Yes	-	-	-	Yes
REQUESTED	-	-	-	-	-	Yes	-	Yes	Yes	Yes	-	-	-	Yes

<sup>\*\*</sup> N = New Role, C = Current Role.



# 23.12.8. Change Role - Change MULTIPLE Multiple Roles - SMALL or LARGE

# 23.1.12.8.1. AApplication [6800 6801]

Section 37-12.8 applies to the following Change Reason Codes:

Change Reason Code	Comment
6800 – Change Multiple Roles	Used where the Current FRMP or Current MC is required to provide concurrent Prospective Changes to one or more Roles.
6801 – Change Multiple Roles – Retrospective	Used where the Current FRMP or Current MC is required to provide concurrent Retrospective Changes to one or more Roles.

### 23.1.1.12.8.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.
- (c) The date of the change of MC, MDP, MPB or MPC will be the Actual Change Date.

## 23.1.2.12.8.3. Initiating Roles

- (a) A Current FRMP may initiate a Change Request to change any or all of the MC, MDP, MPB and MPC in MSATS in accordance with section 37.412.8.4.
- (b) A Current MC may initiate a Change Request to change any or all of the MDP, MPB and MPC in MSATS in accordance with section <u>12.8</u>37.5.

## 23.1.3.12.8.4. FRMP Requirements

The FRMP must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Participant ID	Proposed Change Date	

(d) Populate a Change Request with one or more of the following:

MDP	MPB	MPC
RP		

The FRMP may:

(e) For Retrospective Changes, populate the Change Request with the following information:

Actual End Date		
Actual Life Date		

# 23.1.4.12.8.5. MC Requirements

The MC must:

(a) Obtain the NMI Checksum from an approved source.



- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Participant ID	Proposed Change Date	

(d) Populate a Change Request with one or more of the following:

MDP MPB MPC

The MC may, for Retrospective Changes, populate the Change Request with the following information:

Actual End Date

## 23.1.5.12.8.6. MDP Requirements

The MDP must:

- (a) On receipt of a Data Request for Change Reason Code 6800 initiate a Change Request to provide the Actual Change Date.
- (b) For Prospective Changes that do not require a Meter Reading, provide the Actual Change Date within 2 days of the Proposed Change Date being reached.
- (c) For changes that require a Meter Reading, provide the Actual Change Date within 2 *days* of the Meter Reading.

### 23.1.6.12.8.7. Timeframe Rules

When preparing a Change Request, the Current MC or Current FRMP (as applicable) must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 37-A12-U.

### Table 37-A12-U - Timeframe Rules

CR 6800 - Change Multiple Roles

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	0	65

### CR 6801 - Change Multiple Roles - Retrospective

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
1	20	130	0

## 23.1.7.12.8.8. Objection Rules

The 'Yes' Roles specified in Table  $\frac{37-B_{12-V}}{1}$  may Object using the Objection Codes indicated against their Roles within the Objection Logging Period specified in Table  $\frac{37-A_{12-V}}{1}$ .



# Table 37-B12-V – Objection Rules"

CR 6800 – Change Multiple Roles

Objection	NMI	Jur'n		'n FRMP		LR		MDP		MPB		MPC		RP		LNSP	
Code	Class		Ν	С	Ν	С	N	С	N	С	N	С	N	С	N	С	
BADPARTY	ALL	ALL	-		-	-	-	-	-	-	-	-	-	Yes	-	-	
CONTRACT	LARGE	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Yes	Ξ	Ξ	
DATEBAD	ALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-	
DECLINED	ALL	ALL	-	-	-	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-	
NOTAPRD	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes	
NOTRESP	ALL	ALL	-	-	-	-	-	Yes	-	Yes	-	Yes	-	-	-	-	
NOACC	ALL	ALL	-	-	-	-	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-	-	

CR 6801 – Change Multiple Roles – Retrospective

	3			p												
Objection		Jur'n	FRMP		LR		MDP		MPB		MPC		RP		LNSP	
Code	Class		Ν	С	N	С	N	С	N	С	N	С	N	С	N	С
BADPARTY	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-
CONTRACT	LARGE	ALL	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Yes	Ξ	Ξ
DATEBAD	ALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-
DECLINED	ALL	ALL	-	-	-	-	Yes	-	Yes	-	Yes	-	Yes	-	-	-
NOTAPRD	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	Yes
NOTRESP	ALL	ALL	-	-	-	-	-	Yes	-	Yes	-	Yes	-	-	-	-
RETRO	ALL	ALL	-	-	-	-	-	-	-	-	-	-	-	Yes	-	-
BADDATA	ALL	ALL	-	-	-	-	Yes	Yes	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.

# 23.1.8.12.8.9. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 37-C12-W.

# Table 37-C12-W – Change Request Status Notification Rules"

CR 6800 – Change Multiple Roles

CR 6801 – Change Multiple Roles – Retrospective

Status	FRMP		LR		LNSP		MDP		MPB		MPC		RP	
Change	N	С	Ν	С	N	С	Ν	С	N	С	N	С	Ν	С
CANCELLED	Ξ	Yes	-	-	-	Yes								
COMPLETED	Ξ	Yes	-	Yes	-	Yes								
OBJECTED	-	Yes	-	-	-	Yes								
PENDING	-	Yes	-	-	-	-	Yes							
REJECTED	-	Yes	-	-	-	-	-	-	-	-	-	-		Yes
REQUESTED	-	Yes	-	-	-	Yes								

<sup>\*\*</sup> N = New Role, C = Current Role.



# 24.13. AUTO CHANGE ROLE – CHANGE REQUESTS CHANGE LOCAL RETAILER EMBEDDED NETWORK CHILD – SMALL OR LARGE

# 13.1. Change Local Retailer Embedded Network Child

# 24.1.1.13.1.1. Application [ECLR]

Section 38-13.1 applies to the following Change Reason Codes:

Change Reason Code	Comment
ECLR – Change of Local Retailer – Child (Auto)	This is an automatic process triggered by MSATS whenever the FRMP is changed for a Parent NMI. Once the Parent NMI is transferred, MSATS changes the LR for each of the Child NMIs in that Parent's <i>embedded network</i> .  All Participants will be notified by MSATS of this event in accordance with the notifications listed below.

# 24.1.2.13.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) There has been a change of FRMP of a Parent NMI;
- (c) The affected Child NMIs apply to *child connection points* within this *embedded network*.

# 24.1.3.13.1.3. Timeframe Rules

The Proposed Change Date must be within the Retrospective Period specified in Table 3813-A.

## Table <u>13</u>38-A – Timeframe Rules

CR ECLR – Change of Local Retailer – Child (Auto)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	130	0

### 24.1.4.13.1.4. Objection Rules

Objections are not permitted.

# 24.1.5. 13.1.5. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 3813-B.

### Table 3813-B – Change Request Status Notification Rules\*\*

CR ECLR – Change of Local Retailer – Child (Auto)

Status Change	FRMF	•	LR		LNSP		MDP		MPB		RoLR		RP	
	N	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С	Ν	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLETED	-	Yes	Yes	Yes	-	Yes	-	Yes	-	Yes	-	-	-	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-





\*\* N = New Role, C = Current Role.



# 13.2. Change Secondary FRMP Parent

# 24.1.6.13.2.1. Application [EPFR]

Section 39-13.2 applies to the following Change Reason Codes:

Change Reason Code	Comment
EPFR – Change of FRMP – Parent (Auto)	This is an automatic process triggered by MSATS whenever the FRMP is changed for a Parent NMI. Once the Parent NMI is transferred, MSATS changes the FRMP on any other NMIs with the same Parent Name. This occurs where <i>embedded networks</i> have multiple Parent NMIs.
	All Participants will be notified of this in accordance with the Change Request Status Notification Rules

# 24.1.7.13.2.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) There are additional Parent NMIs with the same Parent Name;
- (c) There has been a change of FRMP of a Parent NMI; and
- (d) The Parent NMIs of this embedded network are affected.

### 24.1.8.13.2.3. Timeframe Rules

The Proposed Change Date must be within the Retrospective Period specified in Table 39-A13-C.

## Table 39-A13-C – Timeframe Rules

CR EPFR - Change of FRMP - Parent (Auto)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	130	0

## 24.1.9.13.2.4. Objection Rules

Objections are not permitted.

## 24.1.10.13.2.5. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table 39 B13-D.

# Table 39-B13-D – Change Request Status Notification Rules"

CR EPFR – Change of FRMP – Parent (Auto)

Status	FRMP		LR		LNSP		MDP		MPB		RoLR		RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLETED	Yes	Yes	-	-	-	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-





Status	FRMF	•	LR		LNSP		MDP		МРВ		RoLR		RP	
Change	N	С	N	С	N	С	N	С	N	С	N	С	N	С
REQUESTED	_	-	-	-	_	-	_	_	_	_	-	_	-	_

<sup>\*\*</sup> N = New Role, C = Current Role.





# 14. AEMO ONLY - CHANGE REQUESTS

# 24.2.14.1. AEMO-<u>l</u>initiated <u>S</u>standing <u>D</u>data <u>U</u>vpdates — <u>Small or Large</u>

# 24.2.1.14.1.1. Application [5100 5101]

Section 40- $\underline{14.1}$  applies to the following Change Reason Codes:

Change Reason Code	Comment
5100 – Correct NMI Master Data – (AEMO Only)	Used where AEMO identifies a requirement for an urgent Prospective Change (i.e., in less time than it would take to change that data item because of the allowance for an Objection Logging Period) to MSATS data about a <i>connection point</i> or where several data items that normally can't be changed in the same transaction must be changed at the same time.
5101 – Correct NMI Master Data – Retrospective (AEMO Only)	Used where AEMO identifies a requirement for an urgent Retrospective Change (i.e., in less time than it would take to change that data item because of the allowance for an Objection Logging Period) to MSATS data about a connection point or where several data items that normally can't be changed in the same transaction must be changed at the same time.

### 24.2.2.14.1.2. Conditions Precedent

- (a) The NMI exists in MSATS.
- (b) The NMI Classification Code is SMALL or LARGE.

### 24.2.3.14.1.3. Initiating Roles

AEMO may initiate a Change Request to create a NMI record in accordance with section 40.414.1.4.

# 24.2.4.14.1.4. AEMO Requirements

AEMO must:

- (a) Obtain the NMI Checksum from an approved source.
- (b) Confirm that the *NMI* is a valid *NMI* for the *connection point* prior to the Initiation of a Change Request.
- (c) Populate a Change Request with the following information:

Change Reason Code	Participant Transaction ID	NMI and NMI Checksum
Its Participant ID	Proposed Change Date	

## AEMO may:

(d) Populate the Change Request with values for the following fields (as applicable):

TNI Code	DLF Code	Jurisdiction Code
NMI Status Code	NMI Classification Code	FRMP
LNSP	LR	RP
MPB	MDP	MPC
RoLR	Locality	State
Postcode	Building Name	Feeder Class
DPID	Flat Number	Flat Type
Floor Number	Floor Type	House Number



House Number Suffix	Location Descriptor	Lot Number
Street Name	Street Suffix	Street Type
Unstructured Address 1	Unstructured Address 2	Unstructured Address 3
Child Name	Parent Name	Aggregate Flag
Customer Classification Code	Customer Threshold Code	

# (e) Populate the Change Request with the following information for each Datastream:

NMI suffix (at least one)	Datastream Type (for each suffix)	ADL (for each suffix)
Datastream Status Code (for each suffix)	Profile Name (for each suffix)	

# (f) Populate the Change Request with the following information for each *meter*:

Metering Installation Type Code	Meter Register Status Code
NSRD	Meter Location
Meter Hazard	Meter Point
Meter Use	Meter Manufacturer
Meter Program	Meter Read Type
Transformer Type	Transformer Ratio
Last Test Date	Next Test Date
Test Result Notes	Test Performed By
Communication Equipment Type	Communication Protocol
Data Validation Arrangements	Estimation Instructions
Calibration Tables (details of any calibration factors programmed into the meter)	Password Details (the read and time set passwords only, separated by a space; the write password is not to be recorded in MSATS)
User Access Rights Details (i.e. details of any End User access to the <i>metering installation</i> such as pulse outputs)	
	NSRD Meter Hazard Meter Use Meter Program Transformer Type Last Test Date Test Result Notes Communication Equipment Type Data Validation Arrangements Calibration Tables (details of any calibration factors programmed into the meter)  User Access Rights Details (i.e. details of any End User access to the metering installation such as

# (g) Populate the Change Request with the following information for each register:

Register ID (at least one for each <i>meter</i> )	Register Identifier Status Code (for each register)	Network Tariff Code
Actual/Cumulative Indicator (for each register)	Controlled Load Indicator (for each register)	Network Tariff Code Additional Information
MDM Contributory Suffix (this can also be supplied by the MDP)	Demand Value 1, if the Network Tariff includes a demand component	Demand Value 2, if the Network Tariff includes a second demand component
Time of Day Code (for each register)	Dial Format (for each register)	Multiplier Value (for each register)
Unit of Measure Code (for each register)		



(h) For Retrospective Changes, populate the Change Request with the following information:

Actual End Date

## 24.2.5.14.1.5. Timeframe Rules

When preparing a Change Request, AEMO must choose a Proposed Change Date that lies between the Prospective Period and Retrospective Period, as shown in Table 1440-A.

### Table 4014-A – Timeframe Rules

CR 5100 – Correct NMI Master Data – (AEMO Only)

Objection Logging Period (business days)	Objection Clearing Period (business days)	Retrospective Period (business days)	Prospective Period (business days)
0	0	0	65

CR 5101 - Correct NMI Master Data - Retrospective (AEMO Only)

Objection Logging Period (business days)  Objection Clearing Period (business days)		Retrospective Period (business days)	Prospective Period (business days)	
0	0	150	0	

## 24.2.6.14.1.6. Objection Rules

Objections are not permitted.

## 24.2.7.14.1.7. Change Request Status Notification Rules

The Change Request Status Notification Rules are specified in Table <u>1440</u>-B.

# Table 4014-B – Change Request Status Notification Rules"

CR 5100 - Correct NMI Master Data - (AEMO Only)

CR 5101 – Correct NMI Master Data – Retrospective (AEMO Only)

Status	FRMP I		LR		LNSP		MDP		МРВ		RoLR		RP	
Change	Change N C	С	N	С	N	С	N	С	N	С	N	С	N	С
CANCELLED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLETED	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes
OBJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PENDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REJECTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REQUESTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-

<sup>\*\*</sup> N = New Role, C = Current Role.



# 24.3.14.2. AEMO only – CHANGE ROLEChange Role, TNI or DLF CODE – Bulk Change Tool (BCT) – Small or Large

## 24.3.1.14.2.1. Introduction

- (a) This is a special transaction undertaken by AEMO in limited circumstances, such as when a RoLR Event occurs as it is designed to manage bulk changes of Participant IDs, TNI Codes or DLF Codes.
- (b) The BCT can only be used by AEMO.
- (c) Section 41-14.2 covers changes to the following NMI Standing Data items:

LNSP	LR	FRMP
MDP	MPB	MPC
RP	RoLR	TNI Code
DLF Code		

- (d) Access rights to the BCT function are restricted and will only be available to a person nominated by AEMO.
- (e) When activated, BCT will use a unique Change Reason Code to update the data specified in the BCT request by AEMO.
- (f) When the BCT is used, active Change Requests may be Cancelled.
- (g) A BCT following a RoLR Event will change the identity of the Current FRMP in the NMI Master Record to the Participant ID of the Participant that the relevant Regulator has nominated to undertake the RoLR function. (Note the BCT does not use the information specified in the RoLR role against the NMI).
- (h) Where necessary, the BCT RoLR action will change the identity of the parent LR on the Child NMIs, provided these have been set up correctly in MSATS.
- Notification of a change to the NMI Master Record as in accordance with the Change Request Status Notifications Rules.
- (j) Responsibilities for requesting, authorising and implementing use of the BCT will be as per Table 41-A14-C.

### Table 41-A14-C – Request/Authorise/Implementation Scenarios

Scenario	Request	Authorise	Implement
Mergers & Acquisitions	Participants	AEMO	AEMO
TNI & DLF Code updates	Participants	AEMO	AEMO
RoLR Events	Relevant Regulator	AEMO	AEMO
Any other scenario	Jurisdictions/Participants	AEMO	AEMO

### 24.3.2.14.2.2. Conditions Precedent

- (a) For all events:
  - (i) The NMI exists in MSATS.
  - (ii) The Effective Date of the BCT Change Requests shall always be retrospective.
  - (iii) The NMI can be any NMI Classification Code.



- (iv) AEMO has agreement on requirements and details from all parties impacted (except for RoLR Event).
- (v) The use of the BCT functionality is not dependant on the provision of any Meter Readings at the effective date.
- (b) RoLR Events:
  - See NEM ROLR Processes
- (c) Mergers & Acquisitions

The Participant IDs involved must have the same ABN and the same Jurisdictional licences.

### 24.3.3.14.2.3. Requesting Participant Requirements

Where Table  $\frac{4114}{AC}$  indicates that a Participant may request the use of the BCT, the requesting Participant must:

- (a) Provide at least one data item (data field) for change.
- (b) Specify the Start and End Date (if required) for the BCT process.
- (c) Ensure that all changing data items are active for the whole of the time period specified for the BCT.
- (d) Ensure all impacted Participants are consulted and have provided approval for change to AEMO.
- (e) Specify the notifications to be sent out for the BCT process.
- (f) Specify the action required to be taken when a conflicting Change Request is found for the NMIs in the BCT process.
- (g) Provide the selection criteria for NMIs to be included in the BCT from the following fields:

LNSP	LR	FRMP
MDP	MPB	MPC
RP	RoLR	TNI Code
DLF Code	Post Code	Aggregate Flag
NMI Status Code	NMI Classification Code	Jurisdiction Code
Parent Name (ID or "if null" or "if not null")	Child Name (ID or "if null" or "if not null")	The Tier Status (not required if both the LR and FRMP are provided as selection criteria)
NMI Limit (Maximum number of NMIs to be processed in the run)	Previous BCT Run Identifier (i.e. Change all <i>NMIs</i> in a previous BCT event)	

(h) Nominate at least one of the following information for change via the BCT:

LNSP	LR	FRMP
MDP <sup>(1)</sup>	MPB <sup>(1)</sup>	MPC <sup>(1)</sup>
RP	RoLR	TNI Code
DLF Code		

Note(1): The requesting Participant must be the MC to nominate the MDP, MPB and MPC Roles.



The requesting Participant may further specify a list of *NMIs* to be used as part of the selection criteria

## 24.3.4.14.2.4. Impacted Participant Requirements

Impacted Participants must:

- (a) Provide AEMO acceptance or rejection of the criteria set by the requesting Participant for use with the BCT.
- (b) Where rejecting the criteria set by the requesting Participant for use with the BCT, provide AEMO a reasonable justification for the rejection.

## 24.3.5.14.2.5. MDP Requirements

The MDP must update the activity status of any affected Datastreams via normal Change Request processes.

## 24.3.6.14.2.6. Timeframe Rules

- (a) The BCT can only be used to make Retrospective Changes.
- (b) The Timeframe Rules that apply to the appropriate Change Reason Code that would normally have applied will apply to BCT changes.

### 24.3.7.14.2.7. Objection Rules

Objections are not permitted.

# 24.3.8. 14.2.8. Change Request Status Notification Rules

The Change Request Status Notification Rules are configurable to suit the changes being made. In each case these will need to be specified by the Initiating Participant. For all events, only COM notifications will be provided.



# 25.15. ACCESS TO CATS STANDING DATA

### 25.1.15.1. Introduction

- (a) This section provides the rules for access to CATS Standing Data through MSATS.
- (b) Separate rules apply to CATS Standing Data that is available for NMI Discovery Search and CATS Standing Data that can be accessed by Participants with a relationship to a *NMI*.
- (c) The entire set of CATS Standing Data and NMI Standing Data for NMI Discovery Search is the specified sub-set of CATS Standing Data identified in Table 42–14215–C.
- (d) The entire-set of CATS Standing Data is identified in Table 42-D, Table 42-E, Table 42-F, Table 42-G and Table 42-H.

### 25.2.15.2. Participant

- (a) In accordance with Jurisdictional requirements, a Participant may seek access to NMI Standing Data from MSATS as set out in section 42.3.115.3.1 for the purpose of identifying the NMI attributes assigned to a connection point or as otherwise permitted by the Jurisdiction.
- (b) If agreed with a potential End User, a Participant may seek access to NMI Standing Data from MSATS in accordance with section 42.3.215.3.2 for the purpose of identifying the NMI Standing Data assigned to a connection point or as otherwise prescribed by the Jurisdiction.
- (c) A Participant may seek access to NMI Standing Data from MSATS in accordance with section 42.3.415.3.4 only for the purpose of:
  - Identifying the Current FRMP so the End User can be referred to them in order to arrange abolishment of the NMI from MSATS;
  - Identifying the Current FRMP to advise that an error correction transfer (CR-1021, 1023, 1024 and 1029) will be raised; or
  - (iii) Identifying the Current FRMP to obtain agreement to raise a transfer CR 1010 a Retrospective Change to align to Meter Reading; or
  - (iv)(iii) Identifying the most recent previous FRMP to arrange with them to raise a transfer in order to win back a *NMI* transferred in error, (CR-1022, 1025, 1026, 1027 and 1028).
- (d) A Current Participant is provided with access to CATS Standing Data in MSATS in accordance with Table 42-D, Table 42-E, Table 42-F, Table 42-G, Table 42-H, Table 42-I and Table 42-JTable 4215-C.
- (e) For the purpose of this section, a reference to a:
  - (i) Participant;
  - (ii) retailer; or
  - (iii) FRMP,

is also a reference to a Customer's Disclosee under section 8.6.2(b1) of the Rules.

(f) An MC may seek access to *NMI Standing Data* from MSATS in accordance with section 42.3.515.3.5 only for the purpose of identifying the NMI Classification of 'LARGE' in order to arrange a change of MC.



# 25.3.15.3. Request a NMI Discovery Search

- (a) The following access to CATS Standing Data is available to a Participant in MSATS:
  - (i) NMI Discovery Search 1.;
  - (ii) NMI Discovery Search 2 NMI Standing Data:
  - (iii) CATS Standing Data\_;
  - (iv) NMI Discovery Search 3 NMI Standing Data.

### (iv)(v) MC Standing Data Search.

- (b) NMI Discovery Search 1 is used by a Participant to identify the *NMI* characters that have been assigned to an End User's *connection point*, as described in section 4215.3.1.
- (c) NMI Discovery Search 2 is used by a Participant to identify the NMI Standing data that has been assigned to the End User's connection point and is available for release in accordance with NMI Standing Data Access Rules, as provided in section 15.3.2.
- (d) The CATS Standing Data Access Rules are contained in section <u>015.3.3</u>.
- (e) A NMI Discovery Search 1 will only be successful if information is contained in MSATS that supports one of the following three options: DPID, Meter Serial ID and address.
- (f) NMI Discovery Search 3 is used by retailers to progress error correction CRs, identify the previous FRMP, or for seeking agreement to the raising of a retrospective align with meter read transfers.

## 25.3.1.15.3.1. NMI Discovery Search 1 – NMI Search Rules

- (a) The NMI Search Rules define what search parameters can be used in a Jurisdiction.
- (b) The available NMI search options are:
  - (i) DPID;
  - (ii) Meter Serial ID; and
  - (iii) Address (without DPID).
- (c) Any or all of these options can be activated. Activation is in the ascending order shown in paragraph (b).
- (d) If a search is carried out using the address option, the state and locality (or state and postcode) must also be provided.
- (e) If a search is carried out using Meter Serial ID the state, locality and postcode are not required.
- (f) The address information can be either structured or unstructured. If a search is carried out using the address option only all input information is expected in the structured format as the first level of search. If this level of search is not successful, a second search on unstructured format will be undertaken by MSATS.
- (g) If a NMI Master Record does not contain DPID or address information, the NMI search will only be successful if a Meter Serial ID is provided as a search option.
- (h) MSATS identifies a unique metering installation. The metering installation may be co-located with a postal delivery point but there will be instances where the metering installation has no postal delivery point. In recognition of this variation, MSATS enables the Participant to



- enter in either a structured or an Unstructured Address. The Unstructured Address should not contain state and postcode information.
- The NMI Search Rules also define how many matches will be returned in the case of multiple matches.
- (j) —If a match occurs, MSATS will return to the Participant the following data contained in Table 152-C, 42-X:

# Table 42-A

MSATS Name	Description of data items returned on a successful NMI Discovery Search request	Only if "Address returned in stage 1" is turned on
Building Name	See Table 42-E for description	<b>≠</b>
Customer Classification Code	See Table 42-E for description	≠
Customer Threshold Code	See Table 42-E for description	≠
DPID Number	See Table 42-E for description	<b>≠</b>
EmbNet Child	See Table 42-E for description	<b>≠</b>
EmbNet Parent	See Table 42-E for description	<b>≠</b>
Feeder Class	See Table 42-E for description	<b>≠</b>
Flat Number	See Table 42-E for description	<b>≠</b>
Flat Type	See Table 42-E for description	<b>≠</b>
Floor Number	See Table 42-E for description	<b>≠</b>
Floor Type	See Table 42-E for description	<b>≠</b>
House Number	See Table 42-E for description	<b>≠</b>
House Number Suffix	See Table 42-E for description	<b>≠</b>
<del>LNSP</del>	Local Network Service Provider or Embedded Network Manager for a child connection point	Always returned
Locality	See Table 42-E for description	≠
Location Descriptor	See Table 42-E for description	<b>≠</b>
Lot Number	See Table 42-E for description	≠
NMI	a 10 digit national metering identifier	Always returned
NMI Checksum	a single digit number used to validate the NMI supplied to MSATS	Always returned
Postcode	See Table 42-E for description	≠
State	See Table 42-E for description	≠
Street Name	See Table 42-E for description	≠
Street Suffix	See Table 42-E for description	≠
Street Type	See Table 42-E for description	≠
Unstructured Address 2	See Table 42-E for description	≠
Unstructured Address 3	See Table 42-E for description	≠
Unstructured Address1	See Table 42-E for description	≠



(k)(j) No other information will be provided.

(I)(k) The NMI Search Rules are shown in Table 15-A.

(m)(l)\_The LNSP must:

- (i) Oenly carry out a NMI Discovery Search 1 on any *NMIs* where they are the Current
- (ii) Only perform NMI Discovery Search 1 within its local area for the purpose of responding to a request from a retailer to assist in the resolution of a NMI Standing Data problem, or to perform quality checks of its data within MSATS.

(n)(m) The ENM must only carry out a NMI Discovery Search 1 on any NMIs where they are the Current ENM.

#### Table 4215-A – NMI Search Rules

Role	DPID	Meter Serial ID	NMI Address	Address returned in Stage 1	Number of Records Returned if Multiple Match
FRMP LNSP	Yes	Yes	Yes	Yes	99

#### 25.3.2.15.3.2. NMI Discovery Search 2 – NMI Standing Data Access Rules

- (a) This section 42.3.215.3.2 specifies the *NMI Standing Data* that is available to *retailers* and NSPs who do not have Explicit Informed Consent from an End User.
- (b) An LNSP must:
  - (i) Only carry out a NMI Discovery Search 2 on any *NMIs* where they are the Current
  - (ii) Only perform NMI Discovery Search 2 activity within its local area for the purpose of responding to a request from a retailer to assist in the resolution of a NMI Standing Data problem, or to perform quality checks of its data within MSATS.
- (c) The ENM must only carry out a NMI Discovery Search 2 on any NMIs where they are the Current ENM.
- (d) The NMI Data Access Rules define:
  - (i) Which Role can initiate a request for NMI Standing Data.
  - (ii) Which standing data items will be returned when a request is submitted to MSATS.
- (e) The NMI Data Access Rules may be defined by Jurisdiction.

<u>(e)</u>

The NMI Standing Data items that would be returned to a FRMP or LNSP in all Jurisdictions on a successful data access request are specified in <a href="Table 4215-C">Table 4215-C</a>. Error! Reference source not found. Further details of each data item can be found in the MSATS standing data tables from the "Standing Data for MSATS" document.

#### 25.3.3.15.3.3. CATS Standing Data Access Rules

- (a) The CATS Standing Data Access Rules specify which items of CATS Standing Data may be accessed by which Role within each Jurisdiction.
- (b) The CATS Standing Data is grouped as follows:



- (i) Meter Register;
- (ii) NMI Data;
- (iii) NMI Datastream;
- (iv) NMI Participant Relations;
- (v) Register ID.

The CATS Standing Data Access Rules are shown in Table 42 D, Table 42 E, Table 42 F, Table 42 G, and Table 42 HTable 4215-C.

#### Table 42-D - CATS Standing Data Access Rules for Meter Register

#### METER REGISTER

<del>Jur'n</del>	<del>Data Item</del>	<del>Description</del>	FRMP	H.	- TNSP	MDP	MPB	MPC	RP	ROLR	NEMM	NSP2
ALL	AddlSiteInfo	This field is used to provide any additional information about a Site to describe Site access and the relationship between the metering point and the connection point.	¥e s	¥e s	¥e s	<del>Ye</del> s						
ALL	AssetMgmtPlan	If a Site plan is used, this is a description of the plan. If a Sample Test Plan is used, this is the name of the AEMO-approved plan.	¥e s	-	-	¥e s	¥e s	¥e s	¥e s	-	¥e s	-
ALL	Calibration Tables	Details of any calibration factors programmed into the meter.	<del>Ye</del> s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	CommEquip Type	Indicates modem or other communication device types.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	CommProtocol	Textual description of details needed to communicate to communication devices.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	=	<del>Ye</del> s	<del>Ye</del> s
ALL	DataConv	Textual description of details needed to translate data received from a communication device.	¥e s	-	_	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	<del>DataValidations</del>	Textual description of details needed to validate data received from a communication device.	¥e s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	EstInstruct	Textual instructions on how to estimate the Meter Reading if an Estimated Reading is required.	¥e s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	LastTestDate	Last date on which the <i>meter</i> was tested.	<del>Ye</del> s	-	-	¥e s	¥e s	<del>Ye</del> s	<del>Ye</del> s	-	¥e s	=



<del>Jur'n</del>	<del>Data Item</del>	Description	FRMP		<b>#</b>	44	<del>g</del>	<del>C</del>		4	MM	P2
ALL	Measurement	Code indicating how the <i>meter</i>	¥e	<u></u>		¥ ¥e	¥e ¥e	¥e	₩ <del>Ye</del>	- 2	岩 <del>Ye</del>	¥e
,,,,	Туре	is measuring, example values include, aggregate, consumption, programmable, interval.	s		S	S	S	S	S		S	S
ALL	MeterConstant	Multiplier applied to the <i>meter</i> to arrive at the consumption.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	MeterHazard	Code or text indicating any dangerous conditions that may have been identified at the Site.	<del>Ye</del> s	_	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	MeterInstall Code	The Metering Installation Type Code indicates whether or not the meter has to be manually read. This affects the transfer transaction process flow because if a meter has to be manually read, the MP must supply the Actual Change Date before the Change Request is Completed. If it does not have to be manually read, the Change Request can be Completed as of the requested transfer date.	Ye s	¥e s	¥e s	¥e 5	¥e 5	¥e 5	¥e \$		¥e 5	¥e ₹
ALL	MeterLocation	Code or text indicating where the meter is physically located at the premises.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	Meter Manufacturer	The manufacturer code for the meter.	<del>Ye</del> s	=	=	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	_
ALL	MeterModel	The manufacturer's model number for the meter.	<del>Ye</del> s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	MeterPoint	An additional metering identifier field.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	MeterProgram	For programmable <i>meters</i> , an identifier of the program run at the <i>meter</i> .	<del>Ye</del> s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	MeterReadType	Code indicating how the <i>meter</i> is read Refer to "Standing data for MSATS' document for further details.	¥e s	¥e s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	MeterRoute	The route identifier the meter is currently being read in.	¥e s	-	-	<del>Ye</del> s	<del>Ye</del> s	¥e s	¥e s	-	<del>Ye</del> s	-
ALL	MeterSerial	The serial number that uniquely identifies a <i>meter</i> for a given <i>NMI</i> .	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	¥e s	¥e s	-	<del>Ye</del> s	<del>Ye</del> s



<del>Jur'n</del>	<del>Data Item</del>	Description										
			FRMP	#	dSN-1	MDP PD	MPB	MPC	RP 4	ROLR	NEMM	NSP2
ALL	MeterStatus	Code used to indicate the status of the <i>meter</i> .	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	MeterUse	Code indicating revenue <i>meter</i> , <i>check meter</i> , <i>load</i> research, etc.	¥e s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	¥e s	¥e s
ALL	NextSchRead Date	Indicates the NSRD for the meter if a reading is required.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	NextTestDate	Next date on which the <i>meter</i> should be tested.	<del>Ye</del> s	=	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	=
ALL	Password	Read and Time Set passwords, separated by a space. Note that the Write password is not to be stored in this field.	¥e s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	ReadTypeCode	Code used to indicate whether a meter should be read on the NSRD, a Special Read Date or an Estimated Reading.	¥e s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	¥e s	-	<del>Ye</del> s	-
<del>VIC</del>	RemotePhone Number	The phone number for remote access.	-	-	-	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-	<del>Ye</del> s	-
NSW	RemotePhone Number	The phone number for remote access.	-	-	-	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-	¥e s	-
ACT	RemotePhone Number	The phone number for remote access.	-	-	-	¥e s	<del>Ye</del> s	-	<del>Ye</del> s	-	¥e s	-
QLD	RemotePhone Number	The phone number for remote access.	-	-	=	¥e s	<del>Ye</del> s	-	<del>Ye</del> s	-	¥e s	=
SA	RemotePhone Number	The phone number for remote access.	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-	¥e s	¥e s
ALL	<del>TestCalibProgra</del> <del>m</del>	Current test and calibration program details.	<del>Ye</del> s	_	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	TestPerformed By	Who performed the last test. This field could be used to store a company or individual's name.	<del>Ye</del> s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	TestResult Accuracy	The accuracy of the <i>meter</i> from the last test.	<del>Ye</del> s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	TestResult Notes	Any text or further test information.	<del>Ye</del> s	-	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-
ALL	Transformer Location	Indicates where the <i>transformer</i> is in relation to the <i>meter</i> .	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s



<del>Jur'n</del>	<del>Data Item</del>	<del>Description</del>	FRMP	4	dSN1	MDP	MPB	MPG	<del>d'a</del>	ROLR	NEMM	NSP2
ALL	UserAccess Rights	Details of any End User access to the metering installation. Examples include pulse outputs, interface to End User load management system, or End User directly accessing data in the meter through special agreement.	¥e s	-	-	¥e \$	¥e \$	¥e s	¥e \$	-	¥e \$	-
ALL	<del>Transformer</del> <del>Ratio</del>	Instrument transformer ratios (available and connected).	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	<del>Transformer</del> <del>Type</del>	Type of transformation eployed.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s

# Table 42-E - CATS Standing Data Access Rules for NMI data

#### NMI-DATA

<del>Jur'n</del>	<del>Data Item</del>	Description	FRMP	#	TNSP	MDP	MPB	MPC	<del>RP</del>	RoLR	NEMM	NSP2
ALL	<del>AggFlag</del>	A flag that may be used for the transition from MAS to MSATS. This field is used by MDM to determine which settlement reports data goes into, that is whether it should be aggregated or not. Can be a 'Y' or 'N'.	¥e s	¥e s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	¥e s	-	<del>Ye</del> s	¥e s
ALL	BuildingName	The full name used to identify the physical building or property as part of its location.	¥e s	-	¥e s	<del>Ye</del> s						
ALL	Customer Classification Code	A code that defines the End User class as defined in the National Energy Retail Regulations, or in over-riding Jurisdictional instruments.	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	¥e s	<del>Ye</del> s	¥e s	-	<del>Ye</del> s	¥e s
ALL	CustomerThres holdCode	A code that defines the consumption threshold as defined in the National Energy Retail Regulations, or in over- riding Jurisdictional instruments.	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	¥e s	-	<del>Ye</del> s	¥e s
ALL	DLFCode	DLF Code used to indicate the DLF value for the given NMI.	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	DPID	Delivery point identifier – the numeric descriptor for a postal delivery point which is equal to a physical address.	¥e s	¥e s	¥e s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	¥e s	-	<del>Ye</del> s	¥e s



<del>Jur'n</del>	<del>Data Item</del>	<del>Description</del>	FRMP	4	<del>LNSP</del>	MDP	MPB	MPC	RP	RolR	NEMM	NSP2
ALL	EmbNetChild	The embedded network identifier code is used to identify which embedded network this Child NMI is part of. (If on a NMI record this field is not populated, it is assumed the NMI is not the Child NMI of any other Parent NMI.)	¥e s	¥e s	¥e s	¥e s	¥e s	¥e s	¥e \$	-	¥e s	¥e s
ALL	EmbNetParent	The embedded network identifier code is used to identify which embedded network this NMI is the 'parent of'. (If on a NMI record this field is not populated, it is assumed the NMI is not the parent of any other NMI.)	¥e s	¥e s	¥e ₹	<del>Ye</del> s	¥e s	¥e ₹	¥e ₹	-	¥e s	¥e s
ALL	FlatNumber	Specification of the number of the flat or unit which is a separately identifiable portion within a building/complex.	¥e s	¥e s	<del>Ye</del> s	¥e s	¥e s	¥e s	¥e s	-	¥e s	¥e s
ALL	FlatType	Specification of the type of flat or unit which is a separately identifiable portion within a building/complex. Values permitted include: APT, CTGE, DUP, FY, F, HSE, KSK, MSNT, MB, OFF, PTHS, RM, SHED, SHOP, SITE, SL, STU, SE, TNHS, U, VLLA, WARD, WE.	¥e s	¥e \$	¥e \$	¥e ş	¥e \$	¥e \$	¥e \$	-	¥e \$	¥e \$
ALL	FloorNumber	Floor Number is used to identify the floor or level of a multi- storey building/complex.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	FloorType	Floor Type is used to identify the floor or level of a multi-storey building/complex. Values permitted include: B, FL, G, L, LG, M, UG.	¥e s	¥e ₅	¥e ₅	<del>Ye</del> ₅	¥e ₅	¥e ₅	¥e ₅	-	¥e ₅	<del>Ye</del> s
ALL	HouseNum	The numeric reference of a house or property. Specifically the house number.	<del>Ye</del> s	¥e s	¥e s	¥e s	¥e s	¥e s	¥e s	-	¥e s	¥e s
ALL	HouseNum Suffix	The numeric reference of a house or property. Specifically the single character identifying the house number suffix.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	Jurisdiction Code	Jurisdiction Code to which the NMI belongs.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	<del>Locality</del>	The full name of the general locality containing the specific address.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						



<del>Jur'n</del>	<del>Data Item</del>	Description	FRMP	#	dSN-1	MDP	MPB	MPC	RP 4	ROLR	NEMM	NSP2
ALL	Location Descriptor	A general field to capture various references to address locations alongside another physical location.	¥e s	¥e s	¥e s	<del>Ye</del> s	<del>Ye</del> s	¥e s	¥e \$	-	¥e s	<del>Ye</del> s
ALL	Lot Number	The lot reference number allocated to an address prior to street numbering.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	NMI	National Meter Identifier – unique identification for each connection point.	<del>Ye</del> s									
ALL	NMI Classification Code	A code that identifies, on a Jurisdiction basis, the magnitude of the power consumed, eg small or large.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	NMIStatusCod e	Code used to indicate the status of the NMI, i.e. active, de- energised, extinct.	¥e s	-	¥e s	¥e s						
ALL	Postcode	The numeric descriptor for a postal delivery area, aligned with locality, suburb or place.	¥e s	-	¥e s	<del>Ye</del> s						
ALL	State	Defined State or Territory abbreviation, Values permitted include: AAT, ACT, NSW, NT, QLD, SA, TAS, VIC, WA.	<del>Ye</del> s	=	<del>Ye</del> s	<del>Ye</del> s						
ALL	StreetName	Records the thoroughfare name.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	StreetSuffix	Records any street suffixes. Values permitted include: CN, E, EX, OR, N, NE, NW, S, SE, SW, UP, W	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	StreetType	Records the street type abbreviation, Available abbreviations are listed in AS4590.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	TNICode	Transmission Node Identifier. Identifies a transmission network connection point.	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s		<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	Unstructured Address1	To provide the Unstructured Address (line 1) where a Structured Address cannot be supplied.	<del>Ye</del> s	<del>Ye</del> s	¥e s	¥e s	¥e s	<del>Ye</del> s	¥e s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	Unstructured Address2	To provide The Unstructured Address (line 2) where a Structured Address cannot be supplied.	¥e s	=	¥e s	¥e s						



<del>Jur'n</del>	<del>Data Item</del>	Description	FRMP	#	LNSP	MDP	MPB	MPC	RP	ROLR	NEMM	NSP2
ALL	Unstructured Address3	To provide the Unstructured Address (line 3) where a Structured Address cannot be supplied.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	Feeder Class	To provide a 15 character long field in varchar format for logical grouping of NMIs based on a DNSP's distribution feeder.	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	=	_	<del>Ye</del> s	_	<del>Ye</del> s	=

# Table 42-F - CATS Standing Data Access Rules for NMI Datastream

#### NMI DATASTREAM

<del>Jur'n</del>	<del>Data Item</del>	Description	FRMP	#	- dSM1	MDP	MPB	MPG	RP	ROLR	NEMM	NSP2
ALL	AverageDailyL oad	The electrical energy delivered through a connection point or metering point over an extended period normalised to a per day basis.	<del>Ye</del> s	¥e s	<del>Ye</del> s	¥e s	<del>Ye</del> s	-	¥e s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	<del>DataStream</del> <del>Type</del>	Indicates the type of data that the Datastream will report includes interval and accumulation.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	ProfileName	See Retail Market Procedures – Glossary and Framework	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	StreamStatus Code	Code used to indicate the status of the suffix.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	Suffix	Stream of data for the NMI.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						

#### Table 42-G - CATS Standing Data Access Rules for Participant Relations

## PARTICIPANT RELATIONS

<del>Jur'n</del>	<del>Data Item</del>	Description	FRMP	#	dsN-1	MDP	MPB	MPC	RP	ROLR	NEMM	NSP2
ALL	FRMP	Financially Responsible <i>Market Participant</i> , e.g. Current Retailer.	<del>Ye</del> s		<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	-	<del>Ye</del> s	¥e s
ALL	LNSP	Current Local Network Service Provider (or ENM for a child connection point).	<del>Ye</del> s									
ALL	LR	Current local retailer.	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	=	<del>Ye</del> s	
ALL	MDP	Current MDP – Category D.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	MPB	Current MP – Category B.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s



<del>Jur'n</del>	<del>Data Item</del>	Description	FRMP	#	TNSP	MDP ddw	MPB	MPC	RP	ROLR	NEMM	NSP2
ALL	MPC	Current MDP – Category C.	<del>Ye</del> s	=	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	=	<del>Ye</del> s	<del>Ye</del> s
ALL	NEMM		<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	ROLR	Current Retailer of Last Resort.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s
ALL	RP	Current Metering Coordinator.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	NSP2	Current Second Network Service Provider			<del>Ye</del> s	<del>Ye</del> s			<del>Ye</del> s		<del>Ye</del> s	<del>Ye</del> s

# Table 42-H - CATS Standing Data Access Rules for Register IDs

#### REGISTER ID

<del>Jur'n</del>	<del>Data Item</del>	Description	FRMP	#	dsN1	MDP	MPB	MPC	RP	ROLR	NEMM	NSP2
ALL	ActCumind	Actual/Subtractive indicator. Actual implies volume of energy actually metered between two dates. Cumulative indicates a Meter Reading for a specific date. A second Meter Reading is required to determine the consumption between those two dates.	¥e s	+	¥e s	<del>Ye</del> s	¥e s	¥e s	¥e s	+	¥e s	¥e \$
ALL	Controlled Load	Indicates whether the energy recorded by this register is created under a Controlled Load regime.	¥e s	-	¥e s	¥e s	¥e s	¥e s	¥e s	-	¥e s	<del>Ye</del> s
ALL	Demand1	A value, in kVA or kW, which is a demand component associated with a Network Tariff.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	<del>Demand2</del>	A value, in kVA or kW, where there is a second demand component associated with a Network Tariff.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	DialFormat	Describes the register display format. First number is the number of digits to the left of the decimal place, and the second number is the number of digits to the right of the decimal place.	¥e s	-	¥e s	¥e s	¥e s	¥e s	¥e s	-	¥e s	<del>Ye</del> s
ALL	Multiplier	Multiplier required to take a register value and turn it into a value representing billable energy.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s



<del>Jur'n</del>	Data Item	Description	FRMP	#	<del>dSN1</del>	MDP	MPB	MPC	RP da	ROLR	NEMM	NSP2
ALL	NetworkTarif f Code	A code that identifies the Network Tariff. It is a code obligation for the LNSP to publish the meaning of these codes elsewhere (e.g. on the Internet).	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	¥e s	¥e s	¥e s	-	¥e s	<del>Ye</del> s
ALL	NTAddInfo	Contains additional explanatory information about the Network Tariff if the code alone is not a sufficient explanation.	¥e s	¥e s	¥e s	<del>Ye</del> s	¥e s	¥e s	¥e s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	RegisterId	The identifier which uniquely identifies this register.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	RegisterId Status	A code to indicate whether or not the register is active.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s						
ALL	Suffix	The suffix on the CATS_NIMI_ Datastream table to which energy measured on this register contributes.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	¥e s	<del>Ye</del> s	<del>Ye</del> s	_	¥e s	¥e s
ALL	TimeOfDay	A code that indicates the time validity of the register's contents.	¥e s	=	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s
ALL	UnitOf Measure	A code to identify the unit of measure for the data held in this register.	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	<del>Ye</del> s	-	<del>Ye</del> s	<del>Ye</del> s

# 25.3.4.15.3.4. NMI Discovery Search 3 – NMI Standing Data Access Rules

- (a) This section specifies the NMI Standing Data available to retailers who are:
  - seeking to progress error correction transfers (prior to initiating a CR-1021, 1023, 1024 and 1029);
  - seeking agreement to the raising of a Retrospective Change on a date that aligns with a previous Meter Reading (CR 1010);
  - (iii)(ii) seeking the previous FRMP to win back a NMI won in error (CR-1022, 1025, 1026, 1027 and 1028); and
  - (iv)(iii) Who are not the FRMP and in receipt of an End User's request for abolishment of a NMI from MSATS.
- (b) A retailer must only perform NMI Discovery Search 3 on any NMIs for the reasons stated in paragraph (a).
- (c) The NMI Standing Data Access Rules for this transaction define which:
  - (i) Role can initiate a request for NMI Standing Data.
  - (ii) Standing data items will be returned when a request is submitted to MSATS.
- (d) The Roles that can initiate the NMI Discovery Search 3 are specified in\_by the Retailer based on criteria in Table 152-C. -



Table 42-I - NMI Standing Data Access Rules for Participant Relations

#### PARTICIPANT RELATIONS

<del>Jur'n</del>	Data Item	Description	FRMP	#	TNSP	MDP	MPB	MPC	RP	ROLR	NEMM	NSP2
ALL	FRMP	Financially Responsible Market Participant.	Yes	-	-	-	-	-	-	-	-	-
ALL	LNSP	Current Local Network Service Provider, or Embedded Network Manager for a child connection point.	-	-	-	-	-	-	-	-	-	_
ALL	LR	Current Local Retailer.	_	_	_	-	-	_	_	_	_	_
ALL	MDP	Current Metering Data Provider, i.e. provider of metering data to AEMO.	-	-	-	-	_	_	-	-	_	_
ALL	MPB	Current Meter Provider – maintenance of meter.	-	-	-	-	-	-	-	-	-	-
ALL	MPC	Current Meter Provider – data collection.	-	-	-	-	-	-	-	-	-	-
ALL	NEMM		-	-	_	-	_	_	-	-	_	_
ALL	RoLR	Current Retailer of Last Resort.	-	-	-	_	_	-	_	_	-	_
ALL	RP	Current Metering Coordinator.	_	_	_	_	_	_	_	-	_	_
ALL	NSP2	Current Second Network Service Provider	-	-	-	-	-	-	-	-	-	_

- (e) When initiating NMI Discovery Search 3, a retailer must ensure:
  - (i) When using the reason of ITD (Incorrect Transfer Date), they are the Current FRMP for the NMI and a FRMP change completed in the past 130 business days from the NMI Discovery Search 3 date.
  - (ii)(i) When using the reason of TRI (Transferred In Error), they are the Current FRMP or the most recent previous FRMP for a given NMI. (This applies where the Current FRMP needs to request a retailer to transfer back a NMI transferred in error or the most recent previous FRMP has identified another retailer has transferred the NMI in error and is seeking to transfer it back.)
  - (iii) When using the reason of MCR, Missed CR1500 error, a CR1500 was not submitted in the past 130 business days from the NMI Discovery Search 3 date.
  - (iv)(ii) When using the reason of NNS (New NMI Setup Error see Table 4215-JB), the NMI was created in the past 130 business days from the NMI Discovery Search 3 date.
- (f) The valid standing data items that would be returned to the initiating Role in all Jurisdictions on a successful data access request are specified in Table <u>15</u>-B.

# Table 42<u>15</u>-B – NMI Standing Data Items returned in all Jurisdictions for a Search 3 Search Request per Reason Code

Reason code	Description	MSATS Name of the data item returned	Description of data item returned on a successful request
	All	NMI	A 10 digit national metering identifier.



Reason code	Description	MSATS Name of the data item returned	Description of data item returned on a successful request
ITD	Incorrect Transfer Date Error	FRMP, End Date	Up to 10 character code representing the identity of the most recent previous FRMP.
			End Date of the most recent previous FRMP record.
MCR	Missed CR1500 Error	FRMP	Up to 10 character code representing the identity of the Current FRMP.
NNS	New NMI Setup Error	FRMP	Up to 10 character code representing the identity of the Current FRMP.
OTR	Other Transfer Error	FRMP	Up to 10 character code representing the identity of the Current FRMP.
SAB	Site Abolishment	FRMP, Start Date	Up to 10 character code representing the identity of the Current FRMP.
			Start Date of the Current FRMP record.
TRI	Transferred In Error	FRMP, Start Date	Up to 10 character code representing the identity of the Current FRMP.
			Start Date of the Current FRMP record.
TRI	Transferred In Error	FRMP, End Date	Up to 10 character code representing the identity of the most recent previous FRMP.
			End Date of the most recent previous FRMP record.
TRM	Transfer Missed Error	FRMP	Up to 10 character code representing the identity of the Current FRMP.

## 25.3.5. 15.3.5. MC Standing Data Search – NMI Standing Data Access Rules

- (a) This section 42.3.515.3.5 specifies the NMI Standing Data that is available to MCs who do not have Explicit Informed Consent from an End User.
- (b) A current or prospective MC must:
  - (i)  $\underline{\circ}$ Only carry out an MC Standing Data Search on NMIs where they are the Current MC: or
  - (ii) o⊖nly perform MC Standing Data Search activity for the purpose of responding to a request from a large customer/retailer to assist in the appointment of the prospective MC.
- (c) The NMI Data Access Rules define:
  - (i) <u>w</u>Which Role can initiate a request for NMI Standing Data; and
  - (ii)  $\underline{w}W$ hich standing data items will be returned when a request is submitted to MSATS.
- (d) The NMI Data Access Rules may be defined by Jurisdiction.
- (e) The NMI Standing Data items returned to an MC in all Jurisdictions on a successful data access request are specified in-<u>Table 152-C</u>.

#### Table 42-K - Common NMI Standing Data Items returned for an MC Standing Data Search.

(The following data is based on the MSATS C7 report with the inclusion of Controlled Load and NMI Classification Code):



MSATS Name	Data item description	MSATS standing data table
Address	This includes all address fields, which comprise DPID, building name, flat number, flat type, floor number, floor type, house number, house number suffix, location descriptor, Lot Number, street name, street suffix, street type, Unstructured Address1, Unstructured Address2, Unstructured Address3, postcode, locality, and state.	CATS_NMI_DATA
ADL	The electrical energy delivered through a connection point or metering point over an extended period normalised to a "per day" basis (kWh).	CATS_NMI_DATA_STREAM
Controlled Load	Indicates whether the energy recorded by this register is created under a Controlled Load regime.  Controlled Load field will have "No" if register does not relate to a Controlled Load, it should contain a description of the Controlled Load regime.	CATS_REGISTER_IDENTIFIER
Customer Classification Code	See section 4.10.1.	CATS_NMI_DATA
Customer Threshold Code	See section 4.10.2.	CATS_NMI_DATA
Datastream Status Code	See section 4.11.	CATS_NMI_DATA_STREAM
Datastream Type	A code to indicate the type of data that the Datastream will report: includes interval and accumulation.	CATS_NMI_DATA_STREAM
DLF Code	A code representing the DLF.	CATS_NMI_DATA
<del>Jurisdiction Code</del>	See section 4.5.	CATS_NMI_DATA
FRMP	A code representing the identity of the FRMP.	CATS_NMI_PARTICIPANT_RELATIONS
LNSP	A code representing the identity of the LNSP.	CATS_NMI_PARTICIPANT_RELATIONS
<del>LR</del>	A code representing the identity of the LR.	CATS_NMI_PARTICIPANT_RELATIONS
MDP	A code representing the identity of the MDP (Category D).	CATS_NMI_PARTICIPANT_RELATIONS
Meter Serial ID	The serial number that uniquely identifies a meter for a given NMI.	CATS_METER_REGISTER





MSATS Name	Data item description	MSATS standing data table
Metering Installation Type Code	See section 4.12.	CATS_METER_REGISTER
MPB	A code representing the identity of the MP (Category B).	CATS_NMI_PARTICIPANT_RELATIONS
MPC	A code representing the identity of the MDP (Category C).	CATS_NMI_PARTICIPANT_RELATIONS
Multiplier	Multiplier required to take a register value and turn it into a value representing billable energy.	CATS_REGISTER_IDENTIFIER
Network Tariff Code	A code representing the Network Tariff.	CATS_REGISTER_IDENTIFIER
Next Scheduled Read Date	The NSRD in date format.	CATS_METER_REGISTER
NMI Classification Code	See section 4.9.	CATS_NMI_DATA
NMI Status Code	See section 4.11.1	CATS_NMI_DATA
Register ID	The register ID of the register that the Network Tariff Code and Network Tariff Code additional information refers to:	CATS_REGISTER_IDENTIFIER
Register Identifier Status Code	A lookup code to indicate if register is active.	CATS_REGISTER_IDENTIFIER
ROLR	A code representing the identity of the ROLR.	CATS_NMI_PARTICIPANT_RELATIONS
RP	A code representing the identity of the MC.	CATS_NMI_PARTICIPANT_RELATIONS
Time Of Day	Industry developed Codes to identify the time validity of register contents.	CATS_REGISTER_IDENTIFIER
TNI Code	A code representing the transmission node identifier.	CATS_NMI_DATA
Unit of Measure	A code to identify the Unit of Measure (UOM) for data held in this register.	CATS_REGISTER_IDENTIFIER



#### Table 4215-C - NMI Standing Data Items and NMI Discovery Data Access Rules

Standing Data Access Rights													iscovery /		
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	IR.	LNSP	MDP	MPB	MPC	묎	ROLR		NSP NSP NSP NSP NSP NSP NSP NSP NSP NSP	Type 1	Type 2 Type 3	Search U N
MSATS Standing Data	a Table: NMI DATA (CATS NMI DATA)														
<u>AggFlag</u>	A flag that may be used for the transition from MAS to MSATS. This field is used by MDM to determine which settlement reports data goes into, that is whether it should be aggregated or not. Can be a 'Y' or 'N'.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>-</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>-</u>	±
<u>BuildingName</u>	The full name used to identify the physical building or property as part of its location.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u> .	Sa   Sa   Sa   Sa   Sa   Sa   Sa   Sa	<u>Yes</u>						
Customer Classification Code	A code that defines the End User class as defined in the National Energy Retail Regulations, or in over-riding Jurisdictional instruments. (see section 4.10.1)	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	্রি See Table 415-B for configurable items returned	<u>Yes</u>						
Customer Threshold Code (CustomerThreshold Code)	A code that defines the consumption threshold as defined in the National Energy Retail Regulations, or in over- riding Jurisdictional instruments. (see section 4.10.2)	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	ক <u>See Table 415</u> -	<u>Yes</u>						
<u>DLF Code</u> ( <u>DLFCode</u> )	DLF Code used to indicate the DLF value for the given NMI.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	= 2	<u>Yes</u>	<u>Yes</u>





												ALS	STRALIAN ENERGY MARKET OPERATO	OR .
		tion							<u>Sta</u>	nding	<u>Data</u>	a Access Rights		scovery / Search
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	뀖	LNSP	MDP	MPB	MPC	AN M	ROLR	NEM	NSP2	Type 1 Type 2 Type 3	WC WC
<u>DPID</u>	Delivery point identifier – the numeric descriptor for a postal delivery point which is equal to a physical address.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * Yes	±.						
<u>Child Name</u> ( <u>EmbNetChild</u> )	The embedded network identifier code is used to identify which embedded network this Child NMI is part of. (If on a NMI record this field is not populated, it is assumed the NMI is not the Child NMI of any other Parent NMI.)	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Yes	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * Yes	Ξ
<u>Parent Name</u> (EmbNetParent)	The embedded network identifier code is used to identify which embedded network this NMI is the 'parent of'. (If on a NMI record this field is not populated, it is assumed the NMI is not the parent of any other NMI.)	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Yes	<u>Yes</u>	<u>Yes</u>	Yes	2	Yes	<u>Yes</u>	Yes * Yes	<u>-</u>
<u>Feeder Class</u>	To provide a 15 character long field in varchar format for logical grouping of NMIs based on a DNSP's distribution feeder.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	Yes * Yes	Ē.
<u>FlatNumber</u>	Specification of the number of the flat or unit which is a separately identifiable portion within a building/complex.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * Yes	<u>Yes</u>						





												AUSTRA	LIAN ENERGY MARKET OPERATO	OR .
	<u>Description</u>	ction							<u>Sta</u>	<u>nding</u>	<u>Data</u>	a Access Rights	· ·	<u>scovery /</u> <u>Search</u>
<u>Data Item</u>	Description	Jurisdi	FRMP	뫼	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 2 Type 2 Type 3	WC
<u>FlatType</u>	Specification of the type of flat or unit which is a separately identifiable portion within a building/complex. Values permitted include: APT, CTGE, DUP, FY, F, HSE, KSK, MSNT, MB, OFF, PTHS, RM, SHED, SHOP, SITE, SL, STU, SE, TNHS, U, VLLA, WARD, WE.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * Yes	<u>Yes</u>						
<u>FloorNumber</u>	Floor Number is used to identify the floor or level of a multi-storey building/complex.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * *	<u>Yes</u>						
<u>FloorType</u>	Floor Type is used to identify the floor or level of a multi-storey building/complex, Values permitted include: B, FL, G, L, LG, M, UG.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * Yes	<u>Yes</u>						
<u>HouseNum</u>	The numeric reference of a house or property. Specifically the house number.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes *	<u>Yes</u>						
<u>HouseNum</u> <u>Suffix</u>	The numeric reference of a house or property. Specifically the single character identifying the house number suffix.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes *	<u>Yes</u>						
Jurisdiction Code	Jurisdiction Code to which the NMI belongs.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>- Yes</u>	<u>Yes</u>						

Page 197 of 212





												ALISTRA	ALIAN ENERGY MARKET OPERATO	JR
		ction							<u>Sta</u>	nding	<u>Data</u>	a Access Rights		scovery / Search
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	낆	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1 Type 2 Type 3	WC
<u>Locality</u>	The full name of the general locality containing the specific address.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * *	<u>Yes</u>						
<u>Location</u> <u>Descriptor</u>	A general field to capture various references to address locations alongside another physical location.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * -	<u>Yes</u>						
<u>Lot Number</u>	The lot reference number allocated to an address prior to street numbering.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Yes	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * -	<u>Yes</u>
<u>NMI</u>	National Meter Identifier – unique identification for each connection point.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes Yes</u>	<u>Yes</u>								
NMI Checksum	A single digit number used to validate the NMI supplied to MSATS	<u>All</u>	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	=	<u>Yes Yes</u>	<u>Yes</u>
NMI Classification Code	A code that identifies, on a Jurisdiction basis, the magnitude of the power consumed, eg small or large. (see section 4.9)	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>						

Page 198 of 212





												ALISTRA	LIAN ENERGY MARKET OPE	RATOR
		ction	Standing Data Access Rights											Discovery / Il Search
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	뫼	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1 Type 2 Type 3	WC
NMI Status Code (NMIStatusCode)	Code used to indicate the status of the NMI, i.e. active, de-energised, extinct. (See section 4.11)	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>
<u>Postcode</u>	The numeric descriptor for a postal delivery area, aligned with locality, suburb or place.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * Yes	<u>Yes</u>
<u>State</u>	Defined State or Territory abbreviation. Values permitted include: AAT, ACT, NSW, NT, QLD, SA, TAS, VIC, WA.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes *Yes	<u>Yes</u>
<u>StreetName</u>	Records the thoroughfare name.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes *Yes	<u>Yes</u>
<u>StreetSuffix</u>	Records any street suffixes. Values permitted include: CN, E, EX, OR, N, NE, NW, S, SE, SW, UP, W	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * Yes	<u>Yes</u>
<u>StreetType</u>	Records the street type abbreviation. Available abbreviations are listed in AS4590.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes * -	<u>Yes</u>

Page 199 of 212





		Standing Data Access Rights  Standing Data Access Rights													
		ction							<u>Sta</u>	nding	<u>Data</u>	a Access Rights		<u>MI Disco</u> NMI Se	
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	뫼	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1 Type 2	Type 3	MC
TNI Code (TNICode)	<u>Transmission Node Identifier. Identifies</u> a transmission network connection point.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>		<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>-</u> Yes		<u>Yes</u>
<u>Unstructured</u> <u>Address1</u>	To provide the Unstructured Address (line 1) where a Structured Address cannot be supplied.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	Yes	<u>Yes</u>	Yes * <u>*</u>		<u>Yes</u>
<u>Unstructured</u> <u>Address2</u>	To provide The Unstructured Address (line 2) where a Structured Address cannot be supplied.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes *		<u>Yes</u>
<u>Unstructured</u> <u>Address3</u>	To provide the Unstructured Address (line 3) where a Structured Address cannot be supplied.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Yes *		<u>Yes</u>
MSATS Standing Dat	ta Table: PARTICIPANT RELATIONS (CATS	NMI	PAR	TICIP.	ANT	<u>RELA</u>	<u>TION</u>	<u>S)</u>							
<u>FRMP</u>	<u>Financially Responsible Market</u> <u>Participant</u> , e.g. Current Retailer.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	= = :	<u>Yes</u>	<u>Yes</u>
<u>LNSP</u>	Current Local Network Service Provider (or ENM for a child connection point).	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u> Yes		<u>Yes</u>





												ALISTRAL	AN ENERGY MAR	KET OPERATOR
		ction							<u>Star</u>	<u>nding</u>	<u>Data</u>	a Access Rights		MI Discovery / NMI Search
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	뀖	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	N SP2	Type 1 Type 2	Type 3
<u>LR</u>	<u>Current local retailer.</u>	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	=	= =	<u>Yes</u>
<u>MDP</u>	Current MDP – Category D.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	- Yes	<u>Yes</u>						
<u>MPB</u>	Current MP – Category B.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>-</u> Yes	Yes Yes
MPC	Current MDP – Category C.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>-</u> Yes	Yes Yes
NEMM		ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>		=
ROLR	Current Retailer of Last Resort.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>		<u>Yes</u>

Page 201 of 212





		ction							<u>Staı</u>	<u>nding</u>	<u>ı Data</u>	a Access Rights		NN	ИI Di	scovery / Search
<u>Data Item</u>	Description	Jurisdiction	FRMP	H.	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	N SP2	Type 1	Type 2	Type 3	WC
<u>RP</u>	<u>Current Metering Coordinator.</u>	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>		<u>Yes</u>						
NSP2	<u>Current Second Network Service</u> <u>Provider</u>	ALL	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	=		=
MSATS Standing Data	a Table: METER REGISTER (CATS METER	REGIS	STER)													
<u>AddlSiteInfo</u>	This field is used to provide any additional information about a Site to describe Site access and the relationship between the metering point and the connection point.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ		Ξ						
<u>AssetMgmtPlan</u>	If a Site plan is used, this is a description of the plan. If a Sample Test Plan is used, this is the name of the AEMO-approved plan.	ALL	<u>Yes</u>	=	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	Ξ		Ξ
<u>Calibration</u> <u>Tables</u>	Details of any calibration factors programmed into the meter.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ.	Ξ	Ξ		=
<u>CommEquip</u> <u>Type</u>	Indicates modem or other communication device types.	ALL	Yes	Ξ	<u>Yes</u>	<u>Yes</u>	Yes	Yes	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ		٥

Page 202 of 212





												AUSTRALI	AN ENERG	GY MAR	ET OPERATOR	
		ction							<u>Star</u>	nding	<u>Data</u>	a Access Rights		_	MI Discove NMI Searc	
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	띪	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1	Type 2	Type 3	MC
<u>CommProtocol</u>	Textual description of details needed to communicate to communication devices.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ		_
<u>DataConv</u>	Textual description of details needed to translate data received from a communication device.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>=</u>	Ξ	Ξ		٥
<u>DataValidations</u>	Textual description of details needed to validate data received from a communication device.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	Yes	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ.	Ξ	Ξ		<u>a</u>
<u>EstInstruct</u>	Textual instructions on how to estimate the Meter Reading if an Estimated Reading is required.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ.	Ξ	Ξ		£
<u>LastTestDate</u>	Last date on which the meter was tested.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	Ξ		Ξ
<u>Measurement</u> <u>Type</u>	Code indicating how the <i>meter</i> is measuring, example values include, aggregate, consumption, programmable, interval.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ		۵

Page 203 of 212





												ALISTRA	LIAN ENER	GY MARKE	T OPERATOR
		ction							<u>Star</u>	<u>nding</u>	<u>Data</u>	a Access Rights		_	<u> II Discovery /</u> <u>NMI Search</u>
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	띪	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1	Type 2	Type 3
<u>MeterConstant</u>	Multiplier applied to the <i>meter</i> to arrive at the consumption.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	ā
<u>MeterHazard</u>	Code or text indicating any dangerous conditions that may have been identified at the Site.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ
Metering Installation Type Code (MeterInstall Code)	The Metering Installation Type Code indicates whether or not the meter has to be manually read. This may affects the transfer transaction process.(see section 4.12)	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Yes	<u>Yes</u>						
<u>MeterLocation</u>	Code or text indicating where the meter is physically located at the premises.		<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ
<u>Meter</u> <u>Manufacturer</u>	The manufacturer code for the meter.	ALL	<u>Yes</u>	Ξ	Ξ	Yes	Yes	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	Ξ	=
<u>MeterModel</u>	The manufacturer's model number for the meter.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	Ξ	a

Page 204 of 212





												ALISTRA	JAN ENER	GY MARK	ET OPERATOR	
		ction							<u>Star</u>	nding	<u>Data</u>	a Access Rights		_	<u>MI Disco</u> NMI Sea	
<u>Data Item</u>	Description	Jurisdiction	FRMP	N N	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	N SP2	Type 1	Type 2	Type 3	MC
<u>MeterPoint</u>	An additional metering identifier field.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ		Ξ						
<u>MeterProgram</u>	For programmable <i>meters</i> , an identifier of the program run at the <i>meter</i> .	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	=		Ξ.
Meter Read Type (MeterReadType)	Code indicating how the meter is read Refer to "Standing data for MSATS' document for further details.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Yes	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	<u>Yes</u>		±.
<u>MeterRoute</u>	The route identifier the meter is currently being read in.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	Ξ		Ē
Meter Serial ID (MeterSerial)	The serial number that uniquely identifies a <i>meter</i> for a given <i>NMI</i> .	ALL	<u>Yes</u>	<u>Yes</u>	Yes	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>		<u>Yes</u>
Meter Register Statu Code (MeterStatus)	S Code used to indicate the status of the meter.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>		£						

Page 205 of 212





												ALISTRA	JAN ENERG	Y MARKET OP	ÉRATOR
		ction							<u>Star</u>	<u>nding</u>	<u>Data</u>	a Access Rights			Discovery / // Search
<u>Data Item</u>	Description	Jurisdiction	FRMP	뫼	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1	Type 2 Type 3	MC
<u>MeterUse</u>	Code indicating revenue meter, check meter, load research, etc.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	=
Next Scheduled Reac Date (NextSchRead Date)	Indicates the NSRD for the <i>meter</i> if a reading is required.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	= 7	<u>Yes</u>	<u>Yes</u>						
<u>NextTestDate</u>	Next date on which the <i>meter</i> should be tested.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	_	=
<u>Password</u>	Read and Time Set passwords, separated by a space. Note that the Write password is not to be stored in this field.	ALL	<u>Yes</u>	Ξ	Ξ	Yes	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	Ξ	=
<u>ReadTypeCode</u>	Code used to indicate whether a meter should be read on the NSRD, a Special Read Date or an Estimated Substituted Reading.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	٥	Ξ	=
<u>RemotePhone</u> <u>Number</u>		VIC, NSW, ACT, QLD	Ξ	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	Ξ

Page 206 of 212





												AUSTRAL	JAN ENER	GY MARK	T OPERATOR
		ction							<u>Sta</u>	nding	<u>Data</u>	a Access Rights		_	MI Discovery / NMI Search
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	뫼	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1	Type 2	Type 3
		<u>SA</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	=
<u>TestCalibProgram</u>	Current test and calibration program details.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	=
<u>TestPerformed</u> <u>By</u>	Who performed the last test. This field could be used to store a company or individual's name.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	Ξ	Ξ	=
<u>TestResult</u> <u>Accuracy</u>	The accuracy of the <i>meter</i> from the last test.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	Ξ	=
<u>TestResult</u> <u>Notes</u>	Any text or further test information,	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=	Ξ	Ξ	=
Transformer Location	Indicates where the transformer is in relation to the meter.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	=

Page 207 of 212





NMI Disco													OPERATOR		
		ction							<u>Staı</u>	<u>ndinc</u>	<u>Data</u>	a Access Rights			II Discovery / IMI Search
<u>Data Item</u>	Description	Jurisdiction	FRMP	LR	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1	Type 2	Type 3
<u>UserAccess</u> <u>Rights</u>	Details of any End User access to the metering installation. Examples include pulse outputs, interface to End User load management system, or End User directly accessing data in the meter through special agreement.	ALL	<u>Yes</u>	Ξ	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	2	<u>Yes</u>	=	٥	Ξ	=
<u>Transformer</u> <u>Ratio</u>	Instrument transformer ratios (available and connected).	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	Yes	Yes	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ
<u>Transformer</u> <u>Type</u>	Type of transformation employed.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	Yes	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	Ξ
MSATS Standing Dat	a Table: REGISTER ID (CATS REGISTER ID	DENTI	FIER)												
Actual/Cumulative Indicator (ActCumInd)	Actual/Subtractive indicator, Actual implies volume of energy actually metered between two dates. Cumulative indicates a Meter Reading for a specific date. A second Meter Reading is required to determine the consumption between those two dates.	ALL	Yes	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	=
<u>Controlled</u> <u>Load</u>	Indicates whether the energy recorded by this register is created under a Controlled Load regime.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>





												ALS	TRALIAN ENE	RGY M	ARKET OPE	RATOR
		ction							<u>Star</u>	nding	<u>Data</u>	a Access Rights		1		Discovery / II Search
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	뫼	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1	Tymo	Type 3	<u>MC</u>
<u>Demand1</u>	A value, in kVA or kW, which is a demand component associated with a Network Tariff.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ		Ξ
<u>Demand2</u>	A value, in kVA or kW, where there is a second demand component associated with a Network Tariff.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ		Ξ
<u>DialFormat</u>	Describes the register display format. First number is the number of digits to the left of the decimal place, and the second number is the number of digits to the right of the decimal place.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Ye</u>	<u>es</u>	=
<u>Multiplier</u>	Multiplier required to take a register value and turn it into a value representing billable energy.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Ye</u>	<u>es</u>	<u>Yes</u>
Network Tariff Code (NetworkTariff Code)	A code that identifies the Network Tariff. It is a code obligation for the LNSP to publish the meaning of these codes elsewhere (e.g. on the Internet).	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Ye</u>	<u>es</u>	<u>Yes</u>						
Network Tariff Code Additional Information (NTAddInfo)	Contains additional explanatory information about the Network Tariff if the code alone is not a sufficient explanation.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Ye</u>	<u>es</u>	Ξ						

Page 209 of 212





												// AUSTRAL	AN ENERGY	MARKET OPERATO	ik .
		ction							<u>Star</u>	nding	<u>Data</u>	a Access Rights			covery / Search
<u>Data Item</u>	<u>Description</u>	Jurisdiction	FRMP	뀖	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	N SP2	Type 1	Type 2	<u>M</u> C
<u>RegisterId</u>	The identifier which uniquely identifies this register.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>- Y</u>	es	<u>Yes</u>						
Register Identifier Status Code (RegisterId Status)	A code to indicate whether or not the register is active.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>- Y</u>	es	<u>Yes</u>						
<u>Suffix</u>	The suffix on the CATS NMI  Datastream table to which energy measured on this register contributes.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>- Y</u>	es	Ξ
<u>TimeOfDay</u>	A code that indicates the time validity of the register's contents.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>- Y</u>	es	<u>Yes</u>
<u>UnitOf</u> <u>Measure</u>	A code to identify the unit of measure for the data held in this register.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>- Y</u>	<u>es</u>	<u>Yes</u>
MSATS Standing Dat	a Table: NMI DATASTREAM (CATS NMI	DATA	STR	EAM)											
ADL (AverageDailyLoad)	The electrical energy delivered through a connection point or metering point over an extended period normalised to a per day basis.	ALL	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	<u>- Y</u>	<u>es</u>	<u>Yes</u>

Page 210 of 212





												ALISTRALIA	AN ENE	RGY MARKET OPER	ATOR	
		ction							<u>Sta</u>	<u>nding</u>	<u>Data</u>	a Access Rights		_	Discovery / I Search	
<u>Data Item</u>	Description	Jurisdiction	FRMP	띪	LNSP	MDP	MPB	MPC	묎	ROLR	NEM	NSP2	Type 1	Type 2 Type 3	MC	
<u>DataStream</u> <u>Type</u>	Indicates the type of data that the Datastream will report includes interval and accumulation.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>							
<u>ProfileName</u>	See Retail Market Procedures – Glossary and Framework		<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Yes	Ξ	
Datastream Status Code (StreamStatus Code)	Code used to indicate the status of the suffix. (See section 4.11)	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>							
<u>Suffix</u>	Stream of data for the NMI.	ALL	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	Ξ	Ξ	4							
MSATS Metering Dat	<u>a</u>															
Previous Read Dates	The dates of the Previous Meter Reads performed by the MDP.	ALL	<u>Yes</u>	=	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	<u>Yes</u>	Ξ	<u>Yes</u>	<u>Yes</u>	=	Yes	=	Comm and Pr submis note th

Commented [AEMO1]: The naming of Previous Read Dates and Previous Read Quality Flags are subject to ASWG submission, change and approval processes. It is important to note that the field names may change and values will be defined.

20 DECEMBERMAY 2020

Page 211 of 212





			AUSTRALIAN ENERGY MARKET OFENSION											
<u>Data Item</u>	<u>Description</u>	Jurisdiction	Standing Data Access Rights									NMI Discovery / NMI Search		
			FRMP	R	LNSP	MDP	MPB	MPC	RP	ROLR	NEM	NSP2	Type 1 Type 2 Type 3	WC
Previous Read Quality A code representing the quality of the														
<u>Flag</u>	Previous Meter Reads performed by the													
	MDP.													
	Values permitted include:													
	<u>A – Actual</u>													
	<u>S- Substitute</u>													
	F – Final Substitute													
	and the second s													

<sup>\*</sup> Only if "Address returned in stage 1" is turned on